



New England Biolabs  
240 County Road  
Ipswich, MA 01938

## MATERIAL SAFETY DATA SHEET (MSDS)

Telephone: (978) 927-5054  
Toll free: (800) 632-5227  
Fax: (978) 921-1350  
Email: info@neb.com  
Revision Date: 09/09/2011

**NEB #C3028**

### SECTION 1—CHEMICAL INFORMATION

Product Name: SHuffle™ Express Competent *E. coli*

Cas.# None

### SECTION 2—COMPOSITION/INFORMATION ON INGREDIENT

- |                       |       |               |
|-----------------------|-------|---------------|
| 1. Glycerol           | 1–10% | Cas.# 56-81-5 |
| 2. Dimethyl Sulfoxide | 1–10% | Cas.# 67-68-5 |

The ingredients listed in this section include only those items that have more than 1% of a component classified as hazardous and 0.1% of a component classified as carcinogenic. If you have any questions, please contact info@neb.com.

### SECTION 3—HAZARDOUS IDENTIFICATION

**Emergency Overview:** Warning: May cause irritation to skin, eyes, and respiratory tract, may affect kidneys, blood and liver.

**HMIS and NFPA Ratings:** 0 – Minimal or None, 1 – Slight, 2 – Moderate, 3 – Serious, and 4 – Severe

Health: 1  
Flammability: 1  
Reactivity: 0

### SECTION 4—FIRST AID MEASURES

**Eyes:** Flush eyes with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating eyelids. Call a physician.

**Skin:** Wash skin with soap and copious amount of water.

**Ingestion:** If the person is conscious, wash out mouth with water. Call a physician.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

### SECTION 5—FIRE FIGHTING MEASURES

**Extinguishing Media:** Water spray. Carbon dioxide, dry chemical powder or appropriate foam.

**Special Fire Fighting Procedures:** Wear self contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

**Fire and Explosion Hazards:** Combustible liquid. Emits toxic fumes under fire conditions.

### SECTION 6—ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid breathing or contact with vapors, mist or gas.

**Procedure of Personal Precaution:** Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves and chemical safety goggles. Use non-sparking tools and equipment. Ventilate and evacuate area of leak or spill.

**Environmental Precautions:** Do not let product enter drains.

**Methods For Cleaning Up:** Cover with dry lime, sand, or soda ash. Sweep up and shovel. Place in covered container for disposal.

### SECTION 7—HANDLING AND STORAGE

**Handling:** Provide appropriate exhaust ventilation.

**User Exposure:** Avoid inhalation. Avoid contact with DMSO solutions containing toxic materials or material with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body. Avoid prolonged or repeated exposure.

**Storage:** Keep tightly closed in a dry and well ventilated place. Store at -20°C .

## SECTION 8—EXPOSURE CONTROLS/PPE

**Engineering Controls:** Safety shower and eye wash. Mechanical exhaust.

**Personal Protective Equipment**

**Eye Protection:** Safety goggles.

**Hand Protection:** Compatible resistant gloves.

**Respiratory Protection:** Government approved respirator.

**Hygiene Measure:** General practice, wash (hands and skin) thoroughly after handling. Remove and wash contaminated clothing.

## SECTION 9—PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Form: Liquid                      Color: Clear or colorless                      Odor: No Data Available

Property	Value	Temperature or Pressure
Boiling Point Range:		>189°C
Melting Point Range:		>18.4°C
Flash Point:		>87°C                      Method: Closed cup
Auto Ignition Temp:		>215°C
Vapor Pressure:	.42 mmHg	20°C
Vapor Density:	2.7 g/l	
Specific Gravity:	1.1	
Solubility in Water:	Soluble	

## SECTION 10—STABILITY AND REACTIVITY

**Stability:** Stable under recommended storage conditions.

**Conditions to Avoid:** Moisture

**Materials to Avoid:** Acid chlorides, Phosphorus halides, strong oxidizing agents, strong acids, strong reducing agents.

**Hazardous Decomposition Products:** Carbon monoxide, Carbon dioxide, Sulfur dioxides.

**Hazardous Polymerization:** Will not occur.

**Hazardous Exothermic Reactions:** Hazardous Exothermic Reactions: Methyl sulfoxide (DMSO) undergoes a violent exothermic reaction on mixing with copper wool and trichloroacetic acid. On mixing with potassium permanganate it will flash instantaneously. It reacts violently with: acid halides, cyanuric chloride, silicon tetrachloride, phosphorus trichloride and trioxide, thionyl chloride, magnesium perchlorate, silver fluoride, methyl bromide, iodine pentafluoride, nitrogen periodate, diborane, sodium hydride and perchloric and periodic acids. When heated above its boiling point methyl sulfoxide degrades giving off formaldehyde, methyl mercaptan and sulfur dioxide.

## SECTION 11—TOXICOLOGICAL INFORMATION

**Acute and Chronic Affects Based On Routes Of Exposure**

**Effects on Fertility:** Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea).

**Effects on Embryo or Fetus:** Fetotoxicity (except death, e.g., stunted fetus).

**Specific Developmental Abnormalities:** Musculoskeletal System

**Eye Contact:** May cause irritation.

**Skin Contact:** May cause irritation.

**Ingestion:** May cause nausea, coughing, headache or diarrhea.

**Inhalation:** Unlikely at room temperature, inhalation of mist may cause irritation of respiratory tract.

**Chronic Exposure**

**Target Organ(s):** May cause kidney and liver damage.

**Aggravation of Pre-existing Conditions:** Persons with pre-existing skin disorder or eye problems or impaired liver or kidneys may be more susceptible to the effects of the material.

**NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.

**IARC:** No component of this product present at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen.

**ACGIH:** No component of this product present at levels greater than or equal to 0.1 % is identified as a known or suspected human carcinogen or confirmed animal with unknown relevance humans.

**Route of Exposure**

**Skin Absorption:** May be harmful if absorbed.

**Contact:** May cause skin irritation.

**Eye Contact:** May cause eye irritation.

**Inhalation:** May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

**Ingestion:** May be harmful if swallowed.

**Conditions Aggravated By Exposure:** Avoid contact with DMSO solutions containing toxic materials or material with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body. Avoid prolonged or repeated exposure.

**Target Organ (s) or System (s):** Eyes and Skin

**Toxicity Data**

**Inhalation**

Rat

40,250 ppm

LC50

**Oral**

Rat

3,300 mg/kg

LD50

**Oral**

Rat

14,500 mg/kg

LD50

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear and Taste): Eye: Hemorrhage. Sense Organs and Special Senses (Nose, Eye, Ear and Taste): Eye: Conjunctive irritation.

**Skin**

Rat

40,000 mg/kg

LD50

**Intraperitoneal**

Rat

8,200 mg/kg

LD50

**Subcutaneous**

Rat

12 gg/kg

LD50

Remarks: Behavioral: Change in motor activity (specific assay), Lungs, Thorax, or Respiration: Dyspnea.

**Intravenous**

Rat

5,360 mg /kg

LD50

Remarks: Behavioral: Tremor, Muscle weakness. Lungs, Thorax or Respiration: Dyspnea.

**Chronic Exposure - Carcinogen**

Species: Rat

Route of Application: Oral

Dose: 59 gm/kg

Exposure Time: 81W

Frequency: I

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria, Skin and Appendages: Other: Tumors.

Species: Rat

Route of Application: Subcutaneous

Dose: 220 gm/kg

Exposure Time: 82W

Frequency I

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria, Skin and Appendages: Other: Tumors.

**Chronic Exposure - Mutagen**

Species: Rat

Route: Intraperitoneal

Dose: 25 gm/kg

Exposure Time: 5D

Mutation Test: Cytogenetic analysis.

**Chronic Exposure - Reproductive Hazard**

Species: Rat

Dose: 56 gm/kg

Route of Application: Intraperitoneal

Exposure Time: (6–12D PREG)

Result: Effects on Fertility: Abortion

Species: Rat

Dose: 6,600 mg/kg

Route of Application: Intraperitoneal

Exposure Time: (7–15D PREG)

Result: Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Species : Rat

Dose: 30,750 mg/kg

Route of Application: Subcutaneous

Exposure Time: (8–10D PREG)

Result: Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g., # fetuses per litter; measured before birth).

## SECTION 12—ECOLOGICAL INFORMATION

**Elimination Information (persistence and degradability):** No data available.

### Ecotoxicity Effects

Toxicity to fish	LC50-Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h LC50-Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50-Daphnia pulex (water flea) - 27,500 mg/l
Toxicity to algae	EC50 - Lepomis macrochirus (Blue Gill) - > 400,000 mg/l - 96 h

**Further Information On Ecology:** No data available.

## SECTION 13—DISPOSAL CONSIDERATIONS

Dispose of container, unused contents and contaminated packaging in accordance with federal, state and local requirement. Contract with a licensed Chemical Waste Disposal Service.

## SECTION 14—TRANSPORT INFORMATION

This product is not dangerous and no special precautions are needed according to DOT, ADR/RID (cross border), IMDG and IATA/ICAO.

## SECTION 15—REGULATORY INFORMATION

**OSHA Hazards:** None known.

### US Classification and Label Test

**US Statements:** Combustible. Readily absorbed through skin. Target Organ (s): Eyes, skin, liver and kidneys. Caution. Avoid contact and inhalation.

### United States Regulatory Information:

Sara Listed: No

TSCA Inventory Item: Yes

### Canada Regulatory Information

**WHMIS Classification:** This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

**DSL:** Yes

**NDSL:** No

### EU Additional Classification

S: 23 24/25

Safety Statements: Do not breath vapor. Avoid contact with skin and eyes.

## SECTION 16—OTHER INFORMATION

### DISCLAIMER

The information provided on the MSDS is furnished in good faith and based on our present knowledge. However, this MSDS shall not constitute a guarantee of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. NEB assumes no additional liability or responsibility resulting from the use of, or reliance on this information. This product is for R&D use only. Not for drug, household or other uses.

Questions about the information found on this MSDS should be directed to [info@neb.com](mailto:info@neb.com).