Ribonucleotide Solution Set







10 μmol of each Lot: 0021301 Store at -20°C Exp: 1/15

Description: The Ribonucleotide Solution Set (NTP Set) consists of four separate solutions of ATP, GTP, CTP and UTP, pH 7.5 as sodium salts. The NTPs are also available as a Ribonucleotide Solution Mix (NEB #N0466).

Reagents Supplied:

100 mM ATP Solution	0.1 ml
100 mM CTP Solution	0.1 ml
100 mM GTP Solution	0.1 ml
100 mM LITP Solution	0.1 ml

Diluent Compatibility: Can be diluted using nuclease-free water.

Applications:

- . In vitro transcription
- RNA tailing by Poly(A) and Poly(U) Polymerases
- · Substrates or cofactors for many enzymes

Quality Controls

NTPs are highly purified, > 99% pure by HPLC, and are free from detectable DNase, RNase and Nickase. They were validated by *in vitro* transcription using the T7 High Yield RNA Synthesis Kit (NEB #E2040).

RNase Assay: Incubation of a 10 μ l reaction containing 1 μ l of NTP with 40 ng of 300 base RNA transcript for 16 hours at 37°C resulted in no detectable degradation of RNA as determined by denaturing PAGE analysis.

Endonuclease Assay: Incubation of a 10 μ I reaction containing 1 μ I of NTP with 300 ng of supercoiled plasmid for 16 hours at 37°C produced less than 10% nicked or linear molecules as determined by agarose gel electrophoresis.

Usage Notes: Store at –20°C. Avoid multiple freeze/thaw cycles. Dilute with nuclease-free water when necessary. NTPs are used with many RNA products from NEB.

Companion Products Sold Separately:

T7 High Yield RNA Synthesis Kit #E2040S 50 rxns

CERTIFICATE OF ANALYSIS

Ribonucleotide Solution Set



1-800-632-7799 info@neb.com www.neb.com

info@ www.n

N0450S

10 μmol of each Lot: 0021301 Store at -20°C Exp: 1/15

Description: The Ribonucleotide Solution Set (NTP Set) consists of four separate solutions of ATP, GTP, CTP and UTP, pH 7.5 as sodium salts. The NTPs are also available as a Ribonucleotide Solution Mix (NEB #N0466).

Reagents Supplied:

100 mM ATP Solution	0.1 ml
100 mM CTP Solution	0.1 ml
100 mM GTP Solution	0.1 ml
100 mM UTP Solution	0.1 ml

Diluent Compatibility: Can be diluted using nuclease-free water.

Applications:

- In vitro transcription
- RNA tailing by Poly(A) and Poly(U) Polymerases
- Substrates or cofactors for many enzymes

Quality Controls

NTPs are highly purified, > 99% pure by HPLC, and are free from detectable DNase, RNase and Nickase. They were validated by *in vitro* transcription using the T7 High Yield RNA Synthesis Kit (NEB #E2040).

RNase Assay: Incubation of a 10 μ l reaction containing 1 μ l of NTP with 40 ng of 300 base RNA transcript for 16 hours at 37°C resulted in no detectable degradation of RNA as determined by denaturing PAGE analysis.

Endonuclease Assay: Incubation of a 10 μ I reaction containing 1 μ I of NTP with 300 ng of supercoiled plasmid for 16 hours at 37°C produced less than 10% nicked or linear molecules as determined by agarose gel electrophoresis.

Usage Notes: Store at –20°C. Avoid multiple freeze/ thaw cycles. Dilute with nuclease-free water when necessary. NTPs are used with many RNA products from NEB.

Companion Products Sold Separately:

T7 High Yield RNA Synthesis Kit #E2040S 50 rxns

CERTIFICATE OF ANALYSIS