


# **Anti-Rat CD4 FITC**

Catalog Number: 11-0040

Also known as: W3/25

RUO: For Research Use Only. Not for use in diagnostic procedures.



# Description

The OX35 monoclonal antibody reacts with rat CD4. CD4 is a co-receptor which participates in signaling through the T cell receptor by making contacts with MHC class II expressed on antigen-presenting cells (APC). CD4 is expressed in the thymus by CD4+CD8+ "double-positive" and CD4+ "single-positive" thymocytes, and by CD4+ "helper" T cells in the periphery. CD4 is a cell-surface membrane glycoprotein which contains four extracellular immunoglobulin-like domains.

# **Applications Reported**

This OX35 antibody has been reported for use in flow cytometric analysis.

# **Applications Tested**

This OX35 antibody has been tested by flow cytometric analysis of rat splenocytes. This can be used at less than or equal to 0.25  $\mu$ g per test. A test is defined as the amount ( $\mu$ g) of antibody that will stain a cell sample in a final volume of 100  $\mu$ L. Cell number should be determined empirically but can range from 10<sup>5</sup> to 10<sup>8</sup> cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

# References

May E, Dorris ML, Satumtira N, Iqbal I, Rehman MI, Lightfoot E, Taurog JD. CD8 alpha beta T cells are not essential to the pathogenesis of arthritis or colitis in HLA-B27 transgenic rats. J Immunol. 2003 Jan 15;170(2):1099-105. (**OX35**, FC, PubMed)

# **Related Products**

11-4724 Mouse IgG2a K Isotype Control FITC 12-0030 Anti-Rat CD3 PE (eBioG4.18 (G4.18))