


## Anti-Human CD4 FITC

**Catalog Number:** 11-0047

**Also Known As:** Leu-3, T4

**RUO: For Research Use Only. Not for use in diagnostic procedures.**



Staining of normal human peripheral blood cells with Anti-Human CD8a APC (cat. 17-0088) and Mouse IgG1 K Isotype Control FITC (cat. 11-4714) (left) or Anti-Human CD4 FITC (right). Cells in the lymphocyte gate were used for analysis.

### Product Information

**Contents:** Anti-Human CD4 FITC


**REF** **Catalog Number:** 11-0047

**Clone:** SK3 (SK-3)

**Concentration:** 5  $\mu$ L (0.06  $\mu$ g)/test


**Host/Isotype:** Mouse IgG1, kappa

**Formulation:** aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer

 **Temperature Limitation:** Store at 2-8°C. Do not freeze. Light sensitive material.

 **Batch Code:** Refer to Vial

 **Use By:** Refer to Vial

 **Caution, contains Azide**

### Description

The SK3 monoclonal antibody reacts with human CD4, a 59-kDa cell surface receptor expressed by a majority of thymocytes, a subpopulation of mature T helper cells, and, in low levels, monocytes. CD4 is a receptor for the human immunodeficiency virus (HIV). SK3 blocks HIV binding and mixed lymphocyte reaction. The SK3 and RPA-T4 monoclonal antibodies do not cross-block binding, suggesting recognition of distinct epitopes.

### Applications Reported

This SK3 (SK-3) antibody has been reported for use in flow cytometric analysis.

### Applications Tested

This SK3 (SK-3) antibody has been pre-titrated and tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at 5  $\mu$ L (0.06  $\mu$ g) per test. A test is defined as the amount ( $\mu$ g) of antibody that will stain a cell sample in a final volume of 100  $\mu$ L. Cell number should be determined empirically but can range from  $10^5$  to  $10^8$  cells/test.

### References

Knapp W, Dorken B, et al, eds. Leucocyte Typing IV: White Cell Differentiation Antigens. Oxford University Press. New York. 1989.

Bernard A, Boumsell L, Hill C. Joint report of the first international workshop on human leucocyte differentiation antigens by the investigators of the participating laboratories. In: Bernard A, Boumsell L, Dausset J, Milstein C, Schlossman SF, eds. Leucocyte Typing. New York, NY: Springer-Verlag; 1984:9-108.

### Related Products

11-4714 Mouse IgG1 K Isotype Control FITC (P3.6.2.8.1)

17-0088 Anti-Human CD8a APC (RPA-T8)

46-0198 Anti-Human CD19 PerCP-eFluor® 710 (SJ25C1)

Not for further distribution without written consent.

Copyright © 2000-2012 eBioscience, Inc.

Tel: 888.999.1371 or 858.642.2058 • Fax: 858.642.2046 • www.eBioscience.com • info@eBioscience.com