



ISO 9001 CERTIFIED  
ISO 13485 CERTIFIED

Corporate Headquarters  
AMRESKO, LLC  
6681 Cochran Road  
Solon, Ohio USA 44139-4300  
440/349-1199 FAX: 440/349-1182  
www.amresco-inc.com  
Email: info@amresco-inc.com

CERTIFICATE OF QUALITY

**Product:** ACRYLAMIDE  
**Grade:** ULTRA PURE GRADE  
**Code:** 0341  
Appearance: White free-flowing, uniform crystals  
Mol. Formula: C3H5NO  
Mol. Weight: 71.08

Description:

<u>Assay:</u>	<u>Min</u>	<u>Max</u>	<u>Units</u>	<u>Disposition</u>
Conductivity (40%, Water)		5	umhos	PASS
DNase		NONE	P/F	PASS
Free Acrylic Acid		< 0.001	%	PASS
Identification	PASS		P/F	PASS
Insolubles		< 0.005	%	PASS
Iron		< 0.0001	%	PASS
Lead		< 0.0001	%	PASS
Magnesium		< 0.0001	%	PASS
Melting Point	84	86	Degrees C	PASS
Moisture (KF)		< 0.2	%	PASS
pH (10%, 0.1M NaCl) @25C	5.5	6.5		PASS
Protease		NONE	P/F	PASS
Purity	99.9		%	PASS
Reassay Date	REPORT			PASS
RNase		NONE	P/F	PASS

Storage: Store at room temperature. Protect from moisture.

0341UP

This signature indicates that the above material has met all quality specifications and has been reviewed by a quality representative.

Signature:

Title:

QC MANAGER

Date:

7/11/2012