



ISO 9001 CERTIFIED
ISO 13485 CERTIFIED

Corporate Headquarters
AMRESKO, LLC
6681 Cochran Road
Solon, Ohio USA 44139-4300
440/349-1199 FAX: 440/349-1182
www.amresco-inc.com
Email: info@amresco-inc.com

CERTIFICATE OF QUALITY

Product: UREA
Grade: PROTEOMICS GRADE
Code: M123
Appearance: White powder
Mol. Formula: CH4 N2 O
Mol. Weight: 60.06

Description:

<u>Assay:</u>	<u>Min</u>	<u>Max</u>	<u>Units</u>	<u>Disposition</u>
Abs.@280nm (5M, Water)		0.05		PASS
Biuret Test	PASS		P/F	PASS
Chloride		0.0005	%	PASS
Conductivity (5M, Water)@25C		15	uhmos	PASS
Cyanate		< 0.002	%	PASS
DNase		NONE	P/F	PASS
Heavy Metals (as Pb)		0.0005	%	PASS
Insolubles		0.005	%	PASS
Iron		0.0001	%	PASS
Melting Point	132	135	Degrees C	PASS
Protease		NONE	P/F	PASS
Purity	99.5		%	PASS
RNase		NONE	P/F	PASS
Solubility (5M, Water)	PASS			PASS

Storage: Store at room temperature. Protect from moisture.

M123PTM

This signature indicates that the above material has met all quality specifications and has been reviewed by a quality representative.

Signature:

Title:

QC MANAGER

Date:

6/29/2012