

Anti-Vimentin Purified

Catalog Number: 14-9897 RUO: For Research Use Only. Not for use in diagnostic procedures.

Product Information

Contents: Anti-Vimentin Purified

 REF
 Catalog Number: 14-9897

 Clone: V9
 Concentration: 0.5 mg/mL

 Host/Isotype: Mouse IgG1, kappa

Formulation: aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer **Temperature Limitation:** Store at 2-8°C.

Batch Code: Refer to vial

Use By: Refer to vial

Contains sodium azide

Description

The V9 monoclonal antibody recognizes human Vimentin, a 57 kDa protein that functions as a structural component of intermediate filaments. Vimentin is expressed in cells derived from the mesenchyme but also in specific populations such as radial glia and immature glial cells, pancreatic precursor cells. It is proposed to be a marker of cardiac differentiation. In neural cells, vimentin expression is gradually replaced by neurofilaments. Reports have also shown surface expression of vimentin on activated macrophages, platelets, as well as apoptotic T cells and neutrophils.

This antibody also recognizes canine (dog), rat and chicken vimentin but does not recognize mouse vimentin.

Applications Reported

This V9 antibody has been reported for use in western blotting, immunocytochemistry, and immunohistochemical staining of frozen (IHC-F) and formalin-fixed paraffin embedded tissue sections (IHC-P).

Applications Tested

This V9 antibody has been tested by immunocytochemistry on paraformaldehyde fixed and permeabilized SK-N-SH or C6 cell lines and by western blot on cell lysates prepared from HeLa cells. This antibody can be used at less than or equal to 1 μ g/ml. It is recommended that this antibody be carefully titrated for optimal performance in the assay of interest.

References

Moisan E, Girard D. Cell surface expression of intermediate filament proteins vimentin and lamin B1 in human neutrophil spontaneous apoptosis. J Leukoc Biol. 2006 Mar;79(3):489-98. (V9, FC)

Dubey M, Hoda S, Chan WK, Pimenta A, Ortiz DD, Shea TB. Reexpression of vimentin in differentiated neuroblastoma cells enhances elongation of axonal neurites. Neurosci Res. 2004 Oct 15;78(2):245-9. (V9, ICC)

Bohn W, Wiegers W, Beuttenmüller M, Traub P. Species-specific recognition patterns of monoclonal antibodies directed against vimentin. Exp Cell Res. 1992 Jul;201(1):1-7. (V9, IHC)

Related Products

11-4011 Anti-Mouse IgG FITC 14-4714 Mouse IgG1 K Isotype Control Purified (P3.6.2.8.1)