

Monoclonal Antibody

For research use only; not for therapeutic or in vitro diagnostic use

Cat. No.	Form	Volume	Quantity*
BMS1015	Pure	100 µl	100 μg

*Bulk quantities are available on request.

Clone:	DREG.200		
Subclass:	mouse IgG1		
Presentation:	PBS, pH 7.2 – 7.4		
Applications:	ELISA		
	Flow Cytometry (FC), Western Blotting (WB), Blocking		
	Optimal dilutions should be determined by the individual laboratory for each application.		
Storage:	-20 °C until expiry as indicated on label. After opening aliquot contents and freeze at -20 °C.		
Shipping conditions:	2-8℃		
References:	 ELISA: Wayne Smith C. et al. Diminished Soluble and Total Cellular L-Selectin in Cord Blood Is Associated with Its Impaired Shedding from Activated Neutrophils. Pediatric Research:Volume 39(4)April 1996pp 616-621. FC, WB: Kishimoto et al. Identification of a human peripheral lymph node homing receptor: a rapidly down-regulated adhesion molecule. PNAS 1990, Vol 87, 2244-2248. 		

+ Europe

eBioscience Campus Vienna Biocenter 2 1030 Vienna, Austria technical support: +43 (1) 796 40 40-120 customer service: +43 (1) 796 40 40-304 fax: +43 (1) 796 40 40-400

tech@ebioscience.com europe@ebioscience.com *www.ebioscience.com* + USA

eBioscience, Inc. 10255 Science Center Drive San Diego, CA 92121 technical support: +1 (888) 810 6168 customer service: +1 (888) 999 1371 fax: +1 (858) 642 2046

tech@ebioscience.com info@ebioscience.com www.ebioscience.com