

## **Product Data Sheet**

**Purified anti-mouse CD24** 

Catalog # / Size:					
Clone:	30-F1				
Isotype:	Rat IgG2c, κ				
Immunogen:	Mouse thymus/spleen		5 . I I		
Reactivity:	Mouse	j M 🔒			
Preparation:	The antibody was purified by affinity chromatography.		Relative Cell Number		
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% se	odium azide.			
Concentration:	0.5 mg/ml				
Storage:	The antibody solution should be stored undiluted at 4°C.		Watter and the second sec		
Application					
Applications:	FC - Quality tested		Log Fluorescence Intensity		
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is $\leq 0.25 \ \mu$ g per million cells in 100 $\mu$ l volume. It is recommended that the reagent be titrated for optimal performance for each application.				
Application References:	1. Ledbetter JA, et al. 1979. Immunol. Rev. 47:63. (FC)				
Description:	CD24 is a 35-45 kD protein, also known as Heat Stable Antigen (HSA), Ly-52, or Nectadrin. It is a GPI-linked sialoglycoprotein expressed on lymphocytes, granulocytes, epithelial cells, thymocytes, monocytes, erythrocytes, dendritic cells, hematopoietic stem cells, and neurons. CD24 expression varies during T and B cell differentiation and is a useful marker for delineating various lymphocyte developmental stages. CD24 serves as an adhesion or costimulatory molecule involved in T and B lymphocyte activation and differentiation by homophilic binding or binding to CD62P.				
Antigen References:	<ol> <li>Li YS, et al. 1993. J. Exp. Med. 178:951.</li> <li>Aigner S, et al. 1995. Int. Immunol. 7:1557.</li> <li>Hunte BE, et al. 1998. Eur. J. Immunol 28:3850.</li> <li>Auerbach R, et al. 1996. Stem Cells 14:269.</li> <li>Allman DM, et al. 1993. J. Immunol 151:4431.</li> </ol>				
Related Products	: <b>Product</b> Purified Rat IgG2c, κ Isotype Ctrl Cell Staining Buffer RBC Lysis Buffer (10X)	<b>Clone</b> RTK4174	<b>Application</b> FC, ICC, ICFC, IF, IHC, IP, WB FC, ICC, ICFC FC, ICFC		



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.