


Anti-Human CD56 (NCAM) PE

Catalog Number: 12-0567 Also known as: Neural cell adhesion molecule RUO: For Research Use Only. Not for use in diagnostic procedures.



Staining of normal human peripheral blood cells with Anti-Human CD3 APC (cat. 17-0038) and Mouse IgG1 K Isotype Control PE (cat. 12-4714) (left) or Anti-Human CD56 (NCAM) PE (right). Cells in the lymphocyte gate were used for analysis.

Product Information

Contents: Anti-Human CD56 (NCAM) PE Catalog Number: 12-0567 Clone: CMSSB Concentration: 5 uL (0.125 ug)/test Host/Isotype: Mouse IgG1, kappa

LOT

Formulation: aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer Temperature Limitation: Store at 2-8°C. DO NOT FREEZE. LIGHT-SENSITIVE MATERIAL. Batch Code: Refer to vial Use By: Refer to vial

Description

This CMSSB monoclonal antibody reacts with human CD56, also known as Neural Cell Adhesion Molecule (NCAM). CD56 is a highly glycosylated transmembrane molecule expressed by neurons and plays a role in the homotypic adhesion of neural cells. In the hematopoietic system, CD56 is expressed on NK cells and a subset of T cells referred to as NKT cells. Staining with CMSSB does not block binding of MEM188 or CB56.

Applications Reported

This CMSSB antibody has been reported for use in flow cytometric analysis.

Applications Tested

This CMSSB antibody has been pre-titrated and tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at 5 μ L (0.125 μ g) per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test.

Related Products

12-4714 Mouse IgG1 K Isotype Control PE (P3.6.2.8.1) 17-0038 Anti-Human CD3 APC (UCHT1)