


Anti-Human CD154 (CD40 Ligand) PE

Catalog Number: 12-1548

Also known as: CD40L

RUO: For Research Use Only. Not for use in diagnostic procedures.



Staining of human peripheral blood cells unstimulated (left) or stimulated for 5 hours with Cell Stimulation Cocktail (500X) (cat. 00-4970) (right) with Anti-Human CD8a FITC (cat. 11-0088) and Anti-Human CD154 (CD40 Ligand) PE (right). Cells in the lymphocyte gate were used for analysis.

Product Information

Contents: Anti-Human CD154 (CD40 Ligand) PE

Catalog Number: 12-1548

Clone: 24-31

Concentration: 5 μ L (0.5 μ g)/test

Host/Isotype: Mouse IgG1, kappa

HLDA Workshop: N/A

Formulation: aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer

Temperature Limitation: Store at 2-8°C. Do not freeze. Light sensitive material.

Batch Code: Refer to vial

Use By: Refer to vial

Description

The 24-31 monoclonal antibody reacts with human CD154, a 39 kDa transmembrane glycoprotein also known as gp39 and CD40 ligand (CD40L). CD154 is a member of the TNF superfamily and is expressed transiently by activated T cells. Through its binding to CD40 on antigen presenting cells including B cells, monocytes/macrophages and dendritic cells, CD154 serves a crucial function in T-APC cognate interaction. CD154 interaction with CD40 transduces signals for T-dependent B-cell activation and induces B cell cycle entry. 24-31 cross-reacts with the cynomolgus monkey CD154.

Applications Reported

24-31 has been reported for use in flow cytometric analysis.

Applications Tested

This 24-31 antibody has been pre-titrated and tested by flow cytometric analysis of activated human peripheral blood leukocytes. This can be used at 5 μ L (0.5 μ g) per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test.

References

Brams, P., A. Black, et al. 2001. A humanized anti-human CD154 monoclonal antibody blocks CD154-CD40 mediated human B cell activation. *Int Immunopharmacol* 1(2): 277-94.

Related Products

00-4970 Cell Stimulation Cocktail (500X)

11-0088 Anti-Human CD8a FITC (RPA-T8)

12-4714 Mouse IgG1 K Isotype Control PE (P3.6.2.8.1)

Not for further distribution without written consent.

Copyright © 2000-2012 eBioscience, Inc.

Tel: 888.999.1371 or 858.642.2058 • Fax: 858.642.2046 • www.ebioscience.com • info@ebioscience.com