# ELISpot<sup>PLUS</sup> for Monkey IFN-γ

Product Code: 3420M-4HST-4

CONTENTS: Precoated strip plates, mAb GZ-4 (4 transparent plates)

Empty plate frame for transfer of strips

Vial 1 (yellow top) Biotinylated monoclonal antibody 7-B6-1 (50 μl) Concentration: 1 mg/ml

Vial 2 (white top) Streptavidin-Horseradish Peroxidase (50 µl)

Vial 3 (black top) Positive control anti-CD3 mAb CD3-1 (100 μl)

TMB substrate (2 x 25 ml)

To ensure total recovery of stated quantity, vials have been overfilled.

#### STORAGE:

Shipped at ambient temperature. On arrival all reagents should be stored refrigerated at 4-8°C. Plates should be kept at room temperature. Antibodies are supplied in sterile filtered (0.2µm) PBS with 0.02% sodium azide. Streptavidin-HRP is supplied in PBS with 0.15% Kathon CG.

# Guidelines for Monkey IFN- $\gamma$ ELISpot PLUS

Please read through before starting the assay

# A Preparation of ELISpot plate (sterile conditions)

- 1. Assemble the required number of strips in the extra plate frame and wash 4 times with sterile PBS (200 µl/well). Seal the bag with the remaining strips and store at room temperature.
- 2. Condition the plate with medium containing 10% of the same serum as used for the cell suspensions (200 µl/well). Incubate for at least 30 minutes at room temperature.

# **B** Incubation of cells in plate (sterile conditions)

- 1. Remove the medium and add the stimuli followed by the cell suspension. Alternatively cells and stimuli can be mixed before addition to the plate. The mAb CD3-1, included in the kit, is recommended as a positive control for cytokine production in a dilution of 1:1000.
- 2. Put the plate in a 37°C humidified incubator with 5%  $CO_2$  and incubate for 12-48 hours. Do not move the plate during this time and take measures to avoid evaporation (e.g. by wrapping the plate in aluminium foil).

# C Detection of spots

- 1. Remove the cells by emptying the plate and wash 5 times with PBS,  $200 \,\mu$ l/well.
- 2. Dilute the detection antibody (7-B6-1-biotin) to 1 μg/ml in PBS containing 0.5% fetal calf serum (PBS-0.5% FCS). Add 100 μl/well and incubate for 2 hours at room temperature.
- 3. Wash plate as above (step C1).
- 4. Dilute the Streptavidin-HRP (1:1000) in PBS-0.5% FCS and add 100 μl/well. Incubate for 1 hour at room temperature.

# Please note that sodium azide used in buffers will inhibit HRP activity.

- 5. Wash plate as above (step C1).
- 6. Add 100 µl/well of the ready-to-use TMB substrate solution and develop until distinct spots emerge.
- 7. Stop colour development by washing extensively in tap water.
- 8. Leave the plate to dry. Inspect and count spots in an ELISpot reader or in a dissection microscope.
- 9. Store plate in the dark at room temperature.

# Hints and comments Please read through before starting the assay

These suggestions are based on the detection of antigen-specific immune responses using PBMC. If using T-cell clones, mixtures of separated cell fractions etc., other protocols may have to be considered.

### Plate washing

Washing of plates can be done using a multi-channel micropipette. In washing steps not requiring sterile conditions (C1-C5), a regular ELISA plate washer can also be used, provided that the washing head is adapted to the ELISpot plates.

# Cells

Both freshly prepared and cryopreserved cells may be used in the assay. However it is recommended that the latter are rested for at least one hour to allow removal of cell debris before addition to the plate. Triplicates or duplicates of 250,000 cells per well are often used to assess antigen-specific responses. For polyclonal activators, the cell number may have to be reduced to avoid confluent spot formation. Protocols with other incubation times have to be established by the user.

#### Assay controls

The number of cells responding to stimulation is often compared to the number of cells spontaneously producing the cytokine, which is determined by incubating the same number of cells in the absence of stimuli. A polyclonal activator such as the included anti-CD3 mAb, CD3-1, or phytohemagglutinin (1-10  $\mu$ g/ml) is often used as a control for cell viability and functionality of the test system.

#### Buffers

PBS for washing and dilution should be filtered (0.2  $\mu$ m) for optimal results. Avoid the inclusion of Tween or other detergents in the washing and incubation buffers.

#### Substrate development

Development is made until distinct spots are seen in positive wells (usually 10-30 minutes). A general darkening of the membrane may occur during development but disappears after drying.

**NOTE; for research use only.** MABTECH shall not be liable for the use or handling of the product or for consequential, special, indirect or incidental damages therefrom.

MABTECH AB Box 1233 SE-131 28 Nacka Strand Sweden Tel: +46 8 716 27 00 Fax: +46 8 716 27 01 E-mail: mabtech@mabtech.com www.mabtech.com

MABTECH Inc M.E.B. 220 3814 West Street Cincinnati, OH 45227 USA Tel: +1 513 871 4500 Fax: +1 513 871 7353 E-mail: mabtech.usa@mabtech.com

MABTECH AB Büro Deutschland Germany Tel: +49 40 4135 7935 Fax: +49 40 4135 7945 E-mail: mabtech.de@mabtech.com

2013-01-23



Developed and manufactured by MABTECH AB, Sweden, whose quality management system complies with the following standards:



MABTECH AUSTRALIA Pty Ltd resolvingIMAGES Unit 22, 196 Settlement Road Thomastown Victoria 3074 Australia Tel: +61 3 9466 4007 Fax: +61 3 9466 4003 E-mail: mabtech.au@mabtech.com

MABTECH AB Bureau de liaison France BP 255, 1300 route des Crêtes 06905 Sophia Antipolis France Tel: +33 (0)4 92 38 80 70 Fax:+33 (0)4 92 38 80 71 E-mail: mabtech.fr@mabtech.com