

Product Data Sheet

PE anti-rat CD90/mouse CD90.1 (Thy-1.1)

Catalog # / Size: 202523 / 50 µg

202524 / 200 µg

Clone: OX-7

Isotype: Mouse IgG1, κ

Immunogen: Rat thymocyte Thy-1 antigen

Reactivity: Rat, Mouse (AKR/J and PL mouse strains), Cross-Reactivity: Rabbit

(Lapine), Guinea Pig

Preparation: The antibody was purified by affinity chromatography, and conjugated with

PE under optimal conditions. The solution is free of unconjugated PE and


unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.

Concentration: 0.2 mg/ml

Storage: The antibody solution should be stored undiluted at 4°C and protected from

prolonged exposure to light. Do not freeze.



LOU rat thymocytes stained with

Applications:

Applications: FC - Quality tested

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For

immunofluorescent staining, the suggested use of this reagent is ≤0.25 μg per million cells in 100 μl volume. It is

recommended that the reagent be titrated for optimal performance for each application.

Application Notes: Additional reported applications (for the relevant formats) include: immunohistochemistry¹ of acetone-fixed frozen sections and zinc-fixed paraffin-embedded sections, immunoprecipitation2, Western blotting2, in vitro activation of

leukocytes³, induction of endothelial cell permeability⁴, induction of glomerulonephritis⁵ in vivo.

Application References: 1. Hermans MHA, et al. 1991. J. Histochem. Cytochem. 39:1627. (IHC) 2. Jeng CJ, et al. 1998. J. Cell Biol. 140:685. (IP, WB)

3. Nakashima I, et al. 1991. J. Immunol. 147:1153.

4. Ishizu A, et al. 1995. Int. Immunol. 7:1939. 5. Eitner F. 1997. Kidney. Int. 51:69.

6. Kawachi H, et al. 1992. Clin. Exp. Immunol. 88:399.

7. Dyer KD, et al. 2007. J. Immunol. 179:1693. (FC) PubMed 8. Hiramatsu Y, et al. 2010. J. Immunol. 87:703. (FC) PubMed

9. Olson MR, et al. 2012. PLos Pathog. 8:e1003054. PubMed.

Description: CD90, also known as Thy-1, is a 28-30 kD GPI-linked membrane glycoprotein. It is a member of the immunoglobulin superfamily and has been shown to interact with CD45 in signal transduction during lymphocyte proliferation and differentiation. CD90 is expressed on hematopoietic stem cells, neurons, thymocytes, peripheral T cells, fibroblasts, stromal cells. The OX-7 antibody reacts with rat CD90 and mouse CD90.1 (Thy-1.1) (which is expressed by mouse strains of AKR/J, PL, and FVB/N), but not mouse CD90.2. This antibody has been reported to induce leukocyte activation, vascular permeability, induce apoptosis in glomerular mesangial cells, and induce glomerulonephritis in

vivo.

Antigen References: 1. Campbell DG, et al. 1981. Biochem. J. 195:15.

2. Hosseinzadeh H, et al. 1993. J. Immunol. 150:1670.

Related Products: Product

PE Mouse IgG1, κ Isotype Ctrl (FC)

Cell Staining Buffer RBC Lysis Buffer (10X) Clone MOPC-21

ICC, ICFC



