



An Affymetrix Company

Anti-Rat CD4 APC

Catalog Number: 17-0040 Also known as: W3/25

RUO: For Research Use Only. Not for use in diagnostic procedures.





PerCP-eFluor® 710 (cat. 46-0084) and 0.125 ug of Mouse IgG2a K Isotype Control APC (cat. 17-4724) (left) or 0.125 ug of Anti-Rat CD4 APC (right). Cells in the lymphocyte gate were used for analysis.

Staining of rat splenocytes with Anti-Rat CD8a

CD8 PerCP-eFluor 710

CD8 PerCP-eFluor 710

Product Information

Contents: Anti-Rat CD4 APC

REF Catalog Number: 17-0040

Clone: OX35

Concentration: 0.2 mg/mL

Host/Isotype: Mouse IgG2a, kappa



Formulation: aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer **Temperature Limitation:** Store at 2-8°C. Do not

freeze. Light sensitive material. **Batch Code:** Refer to vial **Use By:** Refer to vial



Description

The OX35 monoclonal antibody reacts with rat CD4. CD4 is a co-receptor which participates in signaling through the T cell receptor by making contacts with MHC class II expressed on antigen-presenting cells (APC). CD4 is expressed in the thymus by CD4+CD8+ "double-positive" and CD4+ "single-positive" thymocytes, and by CD4+ "helper" T cells in the periphery. CD4 is a cell-surface membrane glycoprotein which contains four extracellular immunoglobulin-like domains.

Applications Reported

This OX35 antibody has been reported for use in flow cytometric analysis.

Applications Tested

This OX35 antibody has been tested by flow cytometric analysis of rat splenocytes. This can be used at less than or equal to $0.25 \,\mu g$ per test. A test is defined as the amount (μg) of antibody that will stain a cell sample in a final volume of $100 \,\mu L$. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

References

May E, Dorris ML, Satumtira N, Iqbal I, Rehman MI, Lightfoot E, Taurog JD. CD8 alpha beta T cells are not essential to the pathogenesis of arthritis or colitis in HLA-B27 transgenic rats. J Immunol. 2003 Jan 15;170(2):1099-105. (OX35, FC, PubMed)

Related Products

12-0030 Anti-Rat CD3 PE (eBioG4.18 (G4.18)) 17-4724 Mouse IgG2a K Isotype Control APC 46-0084 Anti-Rat CD8a PerCP-eFluor® 710 (OX8)