

Product Data Sheet

PE anti-mouse CD309 (VEGFR2, Flk-1)

Catalog # / Size: 136403 / 50 µg
136404 / 200 µg

Clone: Avas12

Isotype: Rat IgG2a, κ

Immunogen: Murine Flk1 fused to hlgG Fc


Reactivity: Mouse

Preparation: The antibody was purified by affinity chromatography, and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.

Concentration: 0.2 mg/ml

Storage: The antibody solution should be stored undiluted at 4°C and protected from prolonged exposure to light. **Do not freeze.**



Endothelial bEnd.3 cells stained with Avas 12 PE

Applications:

Applications: FC - Quality tested

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is ≤1.0 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.

Application Notes: Avas12 recognizes a different epitope than clone 89B3A5.

Application References: 1. Kataoka H, *et al.* 1997. *Dev. Growth Differ.* 39:729.

Description: CD309 is also known as vascular endothelial growth factor receptor 2 (VEGFR2) and fetal liver kinase-1 (Flk-1). CD309 is a member of the tyrosine protein kinase family that contains a single pass transmembrane receptor with a protein kinase domain and seven immunoglobulin-like domains in the extracellular region. CD309 is expressed at high levels in adult heart, lung, kidney, brain, and skeletal muscle. It's a receptor for VEGF or VEGFC, and plays an important role in the development of vascular endothelial cells, hematopoietic cells, and vascular permeability.

Antigen References: 1. Kaburn N, *et al.* 1997. *Development.* 124:2039
2. Patterson C, *et al.* 1995. *J. Bio. Chem.* 270:23111
3. Nishikawa SI, *et al.* 1998. *Immunity* 8 (6):761
4. Shalaby F, *et al.* 1997. *Cell.* 89 (6):981

Related Products:

Product

PE Rat IgG2a, κ Isotype Ctrl

Cell Staining Buffer

RBC Lysis Buffer (10X)

TruStain fcX™ (anti-mouse CD16/32)

Clone

RTK2758

93

Application

FC, ICFC

FC, ICC, ICFC

FC, ICFC

FC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biollegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.