

Product Data Sheet

Alexa Fluor® 647 anti-mouse DC Marker (33D1)

Catalog # / Size: 124911 / 25 µg

124912 / 100 µg

Clone: 33D1

Isotype: Rat IgG2b, κ

Immunogen: Mouse dendritic cells

Reactivity: Mouse

Preparation: The antibody was purified by affinity chromatography, and conjugated with

Alexa Fluor® 647 under optimal conditions. The solution is free of


unconjugated Alexa Fluor® 647.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.

Concentration: 0.5 mg/ml

Storage: The antibody solution should be stored undiluted at 4°C and protected from

prolonged exposure to light. Do not freeze.



C57BL/6 splenocytes stained with M5/114 (I-A/I-E) PE and 33D1 Alexa Fluor® 647

Applications:

Applications: FC - Quality tested

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is ≤ 0.25 µg per 10⁶ cells in 100 µl volume. It is

recommended that the reagent be titrated for optimal performance for other applications.

* Alexa Fluor® 647 has a maximum emission of 668 nm when it is excited at 633nm / 635nm.

** Alexa Fluor® is a registered trademark of Molecular Probes, Inc. Alexa Fluor® dye antibody conjugates are sold under license from Molecular Probes, Inc. for research use only, except for use in combination with microarrays and

high content screening, and are covered by pending and issued patents.

Application References: 1. Crowley MT, et al. 1990. J. Immunol. Methods 133:55.

2. Nussenzwig MC, et al. 1982. P. Natl. Acad. Sci. USA 79:161.

Description: 33D1 antigen, also known as DCIR2 (dendritic cell inhibitory receptor 2), is reported to be a dendritic cell marker on subpopulation DC in spleen, thymus, Peyer's patch. It is reported that most N418 (CD11c)+ cells in spleen are also

33D1 positive. Bone marrow dendritic cells upregulate 33D1 antigen expression after incubation with GM-CSF.

Related Products: Product Clone Application

Alexa Fluor® 647 Rat IgG2b, κ Isotype Ctrl RTK4530 Cell Staining Buffer

FC, ICFC FC, ICC, ICFC FC, ICFC FC RBC Lysis Buffer (10X) TruStain fcX™ (anti-mouse CD16/32) 93



