

Product Data Sheet

Purified anti-mouse DLL4

Catalog # / Size:	130801 / 50 µg 130802 / 500 µg			
Clone:	HMD4-1			
Isotype:	Armenian Hamster IgG		4	
Immunogen:	CHO cells expressing murine DLL4.	lad	A	
Reactivity:	Mouse	2		
Preparation:	The antibody was purified by affinity chromatography.	Relative Cell Numbe		
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.	ath		
Concentration:	0.5 mg/ml	2		
Storage:	The antibody solution should be stored undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.	4		
Application	IS:	10 ⁰	10 ¹ 10 ² 10 ³ 10 ⁴ Log Fluorescence Intensity	
Applications:	FC - Quality tested IHC - These applications are reported	cell follo	FD4/CHO (mouse DLL4 transfactant) cell line stained with purified HMD4-1, followed by anti-Armenian hamster	
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is $\leq 0.25 \ \mu$ g per million cells in 100 μ l volume. It is recommended that the reagent be titrated for optimal performance for each application.	t	PE	
Application References:	1. Moriyama Y, <i>et al.</i> 2008. Int. Immunol. 20:763.			
Description:	The Notch receptors and their ligands are highly conserved from invertebrate of four or five Notch ligands identified. The binding to Notch receptor results i of intracellular portions of Notch into the nucleus. This translocation triggers a reported to be essential for the regulation of angiogenesis. In thymus, DLL4 is for T cell lineage commitment.	n the pl a series	roteolysis of Notch and movement s of signaling processes. DLL4 is	
Antigen References:	 Ehebauer MT, et al. 2006. Biochem J. 392:13. Shimizu K, et al. 2000. Mol Cell Biol. 20:6913. Hellstrom M, et al. 2007. Nature 445:776. Suchting S, et al. 2007. P. Natl. Acad. Sci. USA 104:3225. 			
Related Products	:Product Clone		Application	

Purified Armenian Hamster IgG Isotype Ctrl

HTK888

FC, ICC, ICFC, IF, IP, WB



*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.