

PE anti-human CD85k (ILT3)

Catalog # / Size: 333007 / 25 tests
333008 / 100 tests

Clone: ZM4.1

Isotype: Mouse IgG1, κ


Immunogen: ILT3 fusion protein

Reactivity: Human

Preparation: The antibody was purified by affinity chromatography, and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA).

Storage: The antibody solution should be stored undiluted at 4°C and protected from prolonged exposure to light. **Do not freeze.**



Human monocyte-derived dendritic cells stained with ZM4.1 PE

Applications:

Applications: FC - *Quality tested*

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. **Test size products are transitioning from 20 μ l to 5 μ l per test.** Please check your vial or your CoA to find the suggested use of this reagent per million cells in 100 μ l staining volume or per 100 μ l of whole blood. It is recommended that the reagent be titrated for optimal performance for each application. Read more at www.biolegend.com/testsize regarding the test size change.

Description: CD85k, known as Immunoglobulin-like transcript (ILT) 3, is an inhibitory receptor expressed by dendritic cells and a subset of white blood cells called monocytes. ILT3, also known as Leukocyte Immunoglobulin-Like Receptor subfamily B member 4 (LILRB4) and Leukocyte Immunoglobulin-like Receptor 5 (LIR-5), is a type I membrane protein that contains cytoplasmic ITIM motifs and is involved in the down-regulation of immune responses. Expression of ILT3 is up-regulated on tolerogenic dendritic cells.

Antigen References: 1. Cella M, *et al.* 1997. *J. Exp. Med.* 185:1743.
2. Penna G, *et al.* 2005 *Blood* 5:2044.

Related Products:

Product	Clone	Application
PE Mouse IgG1, κ Isotype Ctrl (FC)	MOPC-21	FC
Cell Staining Buffer		FC, ICC, ICFC
RBC Lysis Buffer (10X)		FC, ICFC
Human TruStain FcX™ (Fc Receptor Blocking Solution)		FC, ICC, ICFC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.