

PE/Cy7 anti-human CD172a/b (SIRP α / β)

Catalog # / Size: 323807 / 25 tests
323808 / 100 tests

Clone: SE5A5

Isotype: Mouse IgG1, κ


Immunogen: NIH-3T3/hu-SIRP α cell line

Reactivity: Human

Preparation: The antibody was purified by affinity chromatography, and conjugated with PE/Cy7 under optimal conditions. The solution is free of unconjugated PE/Cy7 and unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA).

Storage: The antibody solution should be stored undiluted at 4°C and protected from prolonged exposure to light. **Do not freeze.**



Human peripheral blood granulocytes stained with SE5A5 PE/Cy7

Applications:

Applications: FC - Quality tested

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. **Test size products are transitioning from 20 μ l to 5 μ l per test.** Please check your vial or your CoA to find the suggested use of this reagent per million cells in 100 μ l staining volume or per 100 μ l of whole blood. It is recommended that the reagent be titrated for optimal performance for each application. Read more at www.biolegend.com/testsize regarding the test size change.

Application Notes: Clone SE5A5 recognizes a common epitope on SIRP α (90 kD) and SIRP β (50 kD).³ A high degree of homology has been found between SIRP family isoforms alpha and beta at the level of extracellular domains. Consequently, many anti SIRP antibody clones, such as SE5A5, have been reported to cross react with several SIRP isoforms.^{4,5,6} It reacts with CD172a and has weak cross-reaction with CD172b. This antibody is able to block the binding of SIRP α (SIRP α 1 and SIRP α 2) to CD47.

Cy3, Cy5, Cy5.5 and Cy7 are subject to proprietary rights of GE Healthcare Bio-Sciences Corp. and Carnegie Mellon University and made and sold under license from GE Healthcare Bio-Sciences Corp. Sale of this product is licensed for research use only.

Application References:

- Seiffert M, *et al.* 1999. *Blood* 94:3633.
- Dubois NC, *et al.* 2011. *Nat. Biotechnol.* 29:1011.
- Barros MM, *et al.* 2009. *Transfusion* 49:154.
- Liu Y, *et al.* 2005. *J. Biol. Chem.* 280:36132.
- Seiffert M, *et al.* 1999. *Blood* 94:3633.
- Barclay AN. 2009. *Curr. Opin. Immunol.* 21:47.

Description: CD172a, also known as signal-regulatory protein α (SIRP α), src homology 2 domain-containing phosphatase substrate-1 (SHPS1), PTPNS1, BIT, MFR, and P84, is a 75-110 kD transmembrane glycoprotein involved in receptor tyrosine kinase coupled signaling pathway. It belongs to the Ig superfamily and is primarily expressed on monocytes/macrophages, granulocytes, dendritic cells, and neurons. CD172a serves as a substrate of activated receptor tyrosine kinases (RTKs). The interaction of CD172a intracellular domain with SHP-1 and SHP-2 displays negative signaling in the regulation of leukocyte adhesion and transmigration, T cell activation, macrophage fusion, and phagocytosis. CD47 (IAP) is the extracellular ligand for CD172a. SIRP α was recently demonstrated to be a specific marker for cardiomyocytes derived from human pluripotent stem cells.²

Antigen References:

- Seiffert M, *et al.* 1999. *Blood* 94:3633.
- Seiffert M, *et al.* 2001. *Blood* 97:2741.
- Timms JF, *et al.* 1998. *Mol. Cell Biol.* 18:3838.
- Barclay AN and Brown MH. 2006. *Nat. Rev. Immunol.* 6:457.

Related Products: Product

Cell Staining Buffer
PE/Cy7 Mouse IgG1, κ Isotype Ctrl
Human TruStain FcX™ (Fc Receptor Blocking Solution)

Clone

MOPC-21

Application

FC, ICC, ICFC
FC, ICFC
FC, ICC, ICFC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.