

PRODUCT INFORMATION

Entranceposon (Tet^R-3)

#F-784 500 ng

Lot: _ Expiry Date: _

Concentration: 25 ng/μl

Store at -20°C



www.thermoscientific.com/pcr

Unit definition

1.0 A₂₆₀ unit dsDNA = 50 μg/ml.

MuA Transposition Reaction/ Transformation Assay

Transposition reactions (20 μl) were performed using 1 μl of the Entranceposon (Tet^R-3), 370 ng of the Control Target DNA (9243 bp) and 0.22 μg of the MuA Transposase in 1X Reaction buffer (25 mM Tris-HCl pH 8.0 at 20°C; 10 mM MgCl₂; 110 mM NaCl; 0.05 % Triton X-100; 10 % glycerol). The reaction mixtures were incubated for 1 h at 30°C followed by heat-inactivation of the MuA Transposase for 10 min at 75°C. 10 μl of transposition reactions were transformed into chemically competent E.coli cells using standard protocol (transformation efficiency <10⁷ cfu/μg pUC19). Dilutions of the transformation mixture were plated on LB plates supplemented with 100 μg/ml ampicillin and 10 μg/ml tetracycline. As a result more than thousand tetracycline-resistant colonies were recovered per single transposition reaction.

Technical support

US: techservice.genomics@thermofisher.com

Europe, Asia, Rest of World:

techservice.emea.genomics@thermofisher.com

Web: www.thermoscientific.com/pcr

PRODUCT USE LIMITATION

This product has been developed and is sold exclusively for research purposes and in vitro use only. This product has not been tested for use in diagnostics or drug development, nor are they suitable for administration to humans or animals.

© 2012 Thermo Fisher Scientific, Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries.