

Product Data Sheet

Alexa Fluor® 488 anti-human Granzyme A

Catalog # / Size: 507212 / 100 tests

Clone: CB9

Isotype: Mouse IgG1, κ


Immunogen: Purified human Granzyme A

Reactivity: Human

Preparation: The antibody was purified by affinity chromatography, and conjugated with Alexa Fluor® 488 under optimal conditions. The solution is free of unconjugated Alexa Fluor® 488.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA).

Storage: The antibody solution should be stored undiluted at 4°C and protected from prolonged exposure to light. **Do not freeze.**



Human peripheral blood lymphocytes surface stained with CD8 PE, then intracellularly stained with CB9 Alexa Fluor® 488

Applications:

Applications: ICFC - *Quality tested*

Recommended Usage: Each lot of this antibody is quality control tested by intracellular immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is 5 μ l per million cells or 5 μ l per 100 μ l of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

* Alexa Fluor® 488 has a maximum emission of 519 nm when it is excited at 488 nm.

** Alexa Fluor® is a registered trademark of Molecular Probes, Inc. Alexa Fluor® dye antibody conjugates are sold under license from Molecular Probes, Inc. for research use only, except for use in combination with microarrays and high content screening, and are covered by pending and issued patents.

Application Notes: Additional reported applications (for the relevant formats) include: immunohistochemical staining³ of formalin-fixed paraffin-embedded tissue sections, and immunoprecipitation².

Application References:

1. Trimble L, *et al.* 1998. *Blood* 91:585.
2. Beresford P, *et al.* 1997. *P. Natl. Acad. Sci. USA* 94:9285.
3. Raqib R, *et al.* 2002. *Infect. Immun.* 70:3199.
4. Chen H, *et al.* 2005. *J. Immunol.* 175:591.

Description: Granzyme A is a 28 kD disulfide-linked homodimeric protein and the most abundant of the proteases occurring in CTL granules. It is homologous to other serine esterases, including other granzymes, mast cell proteases, and neutrophil cathepsins. Granzyme B is thought to be a rapidly-acting apoptotic enzyme, while Granzyme A is slow acting. The CB9 monoclonal antibody recognizes human Granzyme A and has been shown to be useful for flow cytometry, immunoprecipitation, and immunohistochemistry (paraffin-embedded sections).

Antigen References:

1. Brune J, *et al.* 1986. *Nature* 322:268.
2. Fan Z, *et al.* 2003. *Nature Immunol.* 4:145.
3. Fan Z, *et al.* 2003. *Cell* 112:659.
4. Masson D, *et al.* 1987. *Cell* 49:679.

Related Products:

Product
Cell Staining Buffer
Alexa Fluor® 488 Mouse IgG1, κ Isotype Ctrl (ICFC)

Clone
MOPC-21

Application
FC, ICC, ICFC
ICFC, IF



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biollegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.