

PE anti-human LT- α (TNF- β)

Catalog # / Size: 503105 / 25 μ g

Clone: 359-81-11

Isotype: Mouse IgG1, κ

Immunogen: *E. coli* expressed, recombinant human LT- α .


Reactivity: Human

Preparation: The antibody was purified by affinity chromatography, and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.

Concentration: 0.2 mg/ml

Storage: The antibody solution should be stored undiluted at 4°C and protected from prolonged exposure to light. **Do not freeze.**



PMA+ionomycin-stimulated human T cells were surface stained with CD3 PE/Cy5 and intracellularly stained with 359-81-11 PE

Applications:

Applications: ICFC - *Quality tested*

Recommended Usage: Each lot of this antibody is quality control tested by intracellular immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is $\leq 0.25 \mu$ g per 10^6 cells in 100 μ l volume. It is recommended that the reagent be titrated for optimal performance for each application.

Application Notes: **ELISA or ELISPOT Detection^{1,2}:** The biotinylated 359-81-11 antibody is useful as a detection antibody for a sandwich ELISA or ELISPOT assay, when used in conjunction with purified 359-238-8 antibody (Cat. No. 503002/503004) as the capture antibody.
Flow Cytometry³: The fluorochrome-labeled 359-81-11 antibody is useful for intracellular immunofluorescent staining and flow cytometric analysis to identify LT- α -producing cells within mixed cell populations. View intracellular cytokine staining protocol.
Neutralization^{1,2}: The 359-81-11 antibody can neutralize the bioactivity of natural or recombinant LT- α . The LEAF™ purified antibody (Endotoxin <0.1 EU/ μ g, Azide-Free, 0.2 μ m filtered) is recommended for neutralization of human LT- α bioactivity (Cat. No. 503108).
Additional reported applications (for the relevant formats) include: immunohistochemical staining of paraformaldehyde-fixed, saponin-treated frozen tissue sections, and immunocytochemistry.

Application References:

1. Meager A, *et al.* 1987. *J. Immunol. Methods* 104:31.
2. Meager A, *et al.* 1987. *Hybridoma*. 6:305.
3. Jason J, *et al.* 1999. *Clin. Diagn. Lab Immunol.* 6:73.

Description: Lymphotoxin- α (LT- α), also known as tumor necrosis factor-beta (TNF- β), is a potent lymphoid factor that exerts cytotoxic effects on a wide range of tumor cells and certain other target cells. LT- α possesses a signal peptide sequence and is a secreted protein; however, LT- α is also present on the surface of activated T, B and LAK cells as a complex with LT- β . Bioactive LT- α exists as a homotrimer.

Antigen References:

1. Fitzgerald, K., *et al.* Eds. 2001. *The Cytokine FactsBook*. Academic Press, San Diego.
2. Aggarwal, B., *et al.* Eds. 1992. *Tumor necrosis factors: structure, function, and mechanism of action*. Marcel Dekker Inc.
3. Bonavida, B., *et al.* Eds. 1990. *Tumor necrosis factor: structure, mechanisms of action, role in disease and therapy*. Karger, Basel.
4. Paul, N., *et al.* 1987. *Annu. Rev. Immunol.* 6:407.

Related Products:

Product
PE Mouse IgG1, κ Isotype Ctrl
Cell Staining Buffer
Fixation Buffer
Permeabilization Wash Buffer (10X)
RBC Lysis Buffer (10X)
Brefeldin A Solution (1,000X)
Monensin Solution (1,000X)

Clone
MOPC-21

Application
FC, ICFC
FC, ICC, ICFC
ICC, ICFC
ICC, ICFC, IHC
FC, ICFC
ICFC
ICFC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.