

Product Data Sheet

Alexa Fluor® 700 anti-human IL-2

Catalog # / Size: 500319 / 25 µg

500320 / 100 µg

Clone: MQ1-17H12 Isotype: Rat IgG2a, κ

Immunogen: E. coli - expressed recombinant human IL-2

Reactivity: Human, Cross-Reactivity: Chimpanzee, Baboon, Cynomolgus, Rhesus,

Sooty Mangabey

Preparation: The antibody was purified by affinity chromatography, and conjugated with Alexa Fluor® 700 under optimal conditions. The solution is free of


unconjugated Alexa Fluor® 700.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.

Concentration: 0.5 mg/ml

Storage: The IL-2 antibody solution should be stored undiluted at 4°C, and protected

from prolonged exposure to light. Do not freeze.



PMA+ionomycin-stimulated (5 hours) human PBMCs surface stained with CD3 PE and intracellular stained with

MQ1-17H12 Alexa Fluor® 700

Applications:

Applications: ICFC - Quality tested

Recommended Usage: Each lot of this antibody is quality control tested by intracellular immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent is ≤ 0.25 µg per 10⁶ cells in 100 µl volume. It is highly recommended that the reagent be titrated for optimal performance for each application.

> * Alexa Fluor® 700 has a maximum emission of 719 nm when it is excited at 633nm / 635nm. Prior to using Alexa Fluor® 700 conjugate for flow cytometric analysis, please verify your flow cytometer's capability of exciting and detecting the fluorochrome.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc. Alexa Fluor® dye antibody conjugates are sold under license from Molecular Probes, Inc. for research use only, except for use in combination with microarrays and

high content screening, and are covered by pending and issued patents.

Application Notes: ELISA or ELISPOT Capture^{2,3}: The purified MQ1-17H12 antibody is useful as the capture antibody in a sandwich ELISA or ELISPOT assay, when used in conjunction with the biotinylated Poly5176 antibody (Cat. No. 517601) as the detecting antibody. The LEAF™ purified antibody is suggested for ELISPOT capture. For ELISPOT capture applications, a concentration range of 4-8 µg/ml is recommended.

Additional reported applications (for the relevant formats) include: immunoprecipitation², immunohistochemical staining of paraformaldehyde-fixed, saponin-treated frozen tissue sections^{1,4-6,8}, and immunocytochemistry. Note: For testing human IL-2 in serum or plasma, BioLegend's ELISA Max™ Sets (Cat. No. 431801 to 431806) are specially developed and recommended.

- Application References: 1. Andersson J, et al. 1994. Immunology 83:16. (IHC)

 - Abrams J, et al. 1992. Immunol. Rev. 127:5. (IP)
 Abrams JS. 1995. Curr. Prot. Immunol. Unit 6.20.

 - Fernandez V, et al. 1994. Eur. J. Immunol. 24:1808. (IHC)
 Skansen-Saphir U, et al. 1994. Eur. J. Immunol. 24:916. (IHC)
 Andersson U, et al. Detection and Quantification of Gene Expression. New York:Springer-Verlag. (IHC)
 - 7. Prussin C, et al. 1995. J. Immunol. Methods. 188:117. 8. Raqib R, et al. 2002. Infect. Immun. 70:3199. (IHC)
 - 9. Dzhagalov I, *et al.* 2007. *J. Immunol.* 178:2113. PubMed 10. Colleton BA, *et al.* 2009. *J Virol.* 83:6288. PubMed 11. Yoshino N, *et al.* 2000. *Exp. Anim.* (*Tokyo*) 49:97. (FC)
 - 12. Rout N, et al. 2010. PLoS One 5:e9787. (FC)

Description: IL-2 is a potent lymphoid cell growth factor which exerts its biological activity primarily on T cells, promoting

proliferation and maturation. Additionally, IL-2 has been found to stimulate growth and differentiation of B cells, NK

cells, LAK cells, monocytes, and oligodendrocytes.

Antigen References: 1. Fitzgerald K, et al. Eds. 2001. The Cytokine FactsBook. Academic Press, San Diego.

2. Taniguchi T, et al. 1993. Cell 73:5.

Nistico G. 1993. *Prog. Neurobiol.* 40:463.
 Waldmann T, et al. 1993. *Ann. NY Acad. Sci.* 685:603.

Related Products: Product Cell Staining Buffer Clone

Application FC, ICC, ICFC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.



Fixation Buffer
Permeabilization Wash Buffer (10X)
Brefeldin A Solution (1,000X)
Monensin Solution (1,000X)
7-AAD Viability Staining Solution
Alexa Fluor® 700 Rat IgG2a, κ Isotype Ctrl

ICC, ICFC
ICC, ICFC, IHC
ICFC
ICFC
ICFC
FC
RTK2758
FC, ICFC



