

Recombinant Mouse Interleukin-18 (IL-18)

Publication Part Number MAN0004836

Rev. 1.00








Catalog Number:	PMC0184
Quantity:	25 µg
Lot Number:	See product label.
Molecular Weight:	18 kDa, 157 amino acid residues (corresponding to amino acid residues 36-192 of the mature sequence).
Purity:	>90% by SDS-PAGE analysis with Coomassie Brilliant Blue staining.
Description:	IL-18 is produced by macrophages and monocytes. IL-18 is a co-stimulator of Th1 like cells, inducing production of interferon-gamma, GM-CSF, and IL-2. IL-18 stimulates IL-2R alpha chain expression and Th1 cell proliferation.
Biological Activity:	The biological activity was determined by measuring the dose-dependent production of interferon-γ in mouse IL-18 receptor-transfected KG-1 cell line (human myelomonocyte: ATCC CCL246). In this assay, transfected KG-1 cells were cultured at a density of 3 × 10 ⁶ cells/mL in RPMI 1640 for two days at 37°C in a 5% CO ₂ incubator. After two days, the cell density was adjusted to 2 × 10 ⁶ cells/mL and the cells were incubated for 46–48 hours at 37°C in a 5% CO ₂ incubator in RPMI 1640 in the presence of increasing concentrations of IL-18. Interferon-γ production was quantitated by ELISA. Under these conditions, supernatants from cultures supplemented with 20 ng/mL IL-18 contained 682.7 IU/mL interferon-γ, and supernatants from cultures supplemented with 40 ng/mL IL-18 contained 956.2 IU/mL interferon-γ.
Formulation:	Phosphate buffered saline, 0.1% BSA and 1% sucrose; lyophilized.
Endotoxin:	<0.1 ng/µg by the LAL method.
Production:	Produced in <i>E. coli</i> and purified by sequential chromatography.
Reconstitution Recommendation:	We recommend that the vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute the contents of the vial with 250 µL ice cold, sterile, distilled water on ice.
Suggested Working Dilutions:	The optimal concentration should be determined for each specific application.
Storage:	Store this lyophilized preparation at –20°C, preferably desiccated. Upon reconstitution, the protein may be stored at 2°C to 8°C for up to one week. For long term storage of the reconstituted protein, apportion into working aliquots and store at –80°C. Avoid repeated freeze/thaw cycles.
Expiration Date:	Expires one year from date of receipt when stored as instructed.
References:	Okamura, H., et al. (1995) Cloning of a new cytokine that induces IFN-gamma production by T cells. <i>Nature</i> 378(6552):88–91. Ushio, S., et al. (1996) Cloning of the cDNA for human IFN-gamma-inducing factor, expression in <i>Escherichia coli</i> , and studies on the biologic activities of the protein. <i>J. Immunol.</i> 156(11):4274–4279. Micallef, M.J., et al. (1996) Interferon-gamma-inducing factor enhances T helper 1 cytokine production by stimulated human T cells: synergism with interleukin-12 for interferon-gamma production. <i>Eur. J. Immunol.</i> 26(7): 1647–1651. Dao, T., et al. (1996) Interferon-gamma-inducing factor, a novel cytokine, enhances Fas ligand-mediated cytotoxicity of murine T helper 1 cells. <i>Cell. Immunol.</i> 173(2):230–235. Bradney, C.P., et al. (2002) Cytokines as adjuvants for the induction of anti-human immunodeficiency virus peptide immunoglobulin G (IgG) and IgA antibodies in serum and mucosal secretions after nasal immunization. <i>J. Virol.</i> 76(2):517–524.







Related Products:

Product	Catalog no.
Human IL-18 ELISA Kit	KHC0181
Mouse IL-18 ELISA Kit	KMC0181
Recombinant Human IL-18	PHC0186
Recombinant Mouse IL-18	PMC0186
Mouse (monoclonal) Anti-Human IL-18, clone 25-2G	AHC9181
Mouse (monoclonal) Anti-Human IL-18, clone 125-2H	AHC8181
Rat (monoclonal) Anti-Human IL-18, clone 1599-12B	AHC7181
Rat (monoclonal) Anti-Mouse IL-18, clone 39-3F	AMC0181
Rat (monoclonal) Anti-Mouse IL-18, clone 74	AMC9181
Rat (monoclonal) Anti-Mouse IL-18, clone 93-10C	AMC8181

Explanation of Symbols

The symbols present on the product label are explained below:

Symbol	Description
	Catalog Number
	Research Use Only
	Use by
	Manufacturer
	Without, does not contain
	Protect from light
	Directs the user to consult instructions for use (IFU), accompanying the product.

Symbol	Description
	Batch code
	In vitro diagnostic medical device
	Temperature limitation
	European Community authorized representative
	With, contains
	Consult accompanying documents

Limited Use Label License: Research Use Only

The purchase of this product conveys to the purchaser the limited, non-transferable right to use the purchased amount of the product only to perform internal research for the sole benefit of the purchaser. No right to resell this product or any of its components is conveyed expressly, by implication, or by estoppel. This product is for internal research purposes only and is not for use in commercial applications of any kind, including, without limitation, quality control and commercial services such as reporting the results of purchaser's activities for a fee or other form of consideration. For information on obtaining additional rights, please contact outlicensing@lifetech.com or Out Licensing, Life Technologies, 5791 Van Allen Way, Carlsbad, California 92008.

Manufactured for Life Technologies by MBL.

For Research Use Only. Caution: Not for human or animal therapeutic or diagnostic use.

Manufacturing site: 7335 Executive Way | Frederick, MD 21704 | Toll Free in USA 800.955.6288

© 2011 Life Technologies Corporation. All rights reserved. The trademarks mentioned herein are the property of Life Technologies Corporation or their respective owners.

For support visit www.lifetechnologies.com/support or email techsupport@lifetech.com

www.lifetechnologies.com

Revision Date 27 July 2011

