



ORDERING INFORMATION

Catalog Number: AF1673

Lot Number: KID02

Size: 100 µg

Formulation: 0.2 µm filtered solution in PBS
with 5% trehalose

Storage: -20° C

Reconstitution: sterile PBS

Specificity: human OMgp

Immunogen: NS0-derived rhOMgp

Ig Type: goat IgG

Applications: Direct ELISA
Western blot

Anti-human OMgp Antibody

Preparation

Produced in goats immunized with purified, NS0-derived, recombinant human Oligodendrocyte Myelin glycoprotein (rhOMgp). Human OMgp specific IgG was purified by human OMgp affinity chromatography.

Formulation

Lyophilized from a 0.2 µm filtered solution in phosphate-buffered saline (PBS) with 5% trehalose.

Endotoxin Level

< 0.1 EU per 1 µg of the antibody as determined by the LAL method.

Reconstitution

Reconstitute with sterile PBS. If 0.5 mL of PBS is used, the antibody concentration will be 0.2 mg/mL.

Storage

Lyophilized samples are stable for twelve months from date of receipt when stored at -20° C to -70° C. Upon reconstitution, the antibody can be stored at 2° - 8° C for 1 month without detectable loss of activity. Reconstituted antibody can also be aliquotted and stored frozen at -20° C to -70° C **in a manual defrost freezer** for six months without detectable loss of activity. **Avoid repeated freeze-thaw cycles.**

Specificity

This antibody has been selected for its ability to recognize human OMgp in direct ELISAs and western blots. In these formats, this antibody shows approximately 70% cross-reactivity with rmOMgp.

Applications

Direct ELISA - This antibody can be used at 0.5 - 1.0 µg/mL with the appropriate secondary reagents to detect human OMgp. The detection limit for rhOMgp is approximately 0.3 ng/well.

Western blot - This antibody can be used at 0.1 - 0.2 µg/mL with the appropriate secondary reagents to detect human OMgp. The detection limit for rhOMgp is approximately 2 ng/lane under non-reducing and reducing conditions.

Optimal dilutions should be determined by each laboratory for each application.