Technical Data Sheet

APC Hamster IgG1, κ Isotype Control

Product Information

Material Number: 553974		
Alternate Name: Anti-Trinit	rophenol (TNP)	
Size: 0.1 mg		
Concentration: 0.2 mg/ml		
Clone: A19-3		
Immunogen: TNP-keyho	ble limpet hemocyanin	
Isotype: Armenian	Armenian Hamster IgG1, κ	
Storage Buffer: Aqueous by	uffered solution containing $\leq 0.09\%$ sodium azide.	

Description

The A19-3 monoclonal antibody specifically binds to the hapten, trinitrophenol (TNP). TNP is not expressed on human, mouse, or rat cells. The immunoglobulin from clone A19-3 was selected as an isotype control following screening for low background staining on a variety of mouse and human tissues.

Preparation and Storage

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography. The antibody was conjugated to APC under optimum conditions, and unconjugated antibody and free APC were removed. Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

Application Notes

A	nn	lic	ati	on
\mathbf{n}	$\mathbf{p}\mathbf{p}$	inc	au	U II

Flow cytometry	Routinely Tested	
Isotype control	Routinely Tested	

Recommended Assay Procedure:

An isotype control should be used at the same concentrations as the antibody of interest (e.g., $\leq 1 \mu$ g/million cells for flow cytometry).

Product Notices

- 1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- 2. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.
- 3. Although hamster immunoglobulin isotypes have not been well defined, BD Biosciences Pharmingen has grouped Armenian and Syrian hamster IgG monoclonal antibodies according to their reactivity with a panel of mouse anti-hamster IgG mAbs. A table of the hamster IgG groups, Reactivity of Mouse Anti-Hamster Ig mAbs, may be viewed at http://www.bdbiosciences.com/pharmingen/hamster_chart_11x17.pdf.
- 4. For fluorochrome spectra and suitable instrument settings, please refer to our Fluorochrome Web Page at www.bdbiosciences.com/colors.
- 5. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.

BD Biosciences

bdbiosciences.com							
United States	Canada	Europe	Japan	Asia Pacific	Latin America/Caribbean		
877.232.8995	888.268.5430	32.53.720.550	0120.8555.90	65.6861.0633	0800.771.7157		
For country-specific contact information, visit bdbiosciences.com/how_to_order /							
Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation							
of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the							
use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone							
product or as a component of another product. Any use of this product other than the permitted use without the express							
written authorization of Becton Dickinson and Company is strictly prohibited.							
For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.							
BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2011 BD							

