Technical Data Sheet

FITC Mouse Anti-Rat CD71

Product Information

554890 **Material Number:**

Transferrin Receptor Alternate Name:

0.5 mg Size: 0.5 mg/mlConcentration: OX-26 Clone:

PHA-activated PVG rat lymph node cells Immunogen:

Mouse (BALB/c) IgG2a, κ Isotype:

QC Testing: Rat Reactivity:

Storage Buffer: Aqueous buffered solution containing ≤0.09% sodium azide.

Description

The OX-26 antibody reacts with transferrin receptor found on proliferating cell and brain endothelium. It does not block transferrin binding.

This antibody is routinely tested by flow cytometric analysis. Other applications were tested at BD Biosciences Pharmingen during antibody development only or reported in the literature.

Preparation and Storage

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with FITC under optimum conditions, and unreacted FITC was removed.

Store undiluted at 4° C and protected from prolonged exposure to light. Do not freeze.

Application Notes

Application

F		
Flow cytometry	Routinely Tested	

Suggested Companion Products

Catalog Number	Name	Size	Clone
553456	FITC Mouse IgG2a, K Isotype Control	0.25 mg	G155-178

Product Notices

- Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.
- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.

References

Jefferies WA, Brandon MR, Hunt SV, Williams AF, Gatter KC, Mason DY. Transferrin receptor on endothelium of brain capillaries. Nature. 1998; 312(5990):162-163.(Clone-specific: Immunohistochemistry)

Jefferies WA, Brandon MR, Williams AF, Hunt SV. Analysis of lymphopoietic stem cells with a monoclonal antibody to the rat transferrin receptor. Immunology. 1985; 54(2):333-341.(Immunogen: Immunoprecipitation)

BD Biosciences

www.bdbiosciences.com

United States Canada Asia Pacific Latin America/Caribbean Europe Japan 877.232.8995 888.259.0187 32.53.720.550 0120.8555.90 65.6861.0633 55.11.5185.9995 For country-specific contact information, visit www.bdbiosciences.com/how_to_order/

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation conductors. The information accords never is not color constitued as a recommendation to due the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2007 BD

