Technical Data Sheet

FITC Mouse Anti-Rat CD11b

Pro	duct	Inform	ation
-----	------	--------	-------

554982 **Material Number:**

Integrin αM chain, Mac-1 α chain Alternate Name:

0.5 mg 0.5 mg/ml**Concentration:** WT.5 Clone:

Rat neutrophils Immunogen:

Mouse (BALB/c) IgA, κ Isotype: QC Testing: Rat Reactivity:

Storage Buffer: Aqueous buffered solution containing ≤0.09% sodium azide.

Description

The WT.5 antibody reacts with the α subunit of Mac-1 (αMβ2, CD11b/CD18) found on neutrophils and myeloid cells, but not on lymphocytes. Mac-1 expression is rapidly upregulated on neutrophils after activation, in the same time period that CD62L (L-selectin) is shed from the cell surface. Mac-1 mediates adhesion to ICAM-1 (CD54) and C3bi. Neutrophil binding to ICAM-1 is blocked by mAb WT.5.

This antibody is routinely tested by flow cytometric analysis. Other applications were tested at BD Biosciences Pharmingen during antibody development only or reported in the literature.

Preparation and Storage

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with FITC under optimum conditions, and unreacted FITC was removed.

Store undiluted at 4° C and protected from prolonged exposure to light. Do not freeze.

Application Notes

Application	

	l
Flow cytometry	Routinely Tested
1 Tow Cytometry	[Kouthlety Tested

Suggested Companion Products

Catalog Number	Name	Size	Clone
553478	FITC Mouse IgA κ Isotype Control	0.25 mg	M18-254

Product Notices

- Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.
- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.

References

Tamatani T, Kitamura F, Kuida K, et al. Characterization of rat LECAM-1 (L-selectin) by the use of monoclonal antibodies and evidence for the presence of soluble LECAM-1 in rat sera. Eur J Immunol. 1993; 23(9):2181-2188.(Immunogen)

BD Biosciences

www.bdbiosciences.com

United States Canada Asia Pacific Latin America/Caribbean Europe Japan 877.232.8995 888.259.0187 32.53.720.550 0120.8555.90 65.6861.0633 55.11.5185.9995 For country-specific contact information, visit www.bdbiosciences.com/how_to_order/

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation or any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2007 BD



554982 Rev. 9