Technical Data Sheet

FITC Mouse Anti-Human CD97

Product Information

 Material Number:
 555773

 Size:
 100 tests

 Vol. per Test:
 20 μl

 Clone:
 VIM3b

 Isotype:
 Mouse IgG1, κ

 Reactivity:
 QC Testing: Human


 Workshop:
 V A046, BP030

Storage Buffer: Aqueous buffered solution containing BSA and ≤0.09% sodium azide.

Description

Recognizes a triplet of membrane proteins of 74, 80 and 89 kDa. CD97 is strongly expressed on phytohemagglutinin (PHA)-activated T and B cells, virtually all monocytes and granulocytes, and several cell lines including HL-60, THP-1, and K562. It is weakly expressed on esting lymphocytes. VIM3b has been shown to be effective in western blot and immunoprecipitation.

This antibody is routinely tested by flow cytometric analysis. Other applications were tested at BD Biosciences Pharmingen during antibody development only or reported in the literature.



Profile of PHA-activated (dark line) and resting (light line) peripheral blood lymphocytes analyzed by flow cytometry

Preparation and Storage

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography. The antibody was conjugated with FITC under optimum conditions, and unreacted FITC was removed. Store undiluted at 4° C and protected from prolonged exposure to light. Do not freeze.

Application Notes

Application	
Flow cytometry Ro	Routinely Tested

Suggested Companion Products

Catalog Number	Name	Size	Clone
555748	FITC Mouse IgG1, κ Isotype Control	100 tests	MOPC-21

BD Biosciences

bdbiosciences.com

United States Canada Europe Japan Asia Pacific Latin America/Caribbear 877.232.8995 888.259.0187 32.53.720.550 0120.8555.90 65.6861.0633 55.11.5185.9995 For country-specific contact information, visit bdbiosciences.com/how_to_order/

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2006 BD



555773 Rev. 6

Product Notices

- 1. This reagent has been pre-diluted for use at the recommended Volume per Test. We typically use 1 X 10e6 cells in a 100-μl experimental sample (a test).
- 2. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- $3. \quad \text{Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.} \\$
- 4. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 5. Source of all serum proteins is from USDA inspected abattoirs located in the United States.

References

Schlossman S, Boumell L, et al, ed. Leucocyte Typing V. New York: Oxford University Press; 1995.(Clone-specific)

555773 Rev. 6 Page 2 of 2