

Technical Data Sheet


Purified Mouse Anti-Human CD45RB

Product Information

Material Number:	555903
Size:	0.1 mg
Concentration:	0.5 mg/ml
Clone:	MT4 (6B6)
Isotype:	Mouse IgG1, κ
Reactivity:	QC Testing: Human
Workshop:	VI N-L163
Storage Buffer:	Aqueous buffered solution containing ≤0.09% sodium azide.

Description

MT4 (6B6) reacts with the 190, 205 and 220 kDa isoforms of the glycoprotein cell-surface antigen, CD45RB. The antigen is expressed primarily on a subset of human B and T lymphocytes, monocytes, macrophages and granulocytes (weak). CD4+, CD45RA- (memory T cells) cells show a differential expression of CD45RB. Bright CD45RB expression correlates with higher proliferation and IFNγ production when compared with dim CD45RB expression. CD45RB expression may be a mechanism for fine-tuning the responsiveness of memory cells in vivo.



Profile of peripheral blood lymphocytes analyzed by flow cytometry

Preparation and Storage

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography. Store undiluted at 4° C.

Application Notes

Application	
Flow cytometry	Routinely Tested

Suggested Companion Products

Catalog Number	Name	Size	Clone
555746	Purified Mouse IgG1, κ Isotype Control	0.1 mg	MOPC-21
555988	FITC Goat Anti-Mouse IgG/IgM	0.5 mg	Polyclonal

BD Biosciences

www.bdbiosciences.com

United States	Canada	Europe	Japan	Asia Pacific	Latin America/Caribbean
877.232.8995	888.259.0187	32.53.720.550	0120.8555.90	65.6861.0633	55.11.5185.9995

For country-specific contact information, visit www.bdbiosciences.com/how_to_order/

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2007 BD



Product Notices

1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
2. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.
3. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.

References

Schlossman SF, Boumsell L, Gilks W, et al, ed. *Leukocyte Typing V: White Cell Differentiation Antigens*. New York: Oxford University Press; 1995.(Biology)
Knapp W, Dorken B, Rieber EP, et al, ed. *Leucocyte Typing IV*. New York: Oxford University Press; 1989.(Biology)
Horgan KJ, Tanaka Y, Luce GE, van Seventer GA, Nutman TB, Shaw S. CD45RB expression defines two interconvertible subsets of human CD4+ T cells with memory function. *Eur J Immunol*. 1994; 24(5):1240-1243.(Biology)