Technical Data Sheet

PerCP-Cy™5.5 Hamster IgG2, κ Isotype Control

Product Information

Alternate Name:anti-KLHSize:0.1 mgConcentration:0.2 mg/ml	Material Number:	560562
e e	Alternate Name:	anti-KLH
Concentration: 0.2 mg/ml	Size:	0.1 mg
	Concentration:	0.2 mg/ml
Clone: B81-3	Clone:	B81-3
Immunogen: Keyhole Limpet Hemocyanin	Immunogen:	Keyhole Limpet Hemocyanin
Isotype: Armenian Hamster IgG2, κ	Isotype:	Armenian Hamster IgG2, κ
Storage Buffer:Aqueous buffered solution containing ≤0.09% sodium azide.	Storage Buffer:	Aqueous buffered solution containing $\leq 0.09\%$ sodium azide.

Description

The B81-3 antibody is specific for keyhole limpet hemocyanin.

Preparation and Storage

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with PerCP-Cy5.5 under optimum conditions, and unconjugated antibody and free PerCP-Cy5.5 were removed. Storage of PerCP-Cy5.5 conjugates in unoptimized diluent is not recommended and may result in loss of signal intensity.

Application Notes

A	nn	blic	ati	on

Flow cytometry	Routinely Tested	
Isotype control	Routinely Tested	

Product Notices

- 1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- Although hamster immunoglobulin isotypes have not been well defined, BD Biosciences Pharmingen has grouped Armenian and Syrian hamster IgG monoclonal antibodies according to their reactivity with a panel of mouse anti-hamster IgG mAbs. A table of the hamster IgG groups, Reactivity of Mouse Anti-Hamster Ig mAbs, may be viewed at

http://www.bdbiosciences.com/pharmingen/hamster_chart_11x17.pdf.

- 3. Please observe the following precautions: Absorption of visible light can significantly alter the energy transfer occurring in any tandem fluorochrome conjugate; therefore, we recommend that special precautions be taken (such as wrapping vials, tubes, or racks in aluminum foil) to prevent exposure of conjugated reagents, including cells stained with those reagents, to room illumination.
- 4. This PerCP-conjugated product is sold under license to the following patent: US Patent No. 4,876,190.
- 5. Cy is a trademark of Amersham Biosciences Limited. This conjugated product is sold under license to the following patents: US Patent Nos. 5,486,616; 5,569,587; 5,569,766; 5,627,027.
- 6. This product is subject to proprietary rights of Amersham Biosciences Corp. and Carnegie Mellon University and made and sold under license from Amersham Biosciences Corp. This product is licensed for sale only for research. It is not licensed for any other use. If you require a commercial license to use this product and do not have one return this material, unopened to BD Biosciences, 10975 Torreyana Rd, San Diego, CA 92121 and any money paid for the material will be refunded.
- PerCP-Cy5.5 is optimized for use with a single argon ion laser emitting 488-nm light. Because of the broad absorption spectrum of the tandem fluorochrome, extra care must be taken when using dual-laser cytometers, which may directly excite both PerCP and Cy5.5TM. We recommend the use of cross-beam compensation during data acquisition or software compensation during data analysis.
- 8. PerCP-Cy5.5–labelled antibodies can be used with FITC- and R-PE–labelled reagents in single-laser flow cytometers with no significant spectral overlap of PerCP-Cy5.5, FITC, and R-PE fluorescence.
- 9. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 10. For fluorochrome spectra and suitable instrument settings, please refer to our Fluorochrome Web Page at www.bdbiosciences.com/colors.
- 11. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

References

Mendrick DL, Kelly DM. Temporal expression of VLA-2 and modulation of its ligand specificity by rat glomerular epithelial cells in vitro. Lab Invest. 1993; 69(6):690-702. (Immunogen)

BD Biosciences

bdbiosciences.com						
United States	Canada	Europe	Japan	Asia Pacific	Latin America/Caribbean	
877.232.8995	888.268.5430	32.53.720.550	0120.8555.90	65.6861.0633	0800.771.7157	
For country-specific contact information, visit bdbiosciences.com/how_to_order/						
Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited. For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale. BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2011 BD						

