# **Technical Data Sheet**

# FITC Mouse Anti-Human CD43

#### **Product Information**


560978 **Material Number:** 25 tests Size: 20 µl Vol. per Test: 1G10 Clone: Isotype: Mouse IgG1, κ Reactivity: QC Testing: Human

Workshop: Aqueous buffered solution containing BSA and ≤0.09% sodium azide. Storage Buffer:

VI N-L166R

## Description

Reacts with the major 95-135 kDa sialoglycoprotein found on most human leukocytes and identical to the molecules called sialophorin or leukosialin. CD43 antigen is expressed on T cells, NK cells and granulocytes, but is not present on most peripheral blood B cells, RBCs, platelets and non-hematopoietic cells. CD43 may be involved in the regulations of B, T and NK cell function. This antibody is suitable for staining formalin-fixed, paraffin-embedded tissue sections with TUF pretreatment.



Profile of peripheral blood lymphocytes analyzed on a FACScan (BDIS, San Jose, CA)

## **Preparation and Storage**

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with FITC under optimum conditions, and unreacted FITC was removed.

### **Application Notes**

P	Application						
	Flow cytometry	Routinely Tested					
	Supported Communica Bundants						

# Suggested Companion Products

9	Catalog Number	Name	Size	<u>Clone</u>
:	555748	FITC Mouse IgG1, κ Isotype Control		MOPC-21

#### **Product Notices**

- This reagent has been pre-diluted for use at the recommended Volume per Test. We typically use  $1 \times 10^{\circ}6$  cells in a 100- $\mu$ l experimental
- 2. Source of all serum proteins is from USDA inspected abattoirs located in the United States.
- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

# **BD Biosciences**

bdbiosciences.com

**United States** 877.232.8995 888.268.5430 32.53.720.550 0120.8555.90 65.6861.0633 0800.771.7157

For country-specific contact information, visit bdbiosciences.com/how\_to\_order/

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited.
For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.
BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2011 BD



560978 Rev. 1

References
Borche L, Lozano F, Vilella R, Vives J. CD43 monoclonal antibodies recognize the large sialoglycoprotein of human leukocytes. *Eur J Immunol.* 1987; 17(10):1523-1526. (Biology)

560978 Rev. 1 Page 2 of 2