

Technical Data Sheet


FITC Rat Anti-Mouse Ly-6D

Product Information

Material Number:	561148
Alternate Name:	Lymphocyte antigen 6 complex, locus D; Thb; Thymocyte B-cell antigen; Ly-6l
Size:	0.1 mg
Concentration:	0.5 mg/ml
Clone:	49-H4
Immunogen:	BALB/c mouse plasmacytoma MOPC-104E
Isotype:	Rat (LOU) IgG2c, κ
Reactivity:	QC Testing: Mouse
Storage Buffer:	Aqueous buffered solution containing protein stabilizer and ≤0.09% sodium azide.

Description

The 49-H4 antibody specifically binds to the ThB antigen (Ly-6D), which is a 15-kDa GPI-anchored protein of the Ly-6 Multigene Family. ThB has been detected on cortical thymocytes, small sIg⁻ Thy-1⁻ and sIg⁺ lymphoid cells in the bone marrow, thymic medullary epithelial cells, all epidermal layers (except the stratum corneum), and on peripheral B lymphocytes, but not on peripheral T lymphocytes. It has been noted that there is strain-to-strain variation in the expression of the ThB antigen on splenic B cells, those of strains with the Ly-6.2 haplotype (e.g., AKR, C57BL, DBA/2, SJL, SWR) stain more intensely with anti-ThB reagents than those of Ly-6.1 strains (e.g., A, BALB/c, CBA, C3H/He, NZB), and B cells of hybrids of Ly-6.1 and Ly-6.2 strains stain with intermediate intensity. The proportions of the ThB⁺ B cells and thymocytes do not differ significantly among strains.



Flow cytometric analysis of Ly-6D expression on BALB/c mouse splenocytes. BALB/c mouse splenocytes were simultaneously stained with FITC Rat Anti-Mouse Ly-6D (Cat. No. 561148, Left Panel) or FITC Rat IgG2c Isotype Control (Cat. No. 560893, Right Panel) and PerCP-Cy™5.5 Anti-Mouse CD3 (Cat. No. 561108) antibodies. A two-color flow cytometric dot plot showing the correlated expression patterns of Ly-6D versus CD3 was derived from gated events with the forward and side light-scatter characteristics of viable splenocytes. Flow cytometry was performed using a BD LSR™ II Flow Cytometer System.

Preparation and Storage

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.
The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.
The antibody was conjugated with FITC under optimum conditions, and unreacted FITC was removed.

Application Notes

Application

Flow cytometry	Routinely Tested
----------------	------------------

BD Biosciences
bdbiosciences.com

United States 877.232.8995	Canada 800.268.5430	Europe 32.2.400.98.95	Japan 0120.8555.90	Asia Pacific 65.6861.0633	Latin America/Caribbean 55.11.5185.9995
--------------------------------------	-------------------------------	---------------------------------	------------------------------	-------------------------------------	---

For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is strictly prohibited.
For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.
Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2014 BD



Suggested Companion Products

Catalog Number	Name	Size	Clone
560893	FITC Rat IgG2c, κ Isotype Control	0.1 mg	A23-1
561108	PerCP-Cy TM 5.5 Hamster Anti-Mouse CD3e	25 μ g	145-2C11
554656	Stain Buffer (FBS)	500 mL	(none)

Product Notices

1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
2. Please refer to www.bdbiosciences.com/pharming/protocols for technical protocols.
3. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
4. For fluorochrome spectra and suitable instrument settings, please refer to our Multicolor Flow Cytometry web page at www.bdbiosciences.com/colors.
5. An isotype control should be used at the same concentration as the antibody of interest.
6. Cy is a trademark of Amersham Biosciences Limited.

References

Boyd RL, Tucek CL, Godfrey DI. The thymic microenvironment. *Immunol Today*. 1993; 14(9):445-459. (Biology)

Eckhardt LA, Herzenberg LA. Monoclonal antibodies to ThB detect close linkage of Ly-6 and a gene regulating ThB expression. *Immunogenetics*. 1980; 11(3):275-291. (Immunogen: Cytotoxicity)

Godfrey DI, Izon DJ, Tucek CL, Wilson TJ, Boyd RL. The phenotypic heterogeneity of mouse thymic stromal cells. *Immunology*. 1990; 70(1):66-74. (Biology)

Gumley TP, McKenzie IF, Kozak CA, Sandrin MS. Isolation and characterization of cDNA clones for the mouse thymocyte B cell antigen (ThB). *J Immunol*. 1992; 149(8):2615-2618. (Biology)

Gumley TP, McKenzie IF, Sandrin MS. Polymorphism at the mouse Thb locus. *Immunogenetics*. 1994; 39(6):390-394. (Clone-specific: Immunoprecipitation)

Matossian-Rogers A, Rogers P, Ledbetter JA, Herzenberg LA. Molecular weight determination of two genetically linked cell surface murine antigens: ThB and Ly-6. *Immunogenetics*. 1982; 15(6):591-599. (Clone-specific: Immunoprecipitation)

BD Biosciences

bdbiosciences.com

United States	Canada	Europe	Japan	Asia Pacific	Latin America/Caribbean
877.232.8995	800.268.5430	32.2.400.98.95	0120.8555.90	65.6861.0633	55.11.5185.9995

For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is strictly prohibited.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2014 BD

