Technical Data Sheet

V500 Mouse IgM, κ Isotype Control

Product Information

Material Number:	561574
Size:	0.1 mg
Concentration:	0.2 mg/ml
Clone:	G155-228
Immunogen:	TNP-Keyhole Limpet Hemocyanin
Isotype:	Mouse (BALB/c) IgM, κ
Storage Buffer:	Aqueous buffered solution containing protein stabilizer, glycerol and ≤0.09%
	sodium azide.

Description

The G155-228 antibody is specific for the hapten trinitrophenol (TNP), a hapten not expressed on human, non-human primate, mouse, or rat primary cells or cell lines. In the absence of specific binding, this immunoglobulin may bind non-specifically to Fc receptors.

The antibody is conjugated to BD Horizon[™] V500, which has been developed for use in multicolor flow cytometry experiments and is available exclusively from BD Biosciences. It is excited by the Violet laser with an Ex max of 415 nm and Em Max at 500 nm. BD Horizon V500 conjugates emit at a similar wavelength to Amcyan yet exhibit reduced spillover into the FITC channel. For more information on BD Horizon[™] V500, visit bdbiosciences.com/colors.

When compensating dyes in this spectral range (such as Horizon[™] V500 and AmCyan), the most accurate compensation can be obtained using single stained cellular controls. Due to spectral differences between cells and beads in this channel, using BD CompBeads can result in spillover errors for V500 and AmCyan reagents. Therefore, the use of BD CompBeads or BD CompBeads Plus to determine spillover values for these reagents is not recommended. Different V500 reagents (e.g. CD4 vs. CD45) can have slightly different fluorescence spillover therefore, it may also be necessary to use clone specific compensation controls when using these reagents.

Preparation and Storage

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with BD HorizonTM V500 under optimum conditions, and unreacted BD HorizonTM V500 was removed.

Application Notes

Application

Isotype control	Routinely Tested	
Flow cytometry	Routinely Tested	

Suggested Companion Products

Catalog Number	Name	Size	Clone
554656	Stain Buffer (FBS)	500 ml	(none)

Product Notices

1. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before

- discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 2. For fluorochrome spectra and suitable instrument settings, please refer to our Fluorochrome Web Page at www.bdbiosciences.com/colors.
- BD Horizon[™] V500 has a maximum absorption of 415 nm and maximum emission of 500 nm. Before staining with this reagent, please confirm that your flow cytometer is capable of exciting the fluorochrome and discriminating the resulting fluorescence.
- 4. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- 5. An isotype control should be used at the same concentration as the antibody of interest.
- 6. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

bdbiosciences.	com				
United States 877.232.8995	Canada 800.979.9408	Europe 32.53.720.550	Japan 0120.8555.90	Asia Pacific 65.6861.0633	Latin America/Caribbean 55.11.5185.9995
For country co	ntact informatio	on, visit bdbiosci	ences.com/conta	ct	
of any patents. Bl use of our produc product or as a co	D Biosciences will n ts. Purchase does n imponent of anoth	ot be help responsi ot include or carry er product. Any use	ble for patent infrin any right to resell of	gement or other vio r transfer this produce er than the permitte	use the above product in violatic lations that may occur with the ct either as a stand-alone ad use without the express

