## **Technical Data Sheet**

# **BV711 Mouse Anti-Human CD8**

#### **Product Information**

Material Number: 563677

Alternate Name: CD8α; CD8A; CD8 alpha; Leu2; MAL; T8; p32

Tested in Development: Rhesus, Cynomolgus, Baboon


Workshop: IV T171; V T-CD08.03; VI 6T-CD8.1, 6T-081

Storage Buffer: Aqueous buffered solution containing BSA and ≤0.09% sodium azide.

### Description

The RPA-T8 monoclonal antibody specifically binds to CD8 alpha (CD8 $\alpha$ ). CD8 $\alpha$  is a type I transmembrane glycoprotein and a member of the immunoglobulin superfamily. CD8 $\alpha$  is expressed by the majority of thymocytes, by subpopulations of  $\alpha\beta$  T cells and  $\gamma\delta$  T cells and by some NK cells. Cell surface CD8 $\alpha$  is expressed either as a disulfide-linked homodimer (CD8 $\alpha$ ) or as a heterodimer (CD8 $\alpha$ ) when disulfide-bonded to a CD8 beta chain (CD8 $\beta$ ). CD8-positive  $\alpha\beta$  T cells coexpress both CD8 $\alpha$  homodimers and CD8 $\alpha$  heterodimers whereas some  $\gamma\delta$  T cells and NK cells express CD8 $\alpha$  homodimers. CD8 plays important roles in T cell activation and selection. The extracellular IgSF domain of CD8 $\alpha$  binds to a non-polymorphic determinant on HLA class I molecules ( $\alpha$ 3 domain) and enables CD8 to function as a co-receptor with MHC class I-restricted TCR during T cell recognition of antigen. The cytoplasmic domain of CD8 $\alpha$  associates with Lck, a Src family protein tyrosine kinase that is involved in intracellular signaling. The RPA-T8 and HIT8a (Cat. No. 555337) monoclonal antibodies are not cross-blocking.

The antibody was conjugated to BD Horizon<sup>TM</sup> BV711 which is part of the BD Horizon<sup>TM</sup> Brilliant Violet<sup>TM</sup> family of dyes. This dye is a tandem fluorochrome of BD Horizon<sup>TM</sup> BV421 with an Ex Max of 405-nm and an acceptor dye with an Em Max at 711-nm. BD Horizon<sup>TM</sup> BV711 can be excited by the violet laser and detected in a filter used to detect Cy<sup>TM</sup>5.5 / Alexa Fluor® 700-like dyes (eg, 712/20-nm filter). Due to the excitation and emission characteristics of the acceptor dye, there may be moderate spillover into the Alexa Fluor® 700 and PerCP-Cy<sup>TM</sup>5.5 detectors. However, the spillover can be corrected through compensation as with any other dye combination.



Flow cytometric analysis of CD8α expression on human peripheral blood lymphocytes. Human whole blood was stained with the BD Horizon™ BV711 Mouse Anti-Human CD8 antibody (Cat. No. 563676/563677; solid line histogram) or with BD Horizon™ BV711 Mouse IgG1, κ Isotype Control (Cat. No. 563044; dashed line histogram). The erythrocytes were lysed with BD Pharm Lyse™ Lysing Buffer (Cat. No. 555899). The fluorescence histograms were derived from events with the forward and side light-scatter characteristics of viable lymphocytes. Flow cytometric analysis was performed using a BD LSRFortessa™ Cell Analyzer System.

## Preparation and Storage

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with BD Horizon™ BV711 under optimum conditions, and unconjugated antibody and free BD Horizon™ BV711 were removed.

## **Application Notes**

#### Application

Flow cytometry Routinely Tested

# **BD Biosciences**

bdbiosciences.com

 United States
 Canada
 Europe
 Japan
 Asia Pacific
 Latin America/Caribbean

 877.232.8995
 800.979.9408
 32.53.720.550
 0120.8555.90
 65.6861.0633
 55.11.5185.9995

For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be constructed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be help responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is stictly prohibited. For Research Use Only, Not for use in diagnostic or therapeutic procedures. Not for resale. Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD



#### **Suggested Companion Products**

Catalog Number	Name	Size	Clone	
554656	Stain Buffer (FBS)	500 ml	(none)	
563044	BV711 Mouse IgG1, k Isotype Control	50 μg	X40	
563676	BV711 Mouse Anti-Human CD8	25 tests	RPA-T8	
555899	Lysing Buffer	100 ml	(none)	
349202	FACS Lysing Solution		(none)	

#### **Product Notices**

- This reagent has been pre-diluted for use at the recommended Volume per Test. We typically use  $1 \times 10^{\circ}6$  cells in a 100- $\mu$ l experimental
- 2. Source of all serum proteins is from USDA inspected abattoirs located in the United States.
- An isotype control should be used at the same concentration as the antibody of interest.
- Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.
- Alexa Fluor® is a registered trademark of Molecular Probes, Inc., Eugene, OR. 5
- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 7. For fluorochrome spectra and suitable instrument settings, please refer to our Multicolor Flow Cytometry web page at www.bdbiosciences.com/colors.
- 8 Cy is a trademark of Amersham Biosciences Limited.
- Brilliant Violet<sup>TM</sup> 711 is a trademark of Sirigen.
- 10. Species testing during development may have been performed with a different format of the same clone. Selected applications have been tested for cross-reactivity.

Garbrecht F, Loebel A, Disanto JP, Flomenberg N. Chatacterization of Workshop antiCD8 mAb using human CD8-expressing murine L-cell transfectants. In: Schlossman SF, Boumsell L, Gilks W, et al, ed. Leukocyte Typing V: White Cell Differentiation Antigens. New York: Oxford University Press; 1995:354-356. (Clone-specific: Flow cytometry)

Kersh EN, Kersh GJ, Allen PM. Partially phosphorylated T cell receptor zeta molecules can inhibit T cell activation. J Exp Med. 1999; 190(11):1627-1636. (Clone-specific: Flow cytometry)

Kishimoto T, von dem Borne AEG, Goyert SM,et al., ed. Leucocyte Typing VI: White Cell Differentiation Antigens. London: Garland Publishing; 1997.

Knapp W, Dörken B, Gilks WR, et al, ed. Leucocyte Typing IV. New York, NY: Oxford University Press; 1989:1-1182. (Clone-specific)

Rabin RL, Park MK, Liao F, Swofford R, Stephany D, Farber JM. Chemokine receptor responses on T cells are achieved through regulation of both receptor expression and signaling. J Immunol. 1999; 162(7):3840-3850. (Clone-specific: Flow cytometry)

Schlossman SF, Boumsell L, Gilks W, et al, ed. Leukocyte Typing V: White Cell Differentiation Antigens. New York: Oxford University Press; 1995. (Clone-specific)

Zola H, Swart B, Nicholson I, Voss E. Leukocyte and Stromal Cell Molecules. The CD Markers. Hoboken, New Jersey: John Wiley & Sons, Inc.; 2007:1-581. (Biology)

# **BD Biosciences**

bdbiosciences.com

United States Canada Europe Asia Pacific Latin America/Caribbean 877.232.8995 800.979.9408 32.53.720.550 0120.8555.90 65.6861.0633 55.11.5185.9995

For country contact information, visit bdbiosciences.com/contact Conditions: The information disclosed herein is not to be constructed as a recommendation to use the above product in violation

of any patents. BD Biosciences will not be help responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is stictly prohibited.
For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.
Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD



Page 2 of 2 563677 Rev. 1