



Qty: 100 µg/200 µL

Mouse anti-EphB2 Receptor

Catalog No. 37-1700

Lot No.

## Mouse anti-EphB2 Receptor

### FORM

This monoclonal antibody is supplied as a 200 µL aliquot at a concentration of 0.5 mg/mL in PBS, pH 7.4, containing 0.1% sodium azide. This antibody is highly purified from mouse ascites by protein A affinity.

**CLONE:** 1A6C9      **ISOTYPE:** Mouse IgG<sub>1</sub>-kappa

### IMMUNOGEN

A synthetic peptide derived from the C-terminal region of the recombinant EphB2 protein.

### SPECIFICITY

This antibody is specific for the EphB2 receptor protein. On Western blots, it identifies a band at ~110-120 kDa.

### REACTIVITY

Reactivity has been confirmed with EphB2-transfected 293T cells. Cross-reactivity is expected with human and mouse based on amino acid sequence homology.

Sample	Immuno-precipitation (Kin. Act.)	ELISA	Western Blotting
Chicken	+++	ND	++
Immunogen	N/A	+++	N/A

(Excellent +++, Good++, Poor +, No reactivity 0, Not applicable N/A, Not Determined ND)

### USAGE

Working concentrations for specific applications should be determined by the investigator. Appropriate concentrations will be affected by several factors, including secondary antibody affinity, antigen concentration, sensitivity of detection method, temperature and length of incubations, etc. The suitability of this antibody for applications other than those listed below has not been determined. The following concentration ranges are recommended starting points for this product.

**Western Blotting:** 1-3 µg/mL

**Immunoprecipitation :** 5 µg

### STORAGE

Store at 2-8°C for up to one month. Store at -20°C for long-term storage. Avoid repeated freezing and thawing.

(cont'd)

[www.invitrogen.com](http://www.invitrogen.com)

Invitrogen Corporation • 542 Flynn Rd • Camarillo • CA 93012 • Tel: 800.955.6288 • E-mail: [techsupport@invitrogen.com](mailto:techsupport@invitrogen.com)

PI371700

(Rev 10/08) DCC-08-1089

**Important Licensing Information** - These products may be covered by one or more Limited Use Label Licenses (see the Invitrogen Catalog or our website, [www.invitrogen.com](http://www.invitrogen.com)). By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

**BACKGROUND**

The Eph receptors are the largest family of receptor tyrosine kinases. They can be grouped into two subclasses based on sequence homology: the EphA and the EphB receptors<sup>4</sup>. The ligands for the Eph receptors are the ephrins. The EphA receptors bind ephrin-A ligands, which are tethered to the membrane by a GPI linkage, and the EphB receptors bind ephrin-B ligands, which have a membrane spanning region. The Eph receptors are widely expressed during embryonic development, including in the nervous system and the vascular system<sup>2</sup>. Ephrins and Eph receptors have been implicated in many developmental processes including neuronal network formation, guidance of cell migration, and axonal pathfinding<sup>1</sup>. They remain expressed at lower levels in adult tissues and are upregulated in pathological conditions such as cancer.

EphB2 is expressed on migrating neural crest cells and spinal motor neurons, as well as on cells of the anterior somite. EphB2 is also expressed in the visual system and in hippocampal neurons<sup>3</sup>. In tumor tissues compared with matched normal tissues, EphB2 expression and overexpression has been reported in colon carcinomas and gastrointestinal<sup>6</sup> tumor specimens, respectively. EphB2 has previously been designated Erk, Hek5 and Drt in human; Nuk and Sek3 in mouse; Cek5 and Qek5 in avian species.

**REFERENCES**

1. Holder N, et al. *Development* 126(10):2033-2044, 1999.
2. Flanagan JD, et al. *Annu Rev Neurosci* 21:309-345, 1998.
3. Pasquale EB. *Curr Opin Cell Biol* 9(5):608-615, 1997.
4. Eph Nomenclature Committee. *Cell* 90(3):403-4, 1997.
5. Liu W, et al. *Cancer* 94(4):934-939, 2002.
6. Kataoka H, et al. *J Cancer Res Clin Oncol* 128(7):343-348, 2002.

**RELATED PRODUCTS**

<b>Product</b>	<b>Clone</b>	<b>Cat. No.</b>
Mouse anti-EphA4 Receptor	4C8H5	37-1600
Mouse anti-EphB4 Receptor	3D7G8	37-1800
Rabbit anti-ephrin-A1	ZMD.39	34-3300
Rabbit anti-ephrin-A2	ZMD.40	34-3400
Rabbit anti-ephrin-A4	ZMD.56	34-3700
Rabbit anti-ephrin-B1	ZMD.41	34-3500
Rabbit anti-ephrin-B3	ZMD.42	34-3600
Mouse anti-Chicken EphB5 Receptor	5G6H8	35-3000
Rabbit anti-EphA3 Receptor	ZMD.235	34-8500
Mouse anti-EphB4 Receptor	3D7F8	35-2900
Rabbit anti-EphA2 Receptor	ZMD.224	34-7400
Rabbit anti-EphA4 Receptor	ZMD.229	34-7900
Rabbit anti-Chicken EphB5 Receptor	ZMD.225	34-7500
Mouse anti-ephrin-B (Pan)	2D3E9	37-8100
Mouse anti-Chicken ephrin-B1	11B3	35-5900
Eph Receptor Antibody Sampler Pack		90-1100
ephrin Antibody Sampler Pack		90-1000
Protein A	Sepharose <sup>®</sup> 4B	10-1041
rec-Protein G	Sepharose <sup>®</sup> 4B	10-1241

\*PAD: Polyclonal Antibody Designation

<b>Conjugate</b>	<b>ZyMAX™ Goat x Rabbit IgG (H+L)</b>	<b>ZyMAX™ Goat x Mouse IgG (H+L)</b>
Purified	81-6100	81-6500
FITC	81-6111	81-6511
TRITC	81-6114	81-6514
Cy™3	81-6115	81-6515
Cy™5	81-6116	81-6516
HRP	81-6120	81-6520
AP	81-6122	81-6522
Biotin	81-6140	81-6540

Zymed<sup>®</sup> and ZyMAX™ are trademarks of Zymed Laboratories Inc. Cy™ and Sepharose<sup>®</sup> are registered trademarks of Amersham Biosciences Ltd.

**For Research Use Only**

[www.invitrogen.com](http://www.invitrogen.com)

Invitrogen Corporation • 542 Flynn Rd • Camarillo • CA 93012 • Tel: 800.955.6288 • E-mail: [techsupport@invitrogen.com](mailto:techsupport@invitrogen.com)

PI371700

(Rev 10/08) DCC-08-1089

**Important Licensing Information** - These products may be covered by one or more Limited Use Label Licenses (see the Invitrogen Catalog or our website, [www.invitrogen.com](http://www.invitrogen.com)). By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.