

References for Product 11300

1. Hall MB, Keuler NS. (2009) Factors affecting accuracy and time requirements of a glucose oxidase-peroxidase assay for determination of glucose. *J AOAC Int*, 92, 50.
2. Priyam A, Chatterjee A, Bhattacharya SC, Saha A. (2009) Conformation and activity dependent interaction of glucose oxidase with CdTe quantum dots: towards developing a nanoparticle based enzymatic assay. *Photochem Photobiol Sci*, 8, 362.
3. Zhang T, Anslyn EV. (2007) Using an indicator displacement assay to monitor glucose oxidase activity in blood serum. *Org Lett*, 9, 1627.
4. Funabashi H, Tanaka Y, Imamura Y, Mie M, Manabe T, Tanaka H, Takahashi T, Handa H, Aizawa M, Kobatake E. (2006) Glucose oxidase assisted homogeneous electrochemical receptor binding assay for drug screening. *Biosens Bioelectron*, 21, 1675.
5. Urban PL, Goodall DM, Bergstrom ET, Bruce NC. (2006) 1,4-Benzoquinone-based electrophoretic assay for glucose oxidase. *Anal Biochem*, 359, 35.
6. Karmali K, Karmali A, Teixeira A, Curto MJ. (2004) Assay for glucose oxidase from *Aspergillus niger* and *Penicillium amagasakiense* by Fourier transform infrared spectroscopy. *Anal Biochem*, 333, 320.
7. Yuen VG, McNeill JH. (2000) Comparison of the glucose oxidase method for glucose determination by manual assay and automated analyzer. *J Pharmacol Toxicol Methods*, 44, 543.
8. Nagi MN, al-Bekairi AM, al-Sawaf HA. (1995) Spectrophotometric assay for superoxide dismutase based on the nitroblue tetrazolium reduction by glucose-glucose oxidase. *Biochem Mol Biol Int*, 36, 633.
9. Nakashima E, Nakamura J, Hamada Y, Koh N, Sakakibara F, Hotta N. (1995) Interference by gliclazide in the glucose oxidase/peroxidase method for glucose assay. *Diabetes Res Clin Pract*, 30, 149.
10. Ferrandi B, Cremonesi F, Consiglio AL, Carnevali A, Porcelli F. (1992) Cytophotometric assay of cytochrome oxidase, lactate dehydrogenase and glucose-6-phosphate dehydrogenase activities in human peroxidized spermatozoa. *Acta Histochem*, 93, 363.
11. Baker WL, Panow A. (1991) Estimation of cellulase activity using a glucose-oxidase-Cu(II) reducing assay for glucose. *J Biochem Biophys Methods*, 23, 265.
12. Hard RC, Jr., Miller WG, Romagnoli G. (1989) A background-free assay for cells forming antibody to glucose oxidase coupled with an enzyme-linked immunosorbent assay (ELISA) to quantitate antibody secretion. *J Histochem Cytochem*, 37, 909.
13. Latos P, Wojtczak AB. (1989) Use of the glucose oxidase/peroxidase method for glucose assay leads to overestimation of the inhibition of gluconeogenesis by aminopyrine. *Biochim Biophys Acta*, 991, 152.
14. Hosoda H, Tsukamoto R, Shoriken K, Takasaki W, Nambara T. (1988) Sensitivity of steroid enzyme immunoassays. Use of 3,3',5,5'-tetramethylbenzidine as a chromogen in the assay system with glucose oxidase label. *Chem Pharm Bull (Tokyo)*, 36, 1808.
15. Pfreundschuh M, Lehmann M, Steinmetz T, Kirchner HH, Diehl V. (1988) Monoclonal glucose-oxidase-anti-glucose-oxidase (GAG) immunosandwich assay for the detection of monoclonal antibodies on routine hematological smears. *Blut*, 56, 125.
16. Bates CJ, Powers HJ. (1985) A simple fluorimetric assay for pyridoxamine phosphate oxidase in erythrocyte haemolysates: effects of riboflavin supplementation and of glucose 6-phosphate dehydrogenase deficiency. *Hum Nutr Clin Nutr*, 39, 107.
17. Acunzo S, Brizzi G, Foglia M, Velotti M. (1984) [A plasma factor which interferes with the enzymatic assay of blood glucose (glucose oxidase) in rats]. *Boll Soc Ital Biol Sper*, 60, 347.
18. Ngo TT, Lenhoff HM. (1983) Amperometric assay for collagenase. Amplification by the use of glucose oxidase conjugated to insoluble collagen. *Appl Biochem Biotechnol*, 8, 407.

19. Haugaard N, Cutler J, Ruggieri MR. (1981) Use of N-ethylmaleimide to prevent interference by sulfhydryl reagents with the glucose oxidase assay for glucose. *Anal Biochem*, 116, 341.
20. Johnson RB, Jr., Libby RM, Nakamura RM. (1980) Comparison of glucose oxidase and peroxidase as labels for antibody in enzyme-linked immunosorbent assay. *J Immunoassay*, 1, 27.
21. Van Hung ML. (1976) [Disadvantages of acid precipitation of proteins during the assay of blood glucose by the enzymatic glucose oxidase-peroxidase system]. *C R Acad Sci Hebd Seances Acad Sci D*, 282, 751.
22. Kennedy JF, Kay IM. (1975) Effects of titanium compounds on a D-glucose-D-glucose oxidase assay system. *Carbohydr Res*, 44, 291.
23. Messing RA. (1974) Assay of glucose oxidase by differential conductivity. *Biotechnol Bioeng*, 16, 525.
24. Miwa I, Okuda J. (1974) An improved mutarotase assay using beta-D-glucose oxidase and an oxygen electrode. *J Biochem*, 75, 1177.
25. Nelson DR, Huggins AK. (1974) Interference of 5-hydroxytryptamine in the assay of glucose by glucose oxidase:peroxidase:chromogen based methods. *Anal Biochem*, 59, 46.
26. Miwa I. (1972) Rapid polarographic mutarotase assay with -D-glucose oxidase. *Anal Biochem*, 45, 441.
27. Stateva S. (1966) Blood glucose assay using the glucose oxidase method in infants aged 1-24 months to determine normal glycemic values. *Nauchni Tr Vissh Med Inst Sofiia*, 45, 17.
28. Pardue HL, Simon RK. (1964) Automatic Amperometric Assay of Glucose Oxidase. *Anal Biochem*, 9, 204.
29. White JW, Jr., Subers MH. (1961) A glucose oxidase reagent for maltase assay. *Anal Biochem*, 2, 380.
30. Chen C, Xie Q, Wang L, Qin C, Xie F, Yao S, Chen J. Experimental platform to study heavy metal ion-enzyme interactions and amperometric inhibitive assay of Ag⁺ based on solution state and immobilized glucose oxidase. *Anal Chem*, 83, 2660.