

References for Products 17510-17514

1. Belonogova NM, Karamysheva TV, Biltueva LS, Perepelov EA, Minina JM, Polyakov AV, Zhdanova NS, Rubtsov NB, Searle JB, Borodin PM. (2006) Identification of all pachytene bivalents in the common shrew using DAPI-staining of synaptonemal complex spreads. *Chromosome Res*, 14, 673.
2. Gichner T, Mukherjee A, Veleminsky J. (2006) DNA staining with the fluorochromes EtBr, DAPI and YOYO-1 in the comet assay with tobacco plants after treatment with ethyl methanesulphonate, hyperthermia and DNase-I. *Mutat Res*, 605, 17.
3. Suda J, Travnicek P. (2006) Reliable DNA ploidy determination in dehydrated tissues of vascular plants by DAPI flow cytometry-new prospects for plant research. *Cytometry A*, 69, 273.
4. Chen JM, Hong YH, Wang YP, Bowley S, Wan JM. (2006) [Physical localization of ribosomal genes and chromosome DAPI banding by in situ hybridization in *Medicago sativa* L]. *Yi Chuan*, 28, 184.
5. Samadadze TE, Muravenko OM, Bol'sheva NL, Amosova AB, Gostimskii SA, Zelenin AV. (2005) [Investigation of chromosomes in varieties and translocation lines of pea *Pisum sativum* L. by FISH, Ag-NOR, and differential DAPI staining]. *Genetika*, 41, 1665.
6. Krishan A, Dandekar PD. (2005) DAPI fluorescence in nuclei isolated from tumors. *J Histochem Cytochem*, 53, 1033.
7. Barcellona ML, Gammon S, Hazlett T, Digman MA, Gratton E. (2004) Polarized fluorescence correlation spectroscopy of DNA-DAPI complexes. *Microsc Res Tech*, 65, 205.
8. Pancheva EV, Volkova VN, Kamzolkina OV. (2004) [DNA quantification in nuclei of cultivated mushroom with DAPI staining]. *Tsitologiya*, 46, 381.
9. Daniel B, DeCoster MA. (2004) Quantification of sPLA2-induced early and late apoptosis changes in neuronal cell cultures using combined TUNEL and DAPI staining. *Brain Res Brain Res Protoc*, 13, 144.
10. Li M, Wu RS, Tsai JS. (2003) DAPI derivative: a fluorescent DNA dye that can be covalently attached to biomolecules. *Bioorg Med Chem Lett*, 13, 4351.
11. Trotta E, Del Gross N, Erba M, Melino S, Cicero D, Paci M. (2003) Interaction of DAPI with individual strands of trinucleotide repeats. Effects of replication in vitro of the AAT x ATT triplet. *Eur J Biochem*, 270, 4755.
12. Kubota Y, Kubota K, Tani S. (2000) DNA binding properties of DAPI (4',6-diamidino-2-phenylindole) analogs having an imidazoline ring or a tetrahydropyrimidine ring: groove-binding and intercalation. *Nucleic Acids Symp Ser*, 53.
13. Knobloch J, Kunz W, Grevelding CG. (2002) Quantification of DNA synthesis in multicellular organisms by a combined DAPI and BrdU technique. *Dev Growth Differ*, 44, 559.
14. De Castro LF, Zacharias M. (2002) DAPI binding to the DNA minor groove: a continuum solvent analysis. *J Mol Recognit*, 15, 209.
15. Hizume M, Shibata F, Matsumoto A, Maruyama Y, Hayashi E, Kondo T, Kondo K, Zhang S, Hong D. (2002) Tandem repeat DNA localizing on the proximal DAPI bands of chromosomes in *Larix*, Pinaceae. *Genome*, 45, 777.
16. Sliusarev GS, Manylov OG, Cherkasov AS. (2002) [Nuclei in the plasmodium of *Intoschia variabilis* (Orthonectida) as revealed by DAPI staining]. *Parazitologiya*, 36, 192.
17. Noirot M, Barre P, Louarn J, Duperray C, Hamon S. (2002) Consequences of stoichiometric error on nuclear DNA content evaluation in *Coffea liberica* var. dewevrei using DAPI and propidium iodide. *Ann Bot (Lond)*, 89, 385.
18. Kim ES, Punina EO, Rodionov AV. (2002) [Chromosome CPD(PI/DAPI)- and CMA/DAPI-banding patterns in *Allium cepa* L.]. *Genetika*, 38, 489.
19. Schulten HJ, Gunawan B, Otto F, Hassmann R, Hallermann C, Noebel A, Fuzesi L. (2002) Cytogenetic characterization of complex karyotypes in seven established

- melanoma cell lines by multiplex fluorescence *in situ* hybridization and DAPI banding. *Cancer Genet Cytogenet*, 133, 134.
20. Breusegem SY, Clegg RM, Loontiens FG. (2002) Base-sequence specificity of Hoechst 33258 and DAPI binding to five (A/T)₄ DNA sites with kinetic evidence for more than one high-affinity Hoechst 33258-AATT complex. *J Mol Biol*, 315, 1049.
21. Marescalchi O, Scali V. (2001) New DAPI and FISH findings on egg maturation processes in related hybridogenetic and parthenogenetic *Bacillus* hybrids (Insecta, Phasmatodea). *Mol Reprod Dev*, 60, 270.
22. Lan T, McLaughlin LW. (2001) The energetic contribution of a bifurcated hydrogen bond to the binding of DAPI to dA-dT rich sequences of DNA. *J Am Chem Soc*, 123, 2064.
23. Barcellona ML, Chen Y, Muller JD, Gratton E. (2001) 4',6-diamidino-2-phenylindole (DAPI) interacts with rare structures of GC polymers. *Eur Biophys J*, 30, 98.
24. Wery M, Woldring CL, Rouviere-Yaniv J. (2001) HU-GFP and DAPI co-localize on the *Escherichia coli* nucleoid. *Biochimie*, 83, 193.
25. Ali HB, Meister A, Schubert I. (2000) DNA content, rDNA loci, and DAPI bands reflect the phylogenetic distance between *Lathyrus* species. *Genome*, 43, 1027.
26. Wen J, Krishan A, Thomas RA. (2001) NASA/American Cancer Society High-Resolution Flow Cytometry Project - II. Effect of pH and DAPI concentration on dual parametric analysis of DNA/DAPI fluorescence and electronic nuclear volume. *Cytometry*, 43, 12.
27. Massardo DR, Zweifel SG, Gunge N, Miyakawa I, Sando N, Del Giudice A, Wolf K, Del Giudice L. (2000) Use of lycorine and DAPI staining in *Saccharomyces cerevisiae* to differentiate between rho₀ and rho- cells in a cce1/delta cce1 nuclear background. *Can J Microbiol*, 46, 1058.
28. Kameyama K, Takami H. (1999) DNA cytofluorometric analysis using HP/DAPI double staining of parathyroid carcinoma arising in a patient with chronic renal failure and secondary hyperparathyroidism. *Oncol Rep*, 6, 1345.
29. Trotta E, Paci M. (1998) Solution structure of DAPI selectively bound in the minor groove of a DNA T.T mismatch-containing site: NMR and molecular dynamics studies. *Nucleic Acids Res*, 26, 4706.
30. Caneva R, De Simoni A, Mayol L, Rossetti L, Savino M. (1997) Different bindings of the minor groove ligands DAPI and Hoechst 33258 to multimers of the curved (CA₄T₄G) and noncurved (CT₄A₄G) DNA sequences. *Biochim Biophys Acta*, 1353, 93.
31. Xu Z, Pilch DS, Srinivasan AR, Olson WK, Geacintov NE, Breslauer KJ. (1997) Modulation of nucleic acid structure by ligand binding: induction of a DNA.RNA.DNA hybrid triplex by DAPI intercalation. *Bioorg Med Chem*, 5, 1137.
32. Waring MJ, Bailly C. (1997) The influence of the exocyclic amino group characteristic of GC base pairs on molecular recognition of specific nucleotide sequences in DNA by berenil and DAPI. *J Mol Recognit*, 10, 121.
33. Saby S, Sibille I, Mathieu L, Paquin JL, Block JC. (1997) Influence of water chlorination on the counting of bacteria with DAPI (4',6-diamidino-2-phenylindole). *Appl Environ Microbiol*, 63, 1564.
34. Obara Y, Sasaki S, Igarashi Y. (1997) Delayed response of QM- and DA/DAPI-fluorescence in C-heterochromatin of the small Japanese field mouse, *Apodemus argenteus*. *Zoolog Sci*, 14, 57.
35. Lakowicz JR, Gryczynski I, Malak H, Schrader M, Engelhardt P, Kano H, Hell SW. (1997) Time-resolved fluorescence spectroscopy and imaging of DNA labeled with DAPI and Hoechst 33342 using three-photon excitation. *Biophys J*, 72, 567.
36. Moscone EA, Matzke MA, Matzke AJ. (1996) The use of combined FISH/GISH in conjunction with DAPI counterstaining to identify chromosomes containing transgene inserts in amphidiploid tobacco. *Chromosoma*, 105, 231.
37. Bilinski SM, Bilinska B. (1996) A new version of the Ag-NOR technique. A combination with DAPI staining. *Histochem J*, 28, 651.
38. Caneva R, Rossetti L, Savino M. (1996) DNA minor groove accessibility in the nucleosome core deduced from specific interactions with DAPI. *Biochim Biophys Acta*, 1306, 117.

39. Barcellona ML, Gratton E. (1996) Fluorescence anisotropy of DNA/DAPI complex: torsional dynamics and geometry of the complex. *Biophys J*, 70, 2341.
40. Kayser K, Baumgartner K, Gabius HJ. (1996) Cytometry with DAPI-stained tumor imprints. A reliable tool for improved intraoperative analysis of lung neoplasms. *Anal Quant Cytol Histol*, 18, 115.
41. Matesoi D, Kittler L, Bell A, Unger E, Lober G. (1996) Determination of microscopic binding constants at individual DNA base sequences for the minor groove binders Hoechst 33258, DAPI and pentamidine. *Biochem Mol Biol Int*, 38, 123.
42. Barcellona ML, Gratton E. (1996) Torsional dynamics and orientation of DNA--DAPI complexes. *Biochemistry*, 35, 321.
43. Colson P, Houssier C, Bailly C. (1995) Use of electric linear dichroism and competition experiments with intercalating drugs to investigate the mode of binding of Hoechst 33258, berenil and DAPI to GC sequences. *J Biomol Struct Dyn*, 13, 351.
44. Kapuscinski J. (1995) DAPI: a DNA-specific fluorescent probe. *Biotech Histochem*, 70, 220.
45. Tanaka N, Ohtsuka S, Honda S, Matsuyama M, Teramoto M, Ueno K, Inoue M, Morita J, Morita M, Omata K, et al. (1995) [Multiparametric cytometric analysis of hepatocellular carcinoma and its allied lesions combining DNA ploidy analysis with morphometry using DAPI/HP double staining]. *Gan To Kagaku Ryoho*, 22 Suppl 2, 197.
46. Trotta E, D'Ambrosio E, Ravagnan G, Paci M. (1995) Evidence for DAPI intercalation in CG sites of DNA oligomer [d(CGACGTCG)]₂: a 1H NMR study. *Nucleic Acids Res*, 23, 1333.
47. Parolin C, Zanotti G, Palu G. (1995) A model for the sequence-dependent DNA binding of 4',6-diamidino-2-phenylindole (DAPI). *Biochem Biophys Res Commun*, 208, 332.
48. Buel E, Schwartz M. (1995) The use of DAPI as a replacement for ethidium bromide in forensic DNA analysis. *J Forensic Sci*, 40, 275.
49. Kulik MM, Dery PD. (1995) Use of DAPI for anastomosis group typing of strains of the fungus Rhizoctonia solani. *Biotech Histochem*, 70, 95.
50. Knapp RD, Smith LC, Baldini A. (1995) Eigenanalysis of DAPI-stained chromosomes: tools and strategies toward computer-assisted analysis of FISH experiments. *Cytogenet Cell Genet*, 69, 81.
51. Mohan S, Yathindra N. (1994) A study of the interaction of DAPI with DNA containing AT and non-AT sequences--molecular specificity of minor groove binding drugs. *J Biomol Struct Dyn*, 11, 849.
52. Heng HH, Tsui LC. (1994) FISH detection on DAPI-banded chromosomes. *Methods Mol Biol*, 33, 35.
53. Otto FJ. (1994) High-resolution analysis of nuclear DNA employing the fluorochrome DAPI. *Methods Cell Biol*, 41, 211.
54. Kamo KK, Griesbach RJ. (1993) Evaluation of DAPI as a fluorescent probe for DNA in viable Petunia protoplasts. *Biotech Histochem*, 68, 350.
55. Tofanelli S, Stanyon R, Agostini M, Franceschi MG, Paoli G. (1993) Variability of DA/DAPI and C heterochromatic regions: a population study. *Hum Biol*, 65, 635.
56. Jansen K, Lincoln P, Norden B. (1993) Binding of DAPI analogue 2,5-bis(4-amidinophenyl)furan to DNA. *Biochemistry*, 32, 6605.
57. Lee LS, Garnett HM. (1993) Estimation of total DNA in crude extracts of plant leaf tissue using 4',6-diamidino-2-phenylindole (DAPI) fluorometry. *J Biochem Biophys Methods*, 26, 249.
58. Heng HH, Tsui LC. (1993) Modes of DAPI banding and simultaneous *in situ* hybridization. *Chromosoma*, 102, 325.
59. Tanaka N, Ohtsuka S, Matsuyama M, Teramoto M, Ueno K, Inoue M, Honda S, Morita J, Morita M, Omata K, et al. (1993) [UV-microspectrophotometric and flow cytometric analysis of the same samples using DAPI/HP staining]. *Gan To Kagaku Ryoho*, 20, 731.
60. Eriksson S, Kim SK, Kubista M, Norden B. (1993) Binding of 4',6-diamidino-2-phenylindole (DAPI) to AT regions of DNA: evidence for an allosteric conformational change. *Biochemistry*, 32, 2987.

61. Tarnowski BI, Sens DA, Nicholson JH, Hazen-Martin DJ, Garvin AJ, Sens MA. (1993) Automatic quantitation of cell growth and determination of mitotic index using DAPI nuclear staining. *Pediatr Pathol*, 13, 249.
62. Vater W, Bohm KJ, Unger E. (1993) Effects of the fluorescence dye DAPI on microtubule structure in vitro: formation of novel types of tubulin assembly products. *Acta Histochem*, 94, 54.
63. Stergianou K, Gould CP, Waters JJ, Hulten MA. (1993) A DA/DAPI positive human 14p heteromorphism defined by fluorescence in-situ hybridisation using chromosome 15-specific probes D15Z1 (satellite III) and p-TRA-25 (alphoid). *Hereditas*, 119, 105.
64. Buel E, Schwartz M. (1993) DAPI, a simple sensitive alternative to ethidium bromide staining of DNA in agarose gels. *Appl Theor Electrophor*, 3, 253.
65. Burckhardt G, Votavova H, Jantsch M, Zimmer C, Lown JW, Schweizer D. (1993) Mechanisms of distamycin A/DAPI chromosome staining. I. Competition binding effects of nonintercalative DNA groove-binding agents in situ and in vitro. *Cytogenet Cell Genet*, 62, 19.
66. Scali V, Tinti F. (1992) Rapid assessment of maturation stage and reproductive mode in centrolecyclic eggs of stick insects (Phasmatodea) using DAPI stain. *Biotech Histochem*, 67, 356.
67. Sanna PP, Jirikowski GF, Lewandowski GA, Bloom FE. (1992) Applications of DAPI cytochemistry to neurobiology. *Biotech Histochem*, 67, 346.
68. Tinti F, Scali V. (1992) Genome exclusion and gametic DAPI-DNA content in the hybridogenic *Bacillus rossius-grandii benazzii* complex (Insecta Phasmatodea). *Mol Reprod Dev*, 33, 235.
69. Pelliccia F, Rocchi A. (1992) The effect of caffeine on DAPI-inducible fragile sites. *Mutat Res*, 282, 43.
70. Tanious FA, Veal JM, Buczak H, Ratmeyer LS, Wilson WD. (1992) DAPI (4',6-diamidino-2-phenylindole) binds differently to DNA and RNA: minor-groove binding at AT sites and intercalation at AU sites. *Biochemistry*, 31, 3103.
71. Ulrich W. (1992) Simultaneous measurement of DAPI-sulforhodamine 101 stained nuclear DNA and protein in higher plants by flow cytometry. *Biotech Histochem*, 67, 73.
72. Mohan S, Yathindra N. (1992) Flexibility of DNA in 2:1 drug-DNA complexes-- simultaneous binding of two DAPI molecules to DNA. *J Biomol Struct Dyn*, 9, 695.
73. Kobayashi Y, Kimura S, Tanaka K, Wada K, Ozawa M, Horiuchi H, Maruo N, Kondo M. (1991) Shift in the megakaryocyte ploidy in MDS patients: microcytofluorometry with DAPI staining after destaining of Wright-Giemsa stain. *Br J Haematol*, 79, 556.
74. Plattner R, Heerema NA, Patil SR, Howard-Peebles PN, Palmer CG. (1991) Characterization of seven DA/DAPI-positive bisatellited marker chromosomes by in situ hybridization. *Hum Genet*, 87, 290.
75. Barcellona ML, Gratton E. (1991) A molecular approach to 4',6-diamidine-2-phenylindole (DAPI) photophysical behaviour at different pH values. *Biophys Chem*, 40, 223.
76. Tarnowski BI, Spinale FG, Nicholson JH. (1991) DAPI as a useful stain for nuclear quantitation. *Biotech Histochem*, 66, 297.
77. Wilson WD, Tanious FA, Barton HJ, Jones RL, Fox K, Wydra RL, Strekowski L. (1990) DNA sequence dependent binding modes of 4',6-diamidino-2-phenylindole (DAPI). *Biochemistry*, 29, 8452.
78. Chi HI, Ishibashi Y, Shima A, Mihara I, Otsuka F. (1990) Use of DAPI cytofluorometric analysis of cellular DNA content to differentiate Spitz nevus from malignant melanoma. *J Invest Dermatol*, 95, 154.
79. Barcellona ML, Cardiel G, Gratton E. (1990) Time-resolved fluorescence of DAPI in solution and bound to polydeoxynucleotides. *Biochem Biophys Res Commun*, 170, 270.
80. Barcellona ML, Cardiel G, Gratton E. (1990) DAPI fluorescence decay process: a global analytical approach proves a ground-state heterogeneity with interconversion. *Ital J Biochem*, 39, 179A.
81. Nagashima R. (1990) [DAPI-DNA cytofluorometric study of glioma cells--application of DAPI-DNA cytofluorometry to paraffin embedded archival glioma tissue for nuclear DNA content analysis]. *No To Shinkei*, 42, 352.

82. Parolin C, Montecucco A, Ciarrocchi G, Pedrali-Noy G, Valisena S, Palumbo M, Palu G. (1990) The effect of the minor groove binding agent DAPI (4,6-diamidino-2-phenyl-indole) on DNA-directed enzymes: an attempt to explain inhibition of plasmid expression in *Escherichia coli* [corrected]. *FEMS Microbiol Lett*, 56, 341.
83. Barcellona ML, Gratton E. (1990) The fluorescence properties of a DNA probe. 4'-6-Diamidino-2-phenylindole (DAPI). *Eur Biophys J*, 17, 315.
84. Zhao YL, Wang XZ, Wang ZS, Chen WY. (1990) [Expression of constitutive heterochromatin by Alul restriction endonuclease treatment and CA3/DA/DAPI staining of domestic pig chromosome]. *Yi Chuan Xue Bao*, 17, 360.
85. Thornthwaite JT, Thomas RA. (1990) High-resolution DNA measurements using the nuclear isolation medium, DAPI, with the RATCOM flow cytometer. *Methods Cell Biol*, 33, 111.
86. Otto F. (1990) DAPI staining of fixed cells for high-resolution flow cytometry of nuclear DNA. *Methods Cell Biol*, 33, 105.
87. Hard T, Fan P, Kearns DR. (1990) A fluorescence study of the binding of Hoechst 33258 and DAPI to halogenated DNAs. *Photochem Photobiol*, 51, 77.
88. Larsen TA, Goodsell DS, Cascio D, Grzeskowiak K, Dickerson RE. (1989) The structure of DAPI bound to DNA. *J Biomol Struct Dyn*, 7, 477.
89. Kobayashi Y, Ozawa M, Maruo N, Kondo M. (1989) [Megakaryocyte ploidy in patients with myelodysplastic syndrome--by microcytofluorometry with DAPI staining after removal of Wright-Giemsa staining]. *Rinsho Ketsueki*, 30, 1915.
90. Kobayashi Y, Ozawa M, Horiuchi H, Maruo N, Kondo M. (1988) [Megakaryocyte DNA content by microcytofluorometry with DAPI staining after removal of Wright-Giemsa staining--in ITP patients]. *Nippon Ketsueki Gakkai Zasshi*, 51, 1147.
91. Kobayashi Y, Ozawa M, Horiuchi H, Maruo N, Kondo M. (1988) [Megakaryocyte DNA content in man by microcytofluorometry with DAPI staining after removal of Wright-Giemsa staining]. *Rinsho Byori*, 36, 1065.
92. Takahama M, Kagaya A. (1988) Hematoporphyrin/DAPI staining: simplified simultaneous one-step staining of DNA and cell protein and trial application in automated cytological screening by flow cytometry. *J Histochem Cytochem*, 36, 1061.
93. Lin MS, Zhang A, Wilson MG, Fujimoto A. (1988) DA/DAPI-fluorescent heteromorphism of human Y chromosome. *Hum Genet*, 79, 36.
94. Kobayashi Y, Ozawa M, Horiuchi H, Maruo N, Kondo M. (1988) [Megakaryocyte DNA content in man by microcytofluorometry with DAPI staining]. *Rinsho Byori*, 36, 230.
95. Rocchi A, Pelliccia F. (1988) Synergistic effect of DAPI and thymidylate stress conditions on the induction of common fragile sites. *Cytogenet Cell Genet*, 48, 51.
96. Skoczyłas B. (1988) Associations between a fluorescent DNA ligand, 4',6-diamidine-2-phenylindole.2HCl (DAPI), and RNA. *Acta Biochim Pol*, 35, 7.
97. Vergne P, Delvallee I, Dumas C. (1987) Rapid assessment of microspore and pollen development stage in wheat and maize using DAPI and membrane permeabilization. *Stain Technol*, 62, 299.
98. Palu G, Valisena S, Barcellona ML, Masotti L, Meloni GA. (1987) DAPI-pUC8 complex: a tool to investigate biological effects of nucleic acid-drug interaction. *Biochem Biophys Res Commun*, 145, 40.
99. Ueda T, Irie S, Kato Y. (1987) Longitudinal differentiation of metaphase chromosomes of Indian muntjac as studied by restriction enzyme digestion, *in situ* hybridization with cloned DNA probes and distamycin A plus DAPI fluorescence staining. *Chromosoma*, 95, 251.
100. Ohbayashi T, Tabuchi K, Saiga T, Adachi T, Sawada S, Midorikawa O. (1987) An improved DAPI-DNA cytofluorometry by hypotonic cytolysis. Its application to tumor cell heterogeneity. *Virchows Arch B Cell Pathol Incl Mol Pathol*, 53, 140.
101. Yamada M, Matsumoto Y, Hamada S, Fujita S, Yoshida Y. (1986) Demonstration and determination of DNA in *Pneumocystis carinii* by fluorescence microscopy with 4', 6-diamidino-2-phenylindole (DAPI). *Zentralbl Bakteriol Mikrobiol Hyg [A]*, 262, 240.
102. Pelliccia F, Rocchi A. (1986) DAPI-inducible common fragile sites. *Cytogenet Cell Genet*, 42, 174.

103. Buys CH, Mesa J, van der Veen AY, Aten JA. (1986) A comparison of the effect of 5-bromodeoxyuridine substitution on 33258 Hoechst- and DAPI-fluorescence of isolated chromosomes by bivariate flow karyotyping. *Histochemistry*, 84, 462.
104. Ferrucci L, De Stefano GF, Mezzanotte R, Vanni R. (1986) A possible correlation between DA-DAPI counterstaining and alu I-induced bands in fixed human chromosomes. *Basic Appl Histochem*, 30, 61.
105. Babu A, Verma RS. (1986) Expression of heterochromatin by restriction endonuclease treatment and distamycin A/DAPI staining of Indian muntjac (*Muntiacus muntjak*) chromosomes. *Cytogenet Cell Genet*, 41, 96.
106. Schmid M, Haaf T, Ott G, Scheres JM, Wensing JA. (1986) Heterochromatin in the chromosomes of the gorilla: characterization with distamycin A/DAPI, D287/170, chromomycin A3, quinacrine, and 5-azacytidine. *Cytogenet Cell Genet*, 41, 71.
107. Manzini G, Xodo L, Barcellona ML, Quadrifoglio F. (1985) Interaction of DAPI with double-stranded ribonucleic acids. *Nucleic Acids Res*, 13, 8955.
108. Park CH, Kimler BF, Smith TK. (1985) Comparison of the supravital DNA dyes Hoechst 33342 and DAPI for flow cytometry and clonogenicity studies of human leukemic marrow cells. *Exp Hematol*, 13, 1039.
109. Coleman AW, Goff LJ. (1985) Applications of fluorochromes to pollen biology. I. Mithramycin and 4',6-diamidino-2-phenylindole (DAPI) as vital stains and for quantitation of nuclear DNA. *Stain Technol*, 60, 145.
110. Nishi T, Okajima K, Mizutani H. (1985) [DNA measurements by DAPI staining in breast cancer--correlation between DNA content and nuclear grade]. *Nippon Geka Gakkai Zasshi*, 86, 645.
111. Krawczynska W. (1985) Leakage of DNA-ligand (DAPI) during regeneration of cilia in DAPI-pretreated Tetrahymena. *Cell Mol Biol*, 31, 413.
112. Otto F, Tsou KC. (1985) A comparative study of DAPI, DIPI, and Hoechst 33258 and 33342 as chromosomal DNA stains. *Stain Technol*, 60, 7.
113. Coleman AW. (1984) The fate of chloroplast DNA during cell fusion, zygote maturation and zygote germination in Chlamydomonas reinhardtii as revealed by DAPI staining. *Exp Cell Res*, 152, 528.
114. Meyer JC, Grundmann H. (1984) Fluorometric determination of DNA in epidermis and cultured fibroblasts, using 4'-6-diamidino-2-phenylindole (DAPI). *Arch Dermatol Res*, 276, 52.
115. Schmid M, Haaf T. (1984) Distamycin A/DAPI bands and the effects of 5-azacytidine on the chromosomes of the chimpanzee, Pan troglodytes. *Cytogenet Cell Genet*, 38, 192.
116. Manzini G, Barcellona ML, Avitabile M, Quadrifoglio F. (1983) Interaction of diamidino-2-phenylindole (DAPI) with natural and synthetic nucleic acids. *Nucleic Acids Res*, 11, 8861.
117. Grossgebauer K. (1983) Staining of phagocytized Cryptococcus neoformans with DAPI. *Microsc Acta*, 87, 307.
118. Donlon TA, Magenis RE. (1983) Methyl green is a substitute for distamycin A in the formation of distamycin A/DAPI C-bands. *Hum Genet*, 65, 144.
119. Hamada S, Fujita S. (1983) DAPI staining improved for quantitative cytofluorometry. *Histochemistry*, 79, 219.
120. Hauser-Urfer I, Leemann U, Ruch F. (1982) Cytofluorometric determination of the DNA base content in human chromosomes with quinacrine mustard, Hoechst 33'258, DAPI, and mithramycin. *Exp Cell Res*, 142, 455.
121. Leemann U, Ruch F. (1982) Cytofluorometric determination of DNA base content in plant nuclei and chromosomes by the fluorochromes DAPI and chromomycin A3. *Exp Cell Res*, 140, 275.
122. Masotti L, Cavatorta P, Avitabile M, Barcellona ML, von Berger J, Ragusa N. (1982) Characterization of 4'-6 diamidino-2 phenylindole (DAPI) as a fluorescent probe of DNA structure. *Ital J Biochem*, 31, 90.
123. Coleman AW, Maguire MJ, Coleman JR. (1981) Mithramycin- and 4'-6-diamidino-2-phenylindole (DAPI)-DNA staining for fluorescence microspectrophotometric

- measurement of DNA in nuclei, plastids, and virus particles. *J Histochem Cytochem*, 29, 959.
- 124. Morikawa K, Yanagida M. (1981) Visualization of individual DNA molecules in solution by light microscopy: DAPI staining method. *J Biochem (Tokyo)*, 89, 693.
 - 125. Dall'Asta R, Marchetti M, Casali E. (1981) [ccDNA-DAPI complexes: fluorimetric determination of various chemico-physical parameters]. *Acta Biomed Ateneo Parmense*, 52, 159.
 - 126. Rocchi A, Di Castro M, Prantera G. (1980) Effect of DAPI on Chinese hamster chromosomes. *Cytogenet Cell Genet*, 27, 70.
 - 127. Hyman BC, Macinnis AJ. (1979) Rapid detection of malaria and other bloodstream parasites by fluorescence microscopy with 4'6 diamidino-2-phenylindole (DAPI). *J Parasitol*, 65, 421.
 - 128. Chandra P, Mildner B. (1979) [Molecular mechanism of action of diamidinephenylindole (DAPH) III. Physico-chemical binding of DAPI and its derivatives to DNA and polydeoxynucleotides, and its consequences on the template activity of nucleic acids (author's transl)]. *Cell Mol Biol Incl Cyto Enzymol*, 25, 429.
 - 129. Chandra P, Mildner B. (1979) [The molecular mode of action of diamidinephenylindols (DAPI). I. Physico-chemical investigations for the characterization of the binding of diamidinephenylindol to nucleic acids (author's transl)]. *Cell Mol Biol Incl Cyto Enzymol*, 25, 137.
 - 130. Williamson DH, Fennell DJ. (1979) Visualization of yeast mitochondrial DNA with the fluorescent stain "DAPI". *Methods Enzymol*, 56, 728.
 - 131. Mildner B, Chandra P. (1979) [Molecular mechanism of action of diamidinephenylindole (DAPI). II. Effect of DAPI on the template activity of DNA and polydeoxynucleotides in the DNA-polymerase system from bacteria, eukaryotic cells and RNA tumor viruses (author's transl)]. *Cell Mol Biol Incl Cyto Enzymol*, 25, 399.
 - 132. Rocchi A, Di Castro M, Prantera G. (1979) Effects of DAPI on human leukocytes in vitro. *Cytogenet Cell Genet*, 23, 250.
 - 133. Kapuscinski J, Skoczyłas B. (1978) Fluorescent complexes of DNA with DAPI 4',6-diamidine-2-phenyl indole.2HCl or DCI 4',6-dicarboxyamide-2-phenyl indole. *Nucleic Acids Res*, 5, 3775.
 - 134. Lin MS, Alfi OS. (1978) Detection of lateral asymmetry in the C band of human chromosomes by BrdU-DAPI fluorescence. *Somatic Cell Genet*, 4, 603.
 - 135. Schweizer D, Ambros P, Andrlé M. (1978) Modification of DAPI banding on human chromosomes by prestaining with a DNA-binding oligopeptide antibiotic, distamycin A. *Exp Cell Res*, 111, 327.
 - 136. Schweizer D. (1976) Reverse fluorescent chromosome banding with chromomycin and DAPI. *Chromosoma*, 58, 307.
 - 137. Jagielski M, Zaleska M, Kaluzewski S, Polna I. (1976) [Applicability of DAPI for the detection of Mycoplasms in cell cultures]. *Med Dosw Mikrobiol*, 28, 161.