

References for Products 17515-17517

1. Baskic D, Popovic S, Ristic P, Arsenijevic NN. (2006) Analysis of cycloheximide-induced apoptosis in human leukocytes: Fluorescence microscopy using annexin V/propidium iodide versus acridin orange/ethidium bromide. *Cell Biol Int*, 30, 924.
2. Scudla V, Ordeltova M, Minarik J, Dusek L, Zemanova M, Bacovsky J. (2006) Prognostic significance of plasma cell propidium iodide and annexin-V indices and their mutual ratio in multiple myeloma. *Neoplasma*, 53, 213.
3. Minarik J, Scudla V, Ordeltova M, Bacovsky J, Zemanova M. (2005) Evaluation of plasma cell propidium-iodide and annexin-V indices: Their relation to prognosis in multiple myeloma. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*, 149, 271.
4. Soudant P, Chu FL, Lund ED. (2005) Assessment of the cell viability of cultured Perkinsus marinus (Perkinsea), a parasitic protozoan of the Eastern oyster, *Crassostrea virginica*, using SYBRgreen-propidium iodide double staining and flow cytometry. *J Eukaryot Microbiol*, 52, 492.
5. Cai K, Yang J, Guan M, Ji W, Li Y, Rens W. (2005) Single UV excitation of Hoechst 33342 and propidium iodide for viability assessment of rhesus monkey spermatozoa using flow cytometry. *Arch Androl*, 51, 371.
6. Giraudi PJ, Almada LL, Mamprin ME, Guibert EE, Furno G, Rodriguez JV. (2005) The assessment of viability in isolated rat hepatocytes subjected to cold or subzero non-freezing preservation protocols using a propidium iodide modified test. *Cryo Letters*, 26, 169.
7. Kral T, Widerak K, Langner M, Hof M. (2005) Propidium iodide and PicoGreen as dyes for the DNA fluorescence correlation spectroscopy measurements. *J Fluoresc*, 15, 179.
8. Wagner T, Guber SE, Stubenrauch ML, Lanzer G, Neumueller J. (2005) Low propidium iodide intensity in flow cytometric white blood cell counting as a marker of cell destruction? *Transfusion*, 45, 228.
9. Elsheikha HM, Mansfield LS. (2004) Assessment of *Sarcocystis neurona* sporocyst viability and differentiation between viable and nonviable sporocysts using propidium iodide stain. *J Parasitol*, 90, 872.
10. Lehtinen J, Nuutila J, Lilius EM. (2004) Green fluorescent protein-propidium iodide (GFP-PI) based assay for flow cytometric measurement of bacterial viability. *Cytometry A*, 60, 165.
11. Grundler W, Dirscherl P, Beisker W, Weber F, Stolla R, Bollwein H. (2004) Quantification of temporary and permanent subpopulations of bull sperm by an optimized SYBR-14/propidium iodide assay. *Cytometry A*, 60, 63.
12. Lin SJ, Cheng PJ, Huang YJ, Kuo ML. (2004) Evaluation of cytotoxic function and apoptosis in interleukin (IL)-12/IL-15-treated umbilical cord or adult peripheral blood natural killer cells by a propidium-iodide based flow cytometry. *Pediatr Allergy Immunol*, 15, 79.
13. Scudla V, Ordeltova M, Bacovsky J, Vytrasova M, Sumna E, Martinek A, Horak P. (2003) A contribution to examination of propidium iodide and annexin V plasma cells indices in multiple myeloma. *Neoplasma*, 50, 363.
14. Ling E, Shirai K, Kanekatsu R, Kiguchi K. (2003) Classification of larval circulating hemocytes of the silkworm, *Bombyx mori*, by acridine orange and propidium iodide staining. *Histochem Cell Biol*, 120, 505.
15. Ozdemir O, Ravindranath Y, Savasan S. (2003) Cell-mediated cytotoxicity evaluation using monoclonal antibody staining for target or effector cells with annexinV/propidium iodide colabeling by fluorosphere-adjusted counts on three-color flow cytometry. *Cytometry A*, 56, 53.
16. Noirot M, Barre P, Duperray C, Louarn J, Hamon S. (2003) Effects of caffeine and chlorogenic acid on propidium iodide accessibility to DNA: consequences on genome size evaluation in coffee tree. *Ann Bot (Lond)*, 92, 259.

17. Unal Cevik I, Dalkara T. (2003) Intravenously administered propidium iodide labels necrotic cells in the intact mouse brain after injury. *Cell Death Differ*, 10, 928.
18. Brana C, Benham C, Sundstrom L. (2002) A method for characterising cell death in vitro by combining propidium iodide staining with immunohistochemistry. *Brain Res Brain Res Protoc*, 10, 109.
19. Wilkins RC, Kutzner BC, Truong M, Sanchez-Dardon J, McLean JR. (2002) Analysis of radiation-induced apoptosis in human lymphocytes: flow cytometry using Annexin V and propidium iodide versus the neutral comet assay. *Cytometry*, 48, 14.
20. Noirot M, Barre P, Louarn J, Duperray C, Hamon S. (2002) Consequences of stoichiometric error on nuclear DNA content evaluation in Coffea liberica var. dewevrei using DAPI and propidium iodide. *Ann Bot (Lond)*, 89, 385.
21. Banning N, Toze S, Mee BJ. (2002) Escherichia coli survival in groundwater and effluent measured using a combination of propidium iodide and the green fluorescent protein. *J Appl Microbiol*, 93, 69.
22. Span LF, Pennings AH, Vierwinden G, Boezeman JB, Raymakers RA, de Witte T. (2002) The dynamic process of apoptosis analyzed by flow cytometry using Annexin-V/propidium iodide and a modified in situ end labeling technique. *Cytometry*, 47, 24.
23. Djuzenova CS, Flentje M. (2001) Light scatter and DNA accessibility to propidium iodide of ataxia telangiectasia and fanconi anemia cells. *Biochem Biophys Res Commun*, 286, 365.
24. Lecoer H, Prevost MC, Gougeon ML. (2001) Oncosis is associated with exposure of phosphatidylserine residues on the outside layer of the plasma membrane: a reconsideration of the specificity of the annexin V/propidium iodide assay. *Cytometry*, 44, 65.
25. Zamai L, Canonico B, Luchetti F, Ferri P, Melloni E, Guidotti L, Cappellini A, Cutroneo G, Vitale M, Papa S. (2001) Supravital exposure to propidium iodide identifies apoptosis on adherent cells. *Cytometry*, 44, 57.
26. Harrison GM, Bennett AJ, Moody M, Read GF, Williams PE. (2001) Use of formalin-fixed, propidium iodide-stained human leukocytes as a standard for enumerating CD4+ T lymphocytes in a single-platform assay. *Clin Diagn Lab Immunol*, 8, 397.
27. Benbow U, Orndorff KA, Givan AL. (2001) Invasion assays and matrix metalloproteinases. Quantification of cellular invasion using propidium iodide labeling and confocal laser scanning microscopy. *Methods Mol Biol*, 151, 485.
28. Eray M, Matto M, Kaartinen M, Andersson L, Pelkonen J. (2001) Flow cytometric analysis of apoptotic subpopulations with a combination of annexin V-FITC, propidium iodide, and SYTO 17. *Cytometry*, 43, 134.
29. Scudla V, Ordeltova M, Spidlova A, Bacovsky J, Budikova M, Srovnalik K. (1999) [Importance of determining the propidium-iodide index of plasmacytes in multiple myeloma. II. Relation to disease extent and activity]. *Vnitr Lek*, 45, 336.
30. Scudla V, Ordeltova M, Spidlova A, Bacovsky J, Kurasova J, Vranova M. (1999) [Importance of determining the propidium-iodide index of plasmacytes in multiple myeloma. I. Relation to selected laboratory indicators of the disease]. *Vnitr Lek*, 45, 331.
31. Benbow U, Orndorff KA, Brinckerhoff CE, Givan AL. (2000) Confocal assay for invasion: use of propidium iodide fluorescence and laser reflectance to quantify the rate of migration of cells through a matrix. *Cytometry*, 40, 253.
32. Mascotti K, McCullough J, Burger SR. (2000) HPC viability measurement: trypan blue versus acridine orange and propidium iodide. *Transfusion*, 40, 693.
33. Pintado B, de la Fuente J, Roldan ER. (2000) Permeability of boar and bull spermatozoa to the nucleic acid stains propidium iodide or Hoechst 33258, or to eosin: accuracy in the assessment of cell viability. *J Reprod Fertil*, 118, 145.
34. Johansson MC, Baldetorp B, Oredsson SM. (1999) Energy transfer between fluorescein isothiocyanate and propidium iodide--a problem in the estimation of Tpot with the bromodeoxyuridine-DNA flow cytometry technique? *Anal Cell Pathol*, 19, 91.
35. Wolff RA, Chien GL, van Winkle DM. (2000) Propidium iodide compares favorably with histology and triphenyl tetrazolium chloride in the assessment of experimentally-induced infarct size. *J Mol Cell Cardiol*, 32, 225.

36. Steinkamp JA, Valdez YE, Lehnert BE. (2000) Flow cytometric, phase-resolved fluorescence measurement of propidium iodide uptake in macrophages containing phagocytized fluorescent microspheres. *Cytometry*, 39, 45.
37. Honda O, Kuroda M, Joja I, Asaumi J, Takeda Y, Akaki S, Togami I, Kanazawa S, Kawasaki S, Hiraki Y. (2000) Assessment of secondary necrosis of Jurkat cells using a new microscopic system and double staining method with annexin V and propidium iodide. *Int J Oncol*, 16, 283.
38. Zhang L, Mizumoto K, Sato N, Ogawa T, Kusumoto M, Niiyama H, Tanaka M. (1999) Quantitative determination of apoptotic death in cultured human pancreatic cancer cells by propidium iodide and digitonin. *Cancer Lett*, 142, 129.
39. Waring P, Lambert D, Sjaarda A, Hurne A, Beaver J. (1999) Increased cell surface exposure of phosphatidylserine on propidium iodide negative thymocytes undergoing death by necrosis. *Cell Death Differ*, 6, 624.
40. Laake JH, Haug FM, Wieloch T, Ottersen OP. (1999) A simple in vitro model of ischemia based on hippocampal slice cultures and propidium iodide fluorescence. *Brain Res Brain Res Protoc*, 4, 173.
41. Steinkamp JA, Lehnert BE, Lehnert NM. (1999) Discrimination of damaged/dead cells by propidium iodide uptake in immunofluorescently labeled populations analyzed by phase-sensitive flow cytometry. *J Immunol Methods*, 226, 59.
42. Kalejta RF, Brideau AD, Banfield BW, Beavis AJ. (1999) An integral membrane green fluorescent protein marker, Us9-GFP, is quantitatively retained in cells during propidium iodide-based cell cycle analysis by flow cytometry. *Exp Cell Res*, 248, 322.
43. Stokke T, Solberg K, DeAngelis P, Steen HB. (1998) Propidium iodide quenches the fluorescence of TdT-incorporated FITC-labeled dUTP in apoptotic cells. *Cytometry*, 33, 428.
44. Bakker J, Sanders A, Van Rooijen N. (1998) Effects of liposome-encapsulated drugs on macrophages: comparative activity of the diamidine 4',6-diamidino-2-phenylindole and the phenanthridinium salts ethidium bromide and propidium iodide. *Biochim Biophys Acta*, 1373, 93.
45. Lopez-Amoros R, Castel S, Comas-Riu J, Vives-Rego J. (1997) Assessment of *E. coli* and *Salmonella* viability and starvation by confocal laser microscopy and flow cytometry using rhodamine 123, DiBAC4(3), propidium iodide, and CTC. *Cytometry*, 29, 298.
46. Ito WD, Schaarschmidt S, Klask R, Hansen S, Schafer HJ, Mathey D, Bhakdi S. (1997) Infarct size measurement by triphenyltetrazolium chloride staining versus in vivo injection of propidium iodide. *J Mol Cell Cardiol*, 29, 2169.
47. Corver WE, Fleuren GJ, Cornelisse CJ. (1997) Improved single laser measurement of two cellular antigens and DNA-ploidy by the combined use of propidium iodide and TO-PRO-3 iodide. *Cytometry*, 28, 329.
48. Rudolph JG, Lemasters JJ, Crews FT. (1997) Use of a multiwell fluorescence scanner with propidium iodide to assess NMDA mediated excitotoxicity in rat cortical neuronal cultures. *Neurosci Lett*, 221, 149.
49. Djuzenova CS, Zimmermann U, Frank H, Sukhorukov VL, Richter E, Fuhr G. (1996) Effect of medium conductivity and composition on the uptake of propidium iodide into electroporabilized myeloma cells. *Biochim Biophys Acta*, 1284, 143.
50. Rab P, Reed KM, Ponce de Leon FA, Phillips RB. (1996) A new method for detecting nucleolus organizer regions in fish chromosomes using denaturation and propidium iodide staining. *Biotech Histochem*, 71, 157.
51. Zamai L, Falcieri E, Marhefka G, Vitale M. (1996) Supravital exposure to propidium iodide identifies apoptotic cells in the absence of nucleosomal DNA fragmentation. *Cytometry*, 23, 303.
52. Wrobel K, Claudio E, Segade F, Ramos S, Lazo PS. (1996) Measurement of cytotoxicity by propidium iodide staining of target cell DNA. Application to the quantification of murine TNF-alpha. *J Immunol Methods*, 189, 243.
53. Brohee D, Vanhaeverbeek M, Kennes B, Lefevre A. (1995) [Comparison of 2 techniques for measuring lymphocyte proliferation: tritiated methyl-thymidine incorporation and propidium iodide fluorometry]. *Rev Med Brux*, 16, 368.

54. Wulf M, Bosse A, Voss B, Muller KM. (1995) Improvement of fluorescence *in situ* hybridization (RNA-FISH) on human paraffin sections by propidium iodide counterstaining. *Biotechniques*, 19, 368.
55. Borisova OF, Shchyolkina AK, Timofeev EN, Tsybenko S, Mirzabekov AD, Florentiev VL. (1995) Stabilization of parallel (recombinant) triplex with propidium iodide. *J Biomol Struct Dyn*, 13, 15.
56. Dengler WA, Schulte J, Berger DP, Mertelsmann R, Fiebig HH. (1995) Development of a propidium iodide fluorescence assay for proliferation and cytotoxicity assays. *Anticancer Drugs*, 6, 522.
57. Garner DL, Johnson LA. (1995) Viability assessment of mammalian sperm using SYBR-14 and propidium iodide. *Biol Reprod*, 53, 276.
58. Lopez-Amoros R, Comas J, Vives-Rego J. (1995) Flow cytometric assessment of *Escherichia coli* and *Salmonella typhimurium* starvation-survival in seawater using rhodamine 123, propidium iodide, and oxonol. *Appl Environ Microbiol*, 61, 2521.
59. Jensen H, Broholm N, Norrild B. (1995) Low-fading immunofluorescence with propidium iodide contrast compared with immunogold light microscopy in whole cells and semi-thin cryosections. *J Histochem Cytochem*, 43, 507.
60. Bevensee MO, Schwiening CJ, Boron WF. (1995) Use of BCECF and propidium iodide to assess membrane integrity of acutely isolated CA1 neurons from rat hippocampus. *J Neurosci Methods*, 58, 61.
61. Renard P, Drenou B, Griveau JF, Le Lannou D. (1995) Assessment of acosome-reacted boar spermatozoa using monoclonal antibody GB 24 and propidium iodide. *Theriogenology*, 43, 927.
62. Yu Q, Shi H, Wang J. (1995) [Simultaneous staining with fluorescein diacetate-propidium iodide to determine isolated cochlear outer hair cell viability of guinea pig]. *Zhonghua Er Bi Yan Hou Ke Za Zhi*, 30, 152.