

References for Products 21001 and 21004

1. Zheng F, Hang T, Wu C, Di B, Liu W, Xu J, Zhai C, Sun D, Liu J, Wei W. (2006) Determination of BAPTA-AM, the acetoxymethyl tetraester of BAPTA, in rat plasma by liquid chromatography tandem mass spectrometry. *J Mass Spectrom*, 41, 1615.
2. Manley GA, Kirk DL. (2005) BAPTA induces frequency shifts in vivo of spontaneous otoacoustic emissions of the bobtail lizard. *Audiol Neurootol*, 10, 248.
3. Saxena HM, Dikshit M. (2005) Abrogation of DTH response and mitogenic lectin- and alloantigen-induced activation of lymphocytes by calcium inhibitors TMB-8 and BAPTA-AM. *Immunol Lett*, 101, 60.
4. Rousset M, Cens T, Vanmau N, Charnet P. (2004) Ca²⁺-dependent interaction of BAPTA with phospholipids. *FEBS Lett*, 576, 41.
5. Saoudi Y, Rousseau B, Doussiere J, Charrasse S, Gauthier-Rouviere C, Morin N, Sautet-Laugier C, Denarier E, Scaife R, Mioskowski C, Job D. (2004) Calcium-independent cytoskeleton disassembly induced by BAPTA. *Eur J Biochem*, 271, 3255.
6. Zvesdina ND, Nechaeva NV, Gracheva EV, Novikova TE, Gvazava IG, Fateeva VI, Mal'chenko LA, Brodskii V. (2003) [Disturbed cooperation of hepatocytes in the rhythm of protein synthesis by chelating agent of cytoplasmic calcium BAPTA-AM]. *Izv Akad Nauk Ser Biol*, 14.
7. Paschen W, Hotop S, Aufenberg C. (2003) Loading neurons with BAPTA-AM activates xbp1 processing indicative of induction of endoplasmic reticulum stress. *Cell Calcium*, 33, 83.
8. White C, McGeown G. (2002) Imaging of changes in sarcoplasmic reticulum [Ca²⁺] using Oregon Green BAPTA 5N and confocal laser scanning microscopy. *Cell Calcium*, 31, 151.
9. Wie MB, Koh JY, Won MH, Lee JC, Shin TK, Moon CJ, Ha HJ, Park SM, Kim HC. (2001) BAPTA/AM, an intracellular calcium chelator, induces delayed necrosis by lipoxygenase-mediated free radicals in mouse cortical cultures. *Prog Neuropsychopharmacol Biol Psychiatry*, 25, 1641.
10. Alberdi A, Jimenez-Ortiz V, Sosa MA. (2001) The calcium chelator BAPTA affects the binding of assembly protein AP-2 to membranes. *Biocell*, 25, 167.
11. Zhang M, Li Y, Zhang H, Xue S. (2001) BAPTA blocks DNA fragmentation and chromatin condensation downstream of caspase-3 and DFF activation in HT-induced apoptosis in HL-60 cells. *Apoptosis*, 6, 291.
12. Rispoli G, Martini M, Rossi ML, Rubbini G, Fesce R. (2000) Ca²⁺-dependent kinetics of hair cell Ca²⁺ currents resolved with the use of cesium BAPTA. *Neuroreport*, 11, 2769.
13. Bodding M, Penner R. (1999) Differential modulation of voltage-dependent Ca²⁺ currents by EGTA and BAPTA in bovine adrenal chromaffin cells. *Pflugers Arch*, 439, 27.
14. Lancaster B, Batchelor AM. (2000) Novel action of BAPTA series chelators on intrinsic K⁺ currents in rat hippocampal neurones. *J Physiol*, 522 Pt 2, 231.
15. Takahashi K, Inanami O, Kuwabara M. (1999) Effects of intracellular calcium chelator BAPTA-AM on radiation-induced apoptosis regulated by activation of SAPK/JNK and caspase-3 in MOLT-4 cells. *Int J Radiat Biol*, 75, 1099.
16. Inanami O, Yoshito A, Takahashi K, Hiraoka W, Kuwabara M. (1999) Effects of BAPTA-AM and forskolin on apoptosis and cytochrome c release in photosensitized Chinese hamster V79 cells. *Photochem Photobiol*, 70, 650.
17. Urbano FJ, Buno W. (1998) BAPTA-AM blocks both voltage-gated and Ca²⁺-activated K⁺ currents in cultured bovine chromaffin cells. *Neuroreport*, 9, 3403.
18. Sun Y, Caputo C, Edman KA. (1998) Effects of BAPTA on force and Ca²⁺ transient during isometric contraction of frog muscle fibers. *Am J Physiol*, 275, C375.
19. Britigan BE, Rasmussen GT, Cox CD. (1998) Binding of iron and inhibition of iron-dependent oxidative cell injury by the "calcium chelator" 1,2-bis(2-aminophenoxy)ethane N,N,N',N'-tetraacetic acid (BAPTA). *Biochem Pharmacol*, 55, 287.

20. Tymianski M, Sattler R, Bernstein G, Jones OT. (1997) Preparation, characterization and utility of a novel antibody for resolving the spatial and temporal dynamics of the calcium chelator BAPTA. *Cell Calcium*, 22, 111.
21. Liesi P, Wright JM, Krauthamer V. (1997) BAPTA-AM and ethanol protect cerebellar granule neurons from the destructive effect of the weaver gene. *J Neurosci Res*, 48, 571.
22. Collatz MB, Rudel R, Brinkmeier H. (1997) Intracellular calcium chelator BAPTA protects cells against toxic calcium overload but also alters physiological calcium responses. *Cell Calcium*, 21, 453.
23. Xu Z, Lefevre L, Ducibella T, Schultz RM, Kopf GS. (1996) Effects of calcium-BAPTA buffers and the calmodulin antagonist W-7 on mouse egg activation. *Dev Biol*, 180, 594.
24. Hardie RC. (1996) Excitation of *Drosophila* photoreceptors by BAPTA and ionomycin: evidence for capacitative Ca^{2+} entry? *Cell Calcium*, 20, 315.
25. Watkins CS, Mathie A. (1996) Effects on K^{+} currents in rat cerebellar granule neurones of a membrane-permeable analogue of the calcium chelator BAPTA. *Br J Pharmacol*, 118, 1772.
26. Macaulay C, Forbes DJ. (1996) Assembly of the nuclear pore: biochemically distinct steps revealed with NEM, GTP gamma S, and BAPTA. *J Cell Biol*, 132, 5.
27. Grandis DJ, DeNido PJ, Koretsky AP. (1995) Functional and energetic effects of the inotropic agents EMD-57033 and BAPTA on the isolated rat heart. *Am J Physiol*, 269, C472.
28. Grant S, Freemerman AJ, Gregory PC, Martin HA, Turner AJ, Mikkelsen R, Chelliah J, Yanovich S, Jarvis WD. (1995) Induction of apoptotic DNA fragmentation and c-jun downregulation in human myeloid leukemia cells by the permeant Ca^{2+} chelator BAPTA/AM. *Oncol Res*, 7, 381.
29. Pierson ES, Miller DD, Callahan DA, Shipley AM, Rivers BA, Cresti M, Hepler PK. (1994) Pollen tube growth is coupled to the extracellular calcium ion flux and the intracellular calcium gradient: effect of BAPTA-type buffers and hypertonic media. *Plant Cell*, 6, 1815.
30. Murphy E, Steenbergen C, Levy LA, Gabel S, London RE. (1994) Measurement of cytosolic free calcium in perfused rat heart using TF-BAPTA. *Am J Physiol*, 266, C1323.
31. Sargeant P, Farndale RW, Sage SO. (1994) Calcium store depletion in dimethyl BAPTA-loaded human platelets increases protein tyrosine phosphorylation in the absence of a rise in cytosolic calcium. *Exp Physiol*, 79, 269.
32. Billman GE. (1993) Intracellular calcium chelator, BAPTA-AM, prevents cocaine-induced ventricular fibrillation. *Am J Physiol*, 265, H1529.
33. Boeynaems JM, Heilporn S, Broeders F, Braekman JC. (1993) Enhancement of the endothelial production of prostacyclin by substituted derivatives of BAPTA-AM. *Eur J Pharmacol*, 233, 13.
34. Dieter P, Fitzke E, Duyster J. (1993) BAPTA induces a decrease of intracellular free calcium and a translocation and inactivation of protein kinase C in macrophages. *Biol Chem Hoppe Seyler*, 374, 171.
35. Coorsen JR, Haslam RJ. (1993) GTP gamma S and phorbol ester act synergistically to stimulate both Ca^{2+} -independent secretion and phospholipase D activity in permeabilized human platelets. Inhibition by BAPTA and analogues. *FEBS Lett*, 316, 170.
36. Mills CL, Dormer RL, McPherson MA. (1991) Introduction of BAPTA into intact rat submandibular acini inhibits mucin secretion in response to cholinergic and beta-adrenergic agonists. *FEBS Lett*, 289, 141.
37. Niesen C, Charlton MP, Carlen PL. (1991) Postsynaptic and presynaptic effects of the calcium chelator BAPTA on synaptic transmission in rat hippocampal dentate granule neurons. *Brain Res*, 555, 319.
38. Tojyo Y, Matsumoto Y. (1990) Inhibitory effects of loading with the calcium-chelator 1,2-bis(o-aminophenoxy)ethane-N,N,N',N'-tetraacetic acid (BAPTA) on amylase release and cellular ATP level in rat parotid cells. *Biochem Pharmacol*, 39, 1775.
39. Marban E, Kitakaze M, Koretsune Y, Yue DT, Chacko VP, Pike MM. (1990) Quantification of $[Ca^{2+}]_i$ in perfused hearts. Critical evaluation of the 5F-BAPTA and

- nuclear magnetic resonance method as applied to the study of ischemia and reperfusion. *Circ Res*, 66, 1255.
40. Csermely P, Sandor P, Radics L, Somogyi J. (1989) Zinc forms complexes with higher kinetical stability than calcium, 5-F-BAPTA as a good example. *Biochem Biophys Res Commun*, 165, 838.
 41. Pethig R, Kuhn M, Payne R, Adler E, Chen TH, Jaffe LF. (1989) On the dissociation constants of BAPTA-type calcium buffers. *Cell Calcium*, 10, 491.
 42. Michelangeli F, Ruiz MC, Fernandez E, Ciarrocchi A. (1989) Role of Ca^{2+} in H^{+} transport by rabbit gastric glands studied with A23187 and BAPTA, an incorporated Ca^{2+} chelator. *Biochim Biophys Acta*, 983, 82.
 43. Tanabe N, Kijima H. (1988) Transmitter release at frog end-plate loaded with a Ca^{2+} -chelator, BAPTA: hypertonicity and erythrosin B augment the release independently of internal Ca^{2+} . *Neurosci Lett*, 92, 52.
 44. Harrison SM, Bers DM. (1987) The effect of temperature and ionic strength on the apparent Ca-affinity of EGTA and the analogous Ca-chelators BAPTA and dibromo-BAPTA. *Biochim Biophys Acta*, 925, 133.