

## **References for Products 21609 and 21610**

1. Yamazaki T, Gidoh M, Matsuoka M. (2006) [Basic evaluation for new antimicrobial susceptibility testing of *Mycobacterium leprae* by bioluminescence assay (ATP method)]. *Nihon Hansenbyo Gakkai Zasshi*, 75, 227.
2. Campbell K, Swann K. (2006) Ca<sup>2+</sup> oscillations stimulate an ATP increase during fertilization of mouse eggs. *Dev Biol*, 298, 225.
3. Nakamura M, Mie M, Funabashi H, Yamamoto K, Ando J, Kobatake E. (2006) Cell-surface-localized ATP detection with immobilized firefly luciferase. *Anal Biochem*, 352, 61.
4. Hara KY, Mori H. (2006) An efficient method for quantitative determination of cellular ATP synthetic activity. *J Biomol Screen*, 11, 310.
5. Ukuku DO, Sapers GM, Fett WF. (2005) ATP bioluminescence assay for estimation of microbial populations of fresh-cut melon. *J Food Prot*, 68, 2427.
6. Zamaraeva MV, Sabirov RZ, Maeno E, Ando-Akatsuka Y, Bessonova SV, Okada Y. (2005) Cells die with increased cytosolic ATP during apoptosis: a bioluminescence study with intracellular luciferase. *Cell Death Differ*, 12, 1390.
7. Godecke S, Stumpe T, Schiller H, Schnittler HJ, Schrader J. (2005) Do rat cardiac myocytes release ATP on contraction? *Am J Physiol Cell Physiol*, 289, C609.
8. Rodionova NS, Bondar VS, Petushkov VN. (2003) ATP is a cosubstrate of the luciferase of the earthworm *Fridericia heliota* (Annelida: Clitellata: Oligochaeta: Enchytraeidae). *Dokl Biochem Biophys*, 392, 253.
9. Satoh T, Kato J, Takiguchi N, Ohtake H, Kuroda A. (2004) ATP amplification for ultrasensitive bioluminescence assay: detection of a single bacterial cell. *Biosci Biotechnol Biochem*, 68, 1216.
10. Singh P, Harden BJ, Lillywhite BJ, Broad PM. (2004) Identification of kinase inhibitors by an ATP depletion method. *Assay Drug Dev Technol*, 2, 161.
11. Pojoga LH, Haghiaç ML, Moose JE, Hilderman RH. (2004) Determination of ATP impurity in adenine dinucleotides. *Nucleosides Nucleotides Nucleic Acids*, 23, 581.
12. Takemura H, Takamura Y, Isono K, Tamaoki J, Nagai A, Kawahara K. (2003) Hypotonicity-induced ATP release is potentiated by intracellular Ca<sup>2+</sup> and cyclic AMP in cultured human bronchial cells. *Jpn J Physiol*, 53, 319.
13. Schneider DA, Gourse RL. (2004) Relationship between growth rate and ATP concentration in *Escherichia coli*: a bioassay for available cellular ATP. *J Biol Chem*, 279, 8262.
14. Nakata N, Ishida A, Tani H, Kamidate T. (2003) Cationic liposomes enhanced firefly bioluminescent assay of bacterial ATP in the presence of an ATP extractant. *Anal Sci*, 19, 1183.
15. Luque-Ortega JR, Saugar JM, Chiva C, Andreu D, Rivas L. (2003) Identification of new leishmanicidal peptide lead structures by automated real-time monitoring of changes in intracellular ATP. *Biochem J*, 375, 221.
16. Drew B, Leeuwenburgh C. (2003) Method for measuring ATP production in isolated mitochondria: ATP production in brain and liver mitochondria of Fischer-344 rats with age and caloric restriction. *Am J Physiol Regul Integr Comp Physiol*, 285, R1259.
17. Khan HA. (2003) Bioluminometric assay of ATP in mouse brain: Determinant factors for enhanced test sensitivity. *J Biosci*, 28, 379.
18. Kalinowski L, Dobrucki LW, Szczepanska-Konkel M, Jankowski M, Martyniec L, Angielski S, Malinski T. (2003) Third-generation beta-blockers stimulate nitric oxide release from endothelial cells through ATP efflux: a novel mechanism for antihypertensive action. *Circulation*, 107, 2747.
19. Oba Y, Ojika M, Inouye S. (2003) Firefly luciferase is a bifunctional enzyme: ATP-dependent monooxygenase and a long chain fatty acyl-CoA synthetase. *FEBS Lett*, 540, 251.

20. Kuzikov AN, Bondarenko VM, Latkin AT. (2003) [Use of the bioluminescent method for the determination of bacterial adenosinetriphosphate (ATP-metry) in microbiology]. *Zh Mikrobiol Epidemiol Immunobiol*, 80.
21. Learish RD, Shultz J, Ho S, Bulleit RF. (2002) Small-scale telomere repeat sequence content assay using pyrophosphorolysis coupled with ATP detection. *Biotechniques*, 33, 1349.
22. Jans D, Srinivas SP, Waelkens E, Segal A, Lariviere E, Simaels J, Van Driessche W. (2002) Hypotonic treatment evokes biphasic ATP release across the basolateral membrane of cultured renal epithelia (A6). *J Physiol*, 545, 543.
23. Yang NC, Ho WM, Chen YH, Hu ML. (2002) A convenient one-step extraction of cellular ATP using boiling water for the luciferin-luciferase assay of ATP. *Anal Biochem*, 306, 323.
24. Ishida A, Yoshikawa T, Nakazawa T, Kamidate T. (2002) Enhanced firefly bioluminescence assay of ATP in the presence of ATP extractants by using diethylaminoethyl-dextran. *Anal Biochem*, 305, 236.
25. Boudreault F, Grygorczyk R. (2002) Cell swelling-induced ATP release and gadolinium-sensitive channels. *Am J Physiol Cell Physiol*, 282, C219.
26. Romanello M, Pani B, Bicego M, D'Andrea P. (2001) Mechanically induced ATP release from human osteoblastic cells. *Biochem Biophys Res Commun*, 289, 1275.
27. Goldenberg SJ, Veriabo NJ, Soslau G. (2001) A micromethod to measure platelet aggregation and atp release by impedance. *Thromb Res*, 103, 57.
28. Sorensen CE, Novak I. (2001) Visualization of ATP release in pancreatic acini in response to cholinergic stimulus. Use of fluorescent probes and confocal microscopy. *J Biol Chem*, 276, 32925.
29. Yong R, Searcy DG. (2001) Sulfide oxidation coupled to ATP synthesis in chicken liver mitochondria. *Comp Biochem Physiol B Biochem Mol Biol*, 129, 129.
30. Maroto R, Hamill OP. (2001) Brefeldin A block of integrin-dependent mechanosensitive ATP release from *Xenopus* oocytes reveals a novel mechanism of mechanotransduction. *J Biol Chem*, 276, 23867.
31. Luque-Ortega JR, Rivero-Lezcano OM, Croft SL, Rivas L. (2001) In vivo monitoring of intracellular ATP levels in *Leishmania donovani* promastigotes as a rapid method to screen drugs targeting bioenergetic metabolism. *Antimicrob Agents Chemother*, 45, 1121.
32. Eckenhoff RG, Tanner JW, Liebman PA. (2001) Cooperative binding of inhaled anesthetics and ATP to firefly luciferase. *Proteins*, 42, 436.
33. Yegutkin GG, Henttinen T, Jalkanen S. (2001) Extracellular ATP formation on vascular endothelial cells is mediated by ecto-nucleotide kinase activities via phosphotransfer reactions. *Faseb J*, 15, 251.
34. Gallez F, Fadel M, Scruel O, Cantraine F, Courtois P. (2000) Salivary biomass assessed by bioluminescence ATP assay related to (bacterial and somatic) cell counts. *Cell Biochem Funct*, 18, 103.
35. Calvert RM, Hopkins HC, Reilly MJ, Forsythe SJ. (2000) Caged ATP - an internal calibration method for ATP bioluminescence assays. *Lett Appl Microbiol*, 30, 223.
36. Lappalainen J, Loikkanen S, Havana M, Karp M, Sjoberg AM, Wirtanen G. (2000) Microbial testing methods for detection of residual cleaning agents and disinfectants-prevention of ATP bioluminescence measurement errors in the food industry. *J Food Prot*, 63, 210.
37. Funabashi H, Imajo T, Kojima J, Kobatake E, Aizawa M. (1999) Bioluminescent monitoring of intracellular ATP during fermentation. *Luminescence*, 14, 291.
38. Santos PF, Caramelo OL, Carvalho AP, Duarte CB. (1999) Characterization of ATP release from cultures enriched in cholinergic amacrine-like neurons. *J Neurobiol*, 41, 340.
39. Feniouk BA, Cherepanov DA, Junge W, Mulkidjanian AY. (1999) ATP-synthase of *Rhodobacter capsulatus*: coupling of proton flow through F<sub>0</sub> to reactions in F<sub>1</sub> under the ATP synthesis and slip conditions. *FEBS Lett*, 445, 409.

40. Sakakibara T, Murakami S, Eisaki N, Nakajima M, Imai K. (1999) An enzymatic cycling method using pyruvate orthophosphate dikinase and firefly luciferase for the simultaneous determination of ATP and AMP (RNA). *Anal Biochem*, 268, 94.
41. Ribeiro AR, Santos RM, Rosario LM, Gil MH. (1998) Immobilization of luciferase from a firefly lantern extract on glass strips as an alternative strategy for luminescent detection of ATP. *J Biolumin Chemilumin*, 13, 371.
42. Beigi R, Kobatake E, Aizawa M, Dubyak GR. (1999) Detection of local ATP release from activated platelets using cell surface-attached firefly luciferase. *Am J Physiol*, 276, C267.
43. Kohler M, Norgren S, Berggren PO, Fredholm BB, Larsson O, Rhodes CJ, Herbert TP, Luthman H. (1998) Changes in cytoplasmic ATP concentration parallels changes in ATP-regulated K<sup>+</sup>-channel activity in insulin-secreting cells. *FEBS Lett*, 441, 97.
44. Taylor AL, Kudlow BA, Marrs KL, Gruenert DC, Guggino WB, Schwiebert EM. (1998) Bioluminescence detection of ATP release mechanisms in epithelia. *Am J Physiol*, 275, C1391.
45. Sala-Newby GB, Taylor KM, Badminton MN, Rembold CM, Campbell AK. (1998) Imaging bioluminescent indicators shows Ca<sup>2+</sup> and ATP permeability thresholds in live cells attacked by complement. *Immunology*, 93, 601.
46. Maechler P, Wang H, Wollheim CB. (1998) Continuous monitoring of ATP levels in living insulin secreting cells expressing cytosolic firefly luciferase. *FEBS Lett*, 422, 328.
47. Chittock RS, Hawronskyj JM, Holah J, Wharton CW. (1998) Kinetic aspects of ATP amplification reactions. *Anal Biochem*, 255, 120.
48. Allue I, Gandelman O, Dementieva E, Ugarova N, Cobbold P. (1996) Evidence for rapid consumption of millimolar concentrations of cytoplasmic ATP during rigor-contraction of metabolically compromised single cardiomyocytes. *Biochem J*, 319 ( Pt 2), 463.
49. Dement'eva EI, Ugarova NN, Cobbold PH. (1996) [Measurement of ATP in intact *Escherichia coli* cells, containing recombinant firefly luciferase]. *Biokhimiia*, 61, 1285.
50. Hamann M, Attwell D. (1996) Non-synaptic release of ATP by electrical stimulation in slices of rat hippocampus, cerebellum and habenula. *Eur J Neurosci*, 8, 1510.
51. Ford SR, Chenault KH, Bunton LS, Hampton GJ, McCarthy J, Hall MS, Pangburn SJ, Buck LM, Leach FR. (1996) Use of firefly luciferase for ATP measurement: other nucleotides enhance turnover. *J Biolumin Chemilumin*, 11, 149.
52. Ford SR, Chenault KD, Hall MS, Pangburn SJ, Leach FR. (1994) Effect of periodate-oxidized ATP and other nucleotides on firefly luciferase. *Arch Biochem Biophys*, 314, 261.
53. Brovko L, Romanova NA, Ugarova NN. (1994) Bioluminescent assay of bacterial intracellular AMP, ADP, and ATP with the use of a coimmobilized three-enzyme reagent (adenylate kinase, pyruvate kinase, and firefly luciferase). *Anal Biochem*, 220, 410.
54. Nyren P. (1994) Apyrase immobilized on paramagnetic beads used to improve detection limits in bioluminometric ATP monitoring. *J Biolumin Chemilumin*, 9, 29.
55. Ishikawa M, Yogita S, Takai S, Komi N, Makuuchi M. (1993) A new method for determining cellular ATP content in hepatocytes. *Tokushima J Exp Med*, 40, 119.
56. Koop A, Cobbold PH. (1993) Continuous bioluminescent monitoring of cytoplasmic ATP in single isolated rat hepatocytes during metabolic poisoning. *Biochem J*, 295 ( Pt 1), 165.
57. Bienen EJ, Maturi RK, Pollakis G, Clarkson AB, Jr. (1993) Non-cytochrome mediated mitochondrial ATP production in bloodstream form *Trypanosoma brucei brucei*. *Eur J Biochem*, 216, 75.
58. Karu TI, Piatibrat LV, Kalendo GS, Serebriakov NG. (1993) [Changes in the amount of ATP in HeLa cells under the action of He-Ne laser radiation]. *Biull Eksp Biol Med*, 115, 617.
59. Crouch SP, Kozlowski R, Slater KJ, Fletcher J. (1993) The use of ATP bioluminescence as a measure of cell proliferation and cytotoxicity. *J Immunol Methods*, 160, 81.
60. Selan L, Berlutti F, Passariello C, Thaller MC, Renzini G. (1992) Reliability of a bioluminescence ATP assay for detection of bacteria. *J Clin Microbiol*, 30, 1739.
61. Soslau G, Parker J. (1992) The bioluminescent detection of platelet released ATP: collagen-induced release and potential errors. *Thromb Res*, 66, 15.

62. Bowers KC, Allshire AP, Cobbold PH. (1992) Bioluminescent measurement in single cardiomyocytes of sudden cytosolic ATP depletion coincident with rigor. *J Mol Cell Cardiol*, 24, 213.
63. Wibom R, Soderlund K, Lundin A, Hultman E. (1991) A luminometric method for the determination of ATP and phosphocreatine in single human skeletal muscle fibres. *J Biolumin Chemilumin*, 6, 123.
64. Zhang ZX, Fein A. (1991) Luminescence of luciferin-luciferase microinjected into *Limulus* ventral photoreceptors may not reflect the intracellular ATP level. *Am J Physiol*, 260, C181.
65. Wibom R, Lundin A, Hultman E. (1990) A sensitive method for measuring ATP-formation in rat muscle mitochondria. *Scand J Clin Lab Invest*, 50, 143.
66. Costa M, Shute B, Mergner WJ. (1990) Measurement of ATP synthesis and flocculent matrix densities in mitochondria as a function of 'in vitro' ischemia in the heart and liver of rats. *Pathobiology*, 58, 129.
67. Yamada EW, Huzel NJ. (1989) Calcium-binding ATPase inhibitor protein of bovine heart mitochondria. Role in ATP synthesis and effect of Ca<sup>2+</sup>. *Biochemistry*, 28, 9714.
68. Ataullakhanov FI, Vitvitskii VM, Zhabotinskii AM, Pichugin AV, Sinauridze EI. (1989) [The recording of ATP in the erythrocytes using luciferase injected into the cells]. *Izv Akad Nauk SSSR Biol*, 813.
69. Classen JB, Mergner WJ, Costa M. (1989) ATP hydrolysis by ischemic mitochondria. *J Cell Physiol*, 141, 53.
70. Slooten L, Vandenbranden S. (1989) ATP-synthesis by proteoliposomes incorporating *Rhodospirillum rubrum* F0F1 as measured with firefly luciferase: dependence on delta psi and delta pH. *Biochim Biophys Acta*, 976, 150.
71. Kobayashi S, Kikuchi H, Ishikawa M, Kinuta Y, Hashimoto K. (1989) Histochemical representation of regional ATP in the brain using a firefly luciferase-immobilized membrane in a multilayer film format. *J Cereb Blood Flow Metab*, 9, 563.
72. Girotti S, Ferri E, Cascione ML, Comuzio S, Mazzuca A, Orlandini A, Breccia A. (1989) Methodological problems of direct bioluminescent ATP assay in platelets and erythrocytes. *J Biolumin Chemilumin*, 4, 594.
73. Schram E, Weyens-van Witzenburg A. (1989) Improved ATP methodology for biomass assays. *J Biolumin Chemilumin*, 4, 390.
74. Stanley PE. (1989) A review of bioluminescent ATP techniques in rapid microbiology. *J Biolumin Chemilumin*, 4, 375.
75. Koszegi T, Kellermayer M, Kovecs F, Jobst K. (1988) Bioluminescent monitoring of ATP release from human red blood cells treated with nonionic detergent. *J Clin Chem Clin Biochem*, 26, 599.
76. Sevin BU, Peng ZL, Perras JP, Ganjei P, Penalver M, Averette HE. (1988) Application of an ATP-bioluminescence assay in human tumor chemosensitivity testing. *Gynecol Oncol*, 31, 191.
77. Tarnok I, Tarnok Z. (1988) Enhancement by cimetidine of chemotactic peptide-stimulated ATP release and chemiluminescence in human neutrophils. *Agents Actions*, 24, 261.
78. Beard WA, Dilley RA. (1988) ATP formation onset lag and post-illumination phosphorylation initiated with single-turnover flashes. I. An assay using luciferin-luciferase luminescence. *J Bioenerg Biomembr*, 20, 85.
79. Larionov VN, Mokhova EN, Priorova NI, Tarakanova AN. (1988) [Effect of biologically active substances on lymphocyte energetics studied by using a simple luminometer-ATP meter]. *Nauchnye Doki Vyss Shkoly Biol Nauki*, 105.
80. Rubin LJ, Brown JE. (1988) [ATP]<sub>i</sub> in *Limulus* photoreceptors: no correlation with responsiveness or discrete event rate. *Am J Physiol*, 254, C27.
81. Lyons G, Bilgeri YR, Zanzinger A, Berzin M, Mendelsohn D. (1986) Extraction and estimation of ATP from human spermatozoa. *Andrologia*, 18, 455.
82. Beckers B, Lang HR, Weber W, Pranada F, Schweizer K. (1986) Application of intracellular ATP determination in lymphocytes for HLA-typing. *J Biolumin Chemilumin*, 1, 47.

83. Maehara Y, Anai H, Masuda H, Miyamoto K, Fukuchi K, Tamada R, Sugimachi K. (1986) [In vitro chemosensitivity testing evaluated by intracellular ATP level: ATP assay]. *Gan To Kagaku Ryoho*, 13, 2342.
84. Nervig RM, Sebring RW, Scheevel KF. (1986) The enumeration of *Leptospira interrogans* serovar pomona by a bioluminescence ATP assay. *J Biol Stand*, 14, 21.
85. Ng LK, Taylor DE, Stiles ME. (1985) Estimation of *Campylobacter* spp. in broth culture by bioluminescence assay of ATP. *Appl Environ Microbiol*, 49, 730.
86. Higashi T, Isomoto A, Tyuma I, Kakishita E, Uomoto M, Nagai K. (1985) Quantitative and continuous analysis of ATP release from blood platelets with firefly luciferase luminescence. *Thromb Haemost*, 53, 65.
87. Ishizaka A, Tono-oka T, Matsumoto S. (1984) Evaluation of the proliferative response of lymphocytes by measurement of intracellular ATP. *J Immunol Methods*, 72, 127.
88. Wall L, Rodriguez A, Meighen E. (1984) Differential acylation in vitro with tetradecanoyl coenzyme A and tetradecanoic acid (+ATP) of three polypeptides shown to have induced synthesis in *Photobacterium phosphoreum*. *J Biol Chem*, 259, 1409.
89. Grachev MA, Dobrikov MI, Knorre VD, Pressman EK, Roschke VV, Shishkin GV. (1983) A new system for ATP-metric immunoanalysis. *FEBS Lett*, 162, 266.
90. Kricka LJ, Wienhausen GK, Hinkley JE, De Luca M. (1983) Automated bioluminescent assays for NADH, glucose 6-phosphate, primary bile acids, and ATP. *Anal Biochem*, 129, 392.
91. Thore A, Lundin A, Ansehn S. (1983) Firefly luciferase ATP assay as a screening method for bacteriuria. *J Clin Microbiol*, 17, 218.
92. Vysotskii ES, Zavoruev VV, Mezhevikin VV. (1982) [NADPH- and ATP-dependent luminescence of extracts from luminous bacteria]. *Biokhimiia*, 47, 1983.
93. Ruokonen A, Koskinen M, Leinonen M, Tiilikainen A, Vihko R. (1982) Screening of bacteria in urine using luciferin-luciferase assay of microbial ATP: a comparative study. *Ann Clin Biochem*, 19, 416.
94. Itami T, Kanoh S. (1982) [Determination of ATP in tissue samples by firefly luciferase luminescence]. *Eisei Shikenjo Hokoku*, 124.
95. Gavrilova EM, Kiseleva NI, Egorov AM, Berezin IV. (1981) [ATP-insulin conjugates and their use for immunofactor analysis]. *Biokhimiia*, 46, 306.
96. Ataulkhanov FI, Pichugin AV. (1981) [Modification of the luciferin-luciferase method of determining ATP concentration in erythrocytes]. *Biofizika*, 26, 86.
97. Tuovinen OH, Sormunen PM. (1979) A note on the determination of ATP by the luciferin-luciferase bioluminescence reaction in samples containing heavy metals. *Bull Environ Contam Toxicol*, 22, 715.
98. Ulitzur S, Hastings JW. (1978) Growth, luminescence, respiration, and the ATP pool during autoinduction in *Beneckea harveyi*. *J Bacteriol*, 133, 1307.
99. Jabs CM, Ferrell WJ, Robb HJ. (1977) Microdetermination of plasma ATP and creatine phosphate concentrations with a luminescence biometer. *Clin Chem*, 23, 2254.
100. Imshenetskii AA, Murzakov BG, Blokhin VA, Lysenko SV, Lemenshko VV. (1977) [Optimal conditions for determining ATP of microbial origin]. *Mikrobiologiia*, 46, 277.
101. Lundin A, Richardsson A, Thore A. (1976) Continuous monitoring of ATP-converting reactions by purified firefly luciferase. *Anal Biochem*, 75, 611.
102. Mathis RR, Brown OR. (1976) ATP concentration in *Escherichia coli* during oxygen toxicity. *Biochim Biophys Acta*, 440, 723.
103. Lemasters JJ, Hackenbrock CR. (1976) Continuous measurement and rapid kinetics of ATP synthesis in rat liver mitochondria, mitoplasts and inner membrane vesicles determined by firefly-luciferase luminescence. *Eur J Biochem*, 67, 1.
104. Kimmich GA, Randles J, Brand JS. (1975) Assay of picomole amounts of ATP, ADP, and AMP using the luciferase enzyme system. *Anal Biochem*, 69, 187.
105. Holmsen H, Storm E, Day HJ. (1972) Determination of ATP and ADP in blood platelets: a modification of the firefly luciferase assay for plasma. *Anal Biochem*, 46, 489.
106. Cortenbosch R, Schram E. (1971) Improvements in the bioluminescence assay of ATP with firefly luciferase. *Arch Int Physiol Biochim*, 79, 195.

107. Milekhina EI, Rakhleeva EE, Sotnikov GG, Ivanov ID. (1970) [Use of the luciferin-luciferase method for ATP determination in *Azotobacter vinelandii* cells]. *Mikrobiologiya*, 39, 722.
108. Lyman GE, DeVincenzo JP. (1967) Determination of picogram amounts of ATP using the luciferin-luciferase enzyme system. *Anal Biochem*, 21, 435.
109. Daniukov Iu G, Mil'man LS. (1966) [Simplified photoelectronic apparatus for enzymatic determination of ATP by using luciferin-luciferase system]. *Vopr Med Khim*, 12, 548.