

References for Product 21655

1. Goto M, Holgersson J, Kumagai-Braesch M, Korsgren O. (2006) The ADP/ATP ratio: A novel predictive assay for quality assessment of isolated pancreatic islets. *Am J Transplant*, 6, 2483.
2. Song EK, Park HJ, Kim JS, Lee HH, Kim UH, Han MK. (2005) A novel fluorometric assay for ADP-ribose pyrophosphatase activity. *J Biochem Biophys Methods*, 63, 161.
3. Devi BJ, Schneeweiss FH, Sharan RN. (2005) Negative correlation between poly-ADP-ribosylation of spleen cell histone proteins and initial duration of dimethylnitrosamine exposure to mice in vivo measured by Western blot immunoprobe assay: a possible biomarker for cancer detection. *Cancer Detect Prev*, 29, 66.
4. Putt KS, Hergenrother PJ. (2004) A nonradiometric, high-throughput assay for poly(ADP-ribose) glycohydrolase (PARG): application to inhibitor identification and evaluation. *Anal Biochem*, 333, 256.
5. Srinivasan J, Cload ST, Hamaguchi N, Kurz J, Keene S, Kurz M, Boomer RM, Blanchard J, Epstein D, Wilson C, Diener JL. (2004) ADP-specific sensors enable universal assay of protein kinase activity. *Chem Biol*, 11, 499.
6. Putt KS, Hergenrother PJ. (2004) An enzymatic assay for poly(ADP-ribose) polymerase-1 (PARP-1) via the chemical quantitation of NAD(+): application to the high-throughput screening of small molecules as potential inhibitors. *Anal Biochem*, 326, 78.
7. Yep A, Bejar CM, Ballicora MA, Dubay JR, Iglesias AA, Preiss J. (2004) An assay for adenosine 5'-diphosphate (ADP)-glucose pyrophosphorylase that measures the synthesis of radioactive ADP-glucose with glycogen synthase. *Anal Biochem*, 324, 52.
8. Schweitzer K, Mayr GW, Guse AH. (2001) Assay for ADP-ribosyl cyclase by reverse-phase high-performance liquid chromatography. *Anal Biochem*, 299, 218.
9. Cyr T, Menzies AJ, Calver J, Whitehouse LW. (2001) A quantitative analysis for the ADP-ribosylation activity of pertussis toxin: an enzymatic-HPLC coupled assay applicable to formulated whole cell and acellular pertussis vaccine products. *Biologicals*, 29, 81.
10. Randazzo PA, Miura K, Jackson TR. (2001) Assay and purification of phosphoinositide-dependent ADP-ribosylation factor (ARF) GTPase activating proteins. *Methods Enzymol*, 329, 343.
11. Sudo J, Terui J, Iwase H, Kakuno K. (2000) Assay of ATPase and Na,K-ATPase activity using high-performance liquid chromatographic determination of ADP derived from ATP. *J Chromatogr B Biomed Sci Appl*, 744, 19.
12. Valero E, Varon R, Garcia-Carmona F. (2000) Kinetics of a self-amplifying substrate cycle: ADP-ATP cycling assay. *Biochem J*, 350 Pt 1, 237.
13. Tominaga T, Narumiya S. (1995) Lymphocyte aggregation assay and inhibition by *Clostridium botulinum* C3 ADP-ribosyltransferase. *Methods Enzymol*, 256, 290.
14. Brovko L, Romanova NA, Ugarova NN. (1994) Bioluminescent assay of bacterial intracellular AMP, ADP, and ATP with the use of a coimmobilized three-enzyme reagent (adenylate kinase, pyruvate kinase, and firefly luciferase). *Anal Biochem*, 220, 410.
15. Schultz V, Sussman I, Bokvist K, Tornheim K. (1993) Bioluminometric assay of ADP and ATP at high ATP/ADP ratios: assay of ADP after enzymatic removal of ATP. *Anal Biochem*, 215, 302.
16. Girotti S, Ferri E, Cascione ML, Orlandini A, Farina L, Nucci S, Di Graci F, Budini R. (1991) Methodological problems of direct bioluminescent ADP assay in platelets and erythrocytes. *Anal Biochem*, 192, 350.
17. Casey PJ, Pang IH, Gilman AG. (1991) Assay of G-protein beta gamma-subunit complex by catalytic support of ADP-ribosylation of Go alpha. *Methods Enzymol*, 195, 315.
18. Menard L, Poirier GG. (1987) Rapid assay of poly(ADP-ribose) glycohydrolase. *Biochem Cell Biol*, 65, 668.
19. Pope MR, Saari LL, Ludden PW. (1987) Fluorometric assay for ADP-ribosylarginine cleavage enzymes. *Anal Biochem*, 160, 68.

20. Tauchi M, Kanai Y, Hashimoto H, Hirose S. (1986) Specificity of naturally occurring antibodies to poly(ADP-ribose) in patients with systemic lupus erythematosus: determination by an enzyme linked immunosorbent assay. *Immunol Lett*, 12, 251.
21. Akita Y, Yajima Y, Saito T. (1984) [The measurement of N-protein activity in plasma membranes: the comparison of assay methods by reconstitution of cyc- membranes and cholera toxin-catalyzed ADP ribosylation]. *Nippon Naibunpi Gakkai Zasshi*, 60, 788.
22. Goswami T, Pande SV. (1984) Radioisotopic assay of femtomole quantities of total adenine nucleotides, ATP plus ADP, and AMP. *J Biochem Biophys Methods*, 9, 143.
23. Sato A, Fleischer AE, Cory JG. (1983) Assay of UDP, GDP, CDP, and ADP reductase activities by column chromatography on polyethyleneimine cellulose. *Anal Biochem*, 135, 431.
24. Kanai Y, Tauchi M, Aotsuka S, Yokohari R. (1982) A simple and rapid microenzyme-linked immunosorbent assay for antibodies to poly(ADP-ribose) in systemic lupus erythematosus. *J Immunol Methods*, 53, 355.
25. Feraudi M, Merkt J, Weicker H. (1981) Bioluminescent assay for determination of picomole amounts of AMP, ADP, and ATP in adipose and muscle tissue biopsies. *Int J Sports Med*, 2, 106.
26. Spielmann H, Jacob-Muller U, Schulz P. (1981) Simple assay of 0.1-1.0 pmol of ATP, ADP, and AMP in single somatic cells using purified luciferin luciferase. *Anal Biochem*, 113, 172.
27. Ching TM. (1981) A rapid and sensitive assay of ADP glucose pyrophosphorylase using luciferase. *Anal Biochem*, 111, 327.
28. Summerfield GP, Keenan JP, Brodie NJ, Bellingham AJ. (1981) Bioluminescent assay of adenine nucleotides: rapid analysis of ATP and ADP in red cells and platelets using the LKB luminometer. *Clin Lab Haematol*, 3, 257.
29. Johnston MI, Friedman RM, Torrence PF. (1981) Assay of (2'-5')-oligo(A) synthetase with 2',5'-ADP-Sepharose. *Methods Enzymol*, 79, 228.
30. Sims JL, Juarez-Salinas H, Jacobson MK. (1980) A new highly sensitive and selective chemical assay for poly(ADP-ribose). *Anal Biochem*, 106, 296.
31. Mekalanos JJ, Collier RJ, Romig WR. (1979) Enzymic activity of cholera toxin. I. New method of assay and the mechanism of ADP-ribosyl transfer. *J Biol Chem*, 254, 5849.
32. Loxdale HD. (1976) A method for the continuous assay of picomole quantities of ADP released from glycerol-extracted skeletal muscle fibres on MgATP activation [proceedings]. *J Physiol*, 260, 4P.
33. Kimmich GA, Randles J, Brand JS. (1975) Assay of picomole amounts of ATP, ADP, and AMP using the luciferase enzyme system. *Anal Biochem*, 69, 187.
34. Wedler FC, McClune G. (1974) Continuous pH stat assay technique for glutamine and asparagine synthetase enzyme systems, involving ATP conversion to ADP plus Pi and AMP plus PPi, respectively. *Anal Biochem*, 59, 347.
35. Cory JG, Russell FA, Mansell MM. (1973) A convenient assay for ADP reductase activity using Dowex-1-borate columns. *Anal Biochem*, 55, 449.
36. Holmsen H, Storm E, Day HJ. (1972) Determination of ATP and ADP in blood platelets: a modification of the firefly luciferase assay for plasma. *Anal Biochem*, 46, 489.
37. David JL, Herion F. (1972) Assay of platelet ATP and ADP by the luciferase method: some theoretical and practical aspects. *Adv Exp Med Biol*, 34, 341.