

References for Products 22020 to 22026

1. Terho P, Lassila O. (2006) Novel method for cell debris removal in the flow cytometric cell cycle analysis using carboxy-fluorescein diacetate succinimidyl ester. *Cytometry A*, 69, 552.
2. Brouwer N, Kohen J, Jamie J, Vemulpad S. (2006) Modification of the fluorescein diacetate assay for screening of antifungal agents against *Candida albicans*: comparison with the NCCLS methods. *J Microbiol Methods*, 66, 234.
3. Wanandy S, Brouwer N, Liu Q, Mahon A, Cork S, Karuso P, Vemulpad S, Jamie J. (2005) Optimisation of the fluorescein diacetate antibacterial assay. *J Microbiol Methods*, 60, 21.
4. Peng XY, Li PC. (2004) A three-dimensional flow control concept for single-cell experiments on a microchip. 2. Fluorescein diacetate metabolism and calcium mobilization in a single yeast cell as stimulated by glucose and pH changes. *Anal Chem*, 76, 5282.
5. Drobni P, Mistry N, McMillan N, Evander M. (2003) Carboxy-fluorescein diacetate, succinimidyl ester labeled papillomavirus virus-like particles fluoresce after internalization and interact with heparan sulfate for binding and entry. *Virology*, 310, 163.
6. Hu H, Dong Y, Feng P, Fechner J, Hamawy M, Knechtle SJ. (2003) Effect of immunosuppressants on T-cell subsets observed in vivo using carboxy-fluorescein diacetate succinimidyl ester labeling. *Transplantation*, 75, 1075.
7. Yang HC, Mikami Y, Imai T, Taguchi H, Nishimura K, Miyaji M, Branchini ML. (2001) Extrusion of fluorescein diacetate by multidrug-resistant *Candida albicans*. *Mycoses*, 44, 368.
8. Clarke JM, Gillings MR, Altavilla N, Beattie AJ. (2001) Potential problems with fluorescein diacetate assays of cell viability when testing natural products for antimicrobial activity. *J Microbiol Methods*, 46, 261.
9. Gaspar ML, Cabello MN, Pollero R, Aon MA. (2001) Fluorescein diacetate hydrolysis as a measure of fungal biomass in soil. *Curr Microbiol*, 42, 339.
10. Lomolino G, Lante A, Crapisi A, Spettoli P, Curioni A. (2001) Detection of *Saccharomyces cerevisiae* carboxylesterase activity after native and sodium dodecyl sulfate electrophoresis by using fluorescein diacetate as substrate. *Electrophoresis*, 22, 1021.
11. Miyamoto M, Morimoto Y, Nozawa Y, Balamurugan AN, Xu B, Inoue K. (2000) Establishment of fluorescein diacetate and ethidium bromide (FDAEB) assay for quality assessment of isolated islets. *Cell Transplant*, 9, 681.
12. Kovarik A, Fojtova M. (1999) Estimation of viable cell count after fluorescein diacetate staining using phosphorimager analysis. *Biotechniques*, 27, 685.
13. Bartkowiak D, Hogner S, Baust H, Nothdurft W, Rottinger EM. (1999) Comparative analysis of apoptosis in HL60 detected by annexin-V and fluorescein-diacetate. *Cytometry*, 37, 191.
14. Skoog ML, Ollinger K, Skogh M. (1997) Microfluorometry using fluorescein diacetate reflects the integrity of the plasma membrane in UVA-irradiated cultured skin fibroblasts. *Photodermatol Photoimmunol Photomed*, 13, 37.
15. Breeuwer P, Drocourt JL, Bunschoten N, Zwietering MH, Rombouts FM, Abeij T. (1995) Characterization of uptake and hydrolysis of fluorescein diacetate and carboxyfluorescein diacetate by intracellular esterases in *Saccharomyces cerevisiae*, which result in accumulation of fluorescent product. *Appl Environ Microbiol*, 61, 1614.
16. Yu Q, Shi H, Wang J. (1995) [Simultaneous staining with fluorescein diacetate-propidium iodide to determine isolated cochlear outer hair cell viability of guinea pig]. *Zhonghua Er Bi Yan Hou Ke Za Zhi*, 30, 152.
17. Patel S, Dumsha TC, Sydiskis RJ. (1994) Determining periodontal ligament (PDL) cell vitality from exarticulated teeth stored in saline or milk using fluorescein diacetate. *Int Endod J*, 27, 1.

18. Wilhelm F, Melzig M, Franke G. (1993) [Duration of fluorescein diacetate in corneal endothelium]. *Ophthalmologe*, 90, 171.
19. Maeda Y, Tanaka K, Koga Y, Zhang XY, Sasaki M, Kimura G, Nomoto K. (1993) A simple quantitative in vitro assay for thymocyte adhesion to thymic epithelial cells using a fluorescein diacetate. *J Immunol Methods*, 157, 117.
20. Nyberg SL, Shatford RA, Payne WD, Hu WS, Cerra FB. (1993) Staining with fluorescein diacetate correlates with hepatocyte function. *Biotech Histochem*, 68, 56.
21. Nijs M, Van Blerk M, Van Steirteghem AC. (1992) Activation of mouse oocytes, fertilization and development of mouse embryos in vitro after staining with trypan blue or fluorescein diacetate. *Biotech Histochem*, 67, 351.
22. Jayapal V, Sharmila KM, Selvai G, Thyagarajan SP, Shanmugasundaram N, Subramanian S. (1991) Fluorescein diacetate and ethidium bromide staining to determine the viability of *Mycobacterium smegmatis* and *Escherichia coli*. *Lepr Rev*, 62, 310.
23. Noto V, Campo R, Roziers P, Gordts S. (1991) Fluorescein diacetate assessment of embryo viability after ultrarapid freezing of human multipronucleate embryos. *Fertil Steril*, 55, 1171.
24. Palomino JC, Falconi E, Marin D, Guerra H. (1991) Assessing the viability of *Mycobacterium leprae* by the fluorescein diacetate/ethidium bromide staining technique. *Indian J Lepr*, 63, 203.
25. Prosperi E. (1990) Intracellular turnover of fluorescein diacetate. Influence of membrane ionic gradients on fluorescein efflux. *Histochem J*, 22, 227.
26. Wilhelm F, Melzig M, Franke G. (1990) Vital staining by fluorescein diacetate (FDA). A method for the estimation of corneal endothelium. *Acta Ophthalmol (Copenh)*, 68, 94.
27. Correa B, Purchio A, Paula CR, Gambale W, Shikanai-Yasuda MA. (1990) [Fluorescent method (fluorescein diacetate and ethidium bromide) to study the viability of *Cryptococcus neoformans* in liquor]. *Rev Inst Med Trop Sao Paulo*, 32, 46.
28. Reed JP, Krueger HR, Hall FR. (1989) Fluorescein diacetate hydrolysis for determination of accelerated degradation of thiocarbamate herbicides. *Bull Environ Contam Toxicol*, 43, 929.
29. Smith AL, Smith HV. (1989) A comparison of fluorescein diacetate and propidium iodide staining and in vitro excystation for determining *Giardia intestinalis* cyst viability. *Parasitology*, 99 Pt 3, 329.
30. Gamalei IA, Kaulin AB, Kirpichnikova KM. (1989) [Macrophage activation by synthetic peptides. II. The effect of oxidative burst products on the fluorescence kinetics of macrophages stained with fluorescein diacetate]. *Tsitolgiia*, 31, 1238.
31. Ross DD, Joneckis CC, Ordonez JV, Sisk AM, Wu RK, Hamburger AWNRE, Nora RE. (1989) Estimation of cell survival by flow cytometric quantification of fluorescein diacetate/propidium iodide viable cell number. *Cancer Res*, 49, 3776.
32. Thoren SA. (1989) A semiautomatic image analyzer for cell counts in monolayers. II. Application to toxicity estimation and comparisons between two cell-viability markers, fluorescein diacetate and lactate dehydrogenase. *J Toxicol Environ Health*, 27, 523.
33. Madden PW. (1989) The assessment of endothelial integrity by scanning electron microscopy and fluorescein diacetate staining following treatment with cryoprotective additives. *Curr Eye Res*, 8, 17.
34. Gamalei IA, Kaulin AB, Kirpichnikova KM. (1988) [Use of fluorescein diacetate for research on macrophage activation]. *Tsitolgiia*, 30, 1426.
35. Mor N, Resnick M, Silbaq F, Bercovier H, Levy L. (1988) Reduction of tellurite and deesterification of fluorescein diacetate are not well correlated with the viability of mycobacteria. *Ann Inst Pasteur Microbiol*, 139, 279.
36. Bell RS, Bourret LA, Bell DF, Gebhardt MC, Rosenberg A, Berrey HB, Treadwell BV, Tomford WW, Mankin HJ. (1988) Evaluation of fluorescein diacetate for flow cytometric determination of cell viability in orthopaedic research. *J Orthop Res*, 6, 467.
37. Gray DW, Morris PJ. (1987) The use of fluorescein diacetate and ethidium bromide as a viability stain for isolated islets of Langerhans. *Stain Technol*, 62, 373.

38. Harshan KV, Prasad HK, Chopra NK, Mishra RS, Gogiya P, Nath I. (1987) Comparison of radiometric macrophage assay and fluorescein diacetate/ethidium bromide staining for evaluation of *M. leprae* viability. *Int J Lepr Other Mycobact Dis*, 55, 316.
39. Schupp DG, Erlandsen SL. (1987) A new method to determine Giardia cyst viability: correlation of fluorescein diacetate and propidium iodide staining with animal infectivity. *Appl Environ Microbiol*, 53, 704.
40. Bhagria A, Mahadevan PR. (1987) A rapid method for viability and drug sensitivity of *Mycobacterium leprae* cultured in macrophages and using fluorescein diacetate. *Indian J Lepr*, 59, 9.
41. Honma S, Chihara T, Adachi S, Uchiyama M, Kanazawa K, Takeuchi S. (1986) [A new method for evaluation of the viability of trophoblast by simultaneous staining with fluorescein diacetate-propidium iodide]. *Nippon Sanka Fujinka Gakkai Zasshi*, 38, 2089.
42. Correa B, Purchio A, Paula CR, Gambale W. (1986) Evaluation of a fluorescent method (fluorescein diacetate and ethidium bromide solution) in the study of the viability *Cryptococcus neoformans* strains. *Mycopathologia*, 96, 91.
43. Kola I, Folb PI. (1986) An assessment of the effects of cyclophosphamide and sodium valproate on the viability of preimplantation mouse embryos using the fluorescein diacetate test. *Teratog Carcinog Mutagen*, 6, 23.
44. Jones KH, Senft JA. (1985) An improved method to determine cell viability by simultaneous staining with fluorescein diacetate-propidium iodide. *J Histochem Cytochem*, 33, 77.
45. Boender J. (1984) Fluorescein-diacetate, a fluorescent dye compound stain for rapid evaluation of the viability of mammalian oocytes prior to in vitro studies. *Vet Q*, 6, 236.
46. Kvach JT, Munguia G, Strand SH. (1984) Staining tissue-derived *Mycobacterium leprae* with fluorescein diacetate and ethidium bromide. *Int J Lepr Other Mycobact Dis*, 52, 176.
47. Netuschil L. (1983) [Vital staining of plaque microorganisms using fluorescein diacetate and ethidium bromide]. *Dtsch Zahnärztl Z*, 38, 914.
48. Hofmann J, Sernetz M. (1983) A kinetic study on the enzymatic hydrolysis of fluorescein diacetate and fluorescein-di-beta-D-galactopyranoside. *Anal Biochem*, 131, 180.
49. Benes J. (1983) [The binding of fluorescein derivatives to proteins and the study of intracellular hydrolysis of fluorescein diacetate in lymphocytes]. *Sb Lek*, 85, 14.
50. Ingham ER, Klein DA. (1982) Relationship between fluorescein diacetate-stained hyphae and oxygen utilization, glucose utilization, and biomass of submerged fungal batch cultures. *Appl Environ Microbiol*, 44, 363.
51. Taylor PJ. (1982) Improvement of the "Humster Test" by the addition of fluorescein diacetate to identify living eggs. *Fertil Steril*, 38, 122.
52. Schnurer J, Rosswall T. (1982) Fluorescein Diacetate Hydrolysis as a Measure of Total Microbial Activity in Soil and Litter. *Appl Environ Microbiol*, 43, 1256.
53. Bartosz G. (1982) Aging of the erythrocyte. V. Hydrolysis of fluorescein diacetate in red cells. *Biophys Struct Mech*, 8, 151.
54. Uchimiya H. (1981) Parameters Influencing the Liposome-Mediated Insertion of Fluorescein Diacetate into Plant Protoplasts. *Plant Physiol*, 67, 629.
55. Szollosi J, Kertai P, Somogyi B, Damjanovich S. (1981) Characterization of living normal and leukemic mouse lymphocytes by fluorescein diacetate. *J Histochem Cytochem*, 29, 503.
56. Jarnagin JL, Luchsinger DW. (1980) The use of fluorescein diacetate and ethidium bromide as a stain for evaluating viability of mycobacteria. *Stain Technol*, 55, 253.
57. Church RB, Raines K. (1980) Biological assay of embryos utilizing fluorescein diacetate. *Theriogenology*, 13, 91.
58. Mohr LR, Trounson AO. (1980) The use of fluorescein diacetate to assess embryo viability in the mouse. *J Reprod Fertil*, 58, 189.
59. Mullen PW. (1979) The inhibitory effect of ionophore A23187 on the hydrolysis of fluorescein diacetate by human lymphocytes [proceedings]. *Br J Pharmacol*, 66, 502P.
60. Mullen PW, Campbell J. (1979) The effect of phytohaemagglutinin on the kinetics of fluorescein diacetate hydrolysis by human lymphocytes. *Int J Immunopharmacol*, 1, 183.

61. Karmazsin L, Balla G, Szollosi J. (1979) Cellular esterase activity: estimation by fluorescein diacetate hydrolysis. *Acta Paediatr Acad Sci Hung*, 20, 249.
62. Erp EE, Ristic M, Carson CA. (1978) Fluorescein diacetate staining of *Anaplasma marginale* as a possible measure of viability. *Am J Vet Res*, 39, 345.
63. Leary TR. (1978) A staining procedure for cattle and bison carbonic anhydrase using fluorescein diacetate. *Anim Blood Groups Biochem Genet*, 9, 65.
64. Epstein M, Norman A, Pinkel D, Udkoff R. (1977) Flow system fluorescence polarization measurements on fluorescein diacetate-stained EL4 cells. *J Histochem Cytochem*, 25, 821.
65. Ziegler GB, Buchholz HM. (1975) [Vital fluorochromasia of mikroorganisms using fluorescein-3',6'-diacetate (FDA). II; Communication: The influences of humoral and cellular defence-mechanisms on vitality of *Toxoplasma gondii* (author's transl)]. *Zentralbl Bakteriol* [Orig A], 231, 333.
66. Widholm JM. (1972) The use of fluorescein diacetate and phenosafranine for determining viability of cultured plant cells. *Stain Technol*, 47, 189.
67. Heslop-Harrison J, Heslop-Harrison Y. (1970) Evaluation of pollen viability by enzymatically induced fluorescence; intracellular hydrolysis of fluorescein diacetate. *Stain Technol*, 45, 115.
68. Nagel GA, Holland JF. (1970) The mixed lymphocyte tumor cell culture and the fluorescein diacetate cytotoxicity test. Two useful methods for the demonstration of cell mediated tumor specific immunity in man. *Acta Haematol*, 44, 129.
69. Futonaka H, Inoue M. (1969) [Sensitivity test of antineoplastic drugs by the fluorescein (FDA) diacetate method]. *Saishin Igaku*, 24, 1792.
70. McKinney RM, Spillane JT, Pearce GW. (1964) Fluorescein Diacetate as a Reference Color Standard in Fluorescent Antibody Studies. *Anal Biochem*, 9, 474.