

## **References for Products 2190-2400**

1. Andreoni A, Bondani M, Nardo L. (2009) Time-resolved FRET method for typing polymorphic alleles of the human leukocyte antigen system by using a single DNA probe. *Photochem Photobiol Sci*, 8, 1202.
2. Andreoni A, Bondani M, Nardo L. (2009) Feasibility of single nucleotide polymorphism genotyping with a single-probe by time-resolved Forster resonance energy transfer. *Mol Cell Probes*, 23, 119.
3. Goldschmidt P, Ferreira CC, Degorge S, Benallaoua D, Boutboul S, Laroche L, Batellier L, Chaumeil C. (2009) Rapid detection and quantification of Propionibacteriaceae. *Br J Ophthalmol*, 93, 258.
4. Jothikumar P, Hill V, Narayanan J. (2009) Design of FRET-TaqMan probes for multiplex real-time PCR using an internal positive control. *Biotechniques*, 46, 519.
5. Kim GI, Kim KW, Oh MK, Sung YM. (2009) The detection of platelet derived growth factor using decoupling of quencher-oligonucleotide from aptamer/quantum dot bioconjugates. *Nanotechnology*, 20, 175503.
6. Lo PC, Chen J, Stefflova K, Warren MS, Navab R, Bandarchi B, Mullins S, Tsao M, Cheng JD, Zheng G. (2009) Photodynamic molecular beacon triggered by fibroblast activation protein on cancer-associated fibroblasts for diagnosis and treatment of epithelial cancers. *J Med Chem*, 52, 358.
7. Maxwell D, Chang Q, Zhang X, Barnett EM, Piwnica-Worms D. (2009) An improved cell-penetrating, caspase-activatable, near-infrared fluorescent peptide for apoptosis imaging. *Bioconjug Chem*, 20, 702.
8. Ogawa M, Kosaka N, Choyke PL, Kobayashi H. (2009) Tumor-specific detection of an optically targeted antibody combined with a quencher-conjugated neutravidin "quencher-chaser": a dual "quench and chase" strategy to improve target to nontarget ratios for molecular imaging of cancer. *Bioconjug Chem*, 20, 147.
9. Yang GP, Erdman DD, Tondella ML, Fields BS. (2009) Evaluation of tetramethylrhodamine and black hole quencher 1 labeled probes and five commercial amplification mixes in TaqMan real-time RT-PCR assays for respiratory pathogens. *J Virol Methods*, 162, 288.
10. Yu X, Sainz B, Jr., Uprichard SL. (2009) Development of a cell-based hepatitis C virus infection fluorescent resonance energy transfer assay for high-throughput antiviral compound screening. *Antimicrob Agents Chemother*, 53, 4311.
11. Bruno JG, Carrillo MP, Phillips T. (2008) Development of DNA aptamers to a foot-and-mouth disease peptide for competitive FRET-based detection. *J Biomol Tech*, 19, 109.
12. Bruno JG, Carrillo MP, Phillips T, Vail NK, Hanson D. (2008) Competitive FRET-aptamer-based detection of methylphosphonic acid, a common nerve agent metabolite. *J Fluoresc*, 18, 867.
13. Gangopadhyay JP, Ikemoto N. (2008) Interaction of the Lys(3614)-Asn(3643) calmodulin-binding domain with the Cys(4114)-Asn(4142) region of the type 1 ryanodine receptor is involved in the mechanism of Ca<sup>2+</sup>/agonist-induced channel activation. *Biochem J*, 411, 415.
14. Zhang S, Metelev V, Tabatadze D, Zamecnik P, Bogdanov A, Jr. (2008) Near-infrared fluorescent oligodeoxyribonucleotide reporters for sensing NF-kappaB DNA interactions in vitro. *Oligonucleotides*, 18, 235.
15. Clo E, Snyder JW, Voigt NV, Ogilby PR, Gothelf KV. (2006) DNA-programmed control of photosensitized singlet oxygen production. *J Am Chem Soc*, 128, 4200.
16. Hamill P, Hudson D, Kao RY, Chow P, Raj M, Xu H, Richer MJ, Jean F. (2006) Development of a red-shifted fluorescence-based assay for SARS-coronavirus 3CL protease: identification of a novel class of anti-SARS agents from the tropical marine sponge *Axinella corrugata*. *Biol Chem*, 387, 1063.
17. Bullok K, Piwnica-Worms D. (2005) Synthesis and characterization of a small, membrane-permeant, caspase-activatable far-red fluorescent peptide for imaging apoptosis. *J Med Chem*, 48, 5404.

18. Moreira BG, You Y, Behlke MA, Owczarzy R. (2005) Effects of fluorescent dyes, quenchers, and dangling ends on DNA duplex stability. *Biochem Biophys Res Commun*, 327, 473.
19. Boguszewska-Chachulska AM, Krawczyk M, Stankiewicz A, Gozdek A, Haenni AL, Stokovskaya L. (2004) Direct fluorometric measurement of hepatitis C virus helicase activity. *FEBS Lett*, 567, 253.
20. Johansson MK, Cook RM, Xu J, Raymond KN. (2004) Time gating improves sensitivity in energy transfer assays with terbium chelate/dark quencher oligonucleotide probes. *J Am Chem Soc*, 126, 16451.
21. Petersen K, Vogel U, Rockenbauer E, Nielsen KV, Kolvraa S, Bolund L, Nexø B. (2004) Short PNA molecular beacons for real-time PCR allelic discrimination of single nucleotide polymorphisms. *Mol Cell Probes*, 18, 117.
22. Wilson R, Johansson MK. (2003) Photoluminescence and electrochemiluminescence of a Ru(II)(bpy)<sub>3</sub>-quencher dual-labeled oligonucleotide probe. *Chem Commun (Camb)*, 2710.
23. Cummings RT, Salowe SP, Cunningham BR, Wiltsie J, Park YW, Sonatore LM, Wisniewski D, Douglas CM, Hermes JD, Scolnick EM. (2002) A peptide-based fluorescence resonance energy transfer assay for *Bacillus anthracis* lethal factor protease. *Proc Natl Acad Sci U S A*, 99, 6603.
24. O'Sullivan PJ, Burke M, Soini AE, Papkovsky DB. (2002) Synthesis and evaluation of phosphorescent oligonucleotide probes for hybridisation assays. *Nucleic Acids Res*, 30, e114.
25. Liu L, Dong X, Lian W, Peng X, Liu Z, He Z, Wang Q. Homogeneous Competitive Hybridization Assay Based on Two-Photon Excitation Fluorescence Resonance Energy Transfer. *Anal Chem*.
26. Yasgar A, Foley TL, Jadhav A, Inglese J, Burkart MD, Simeonov A. A strategy to discover inhibitors of *Bacillus subtilis* surfactin-type phosphopantetheinyl transferase. *Mol Biosyst*, 6, 365.