

References for Products 501 and 502

1. Ruhl A, Hoppe S, Frey I, Daniel H, Schemann M. (2005) Functional expression of the peptide transporter PEPT2 in the mammalian enteric nervous system. *J Comp Neurol*, 490, 1.
2. Malicka J, Gryczynski I, Fang J, Kusba J, Lakowicz JR. (2003) Increased resonance energy transfer between fluorophores bound to DNA in proximity to metallic silver particles. *Anal Biochem*, 315, 160.
3. Blinder D, Manor Y, Martinowitz U, Taicher S. (2001) Dental extractions in patients maintained on oral anticoagulant therapy: comparison of INR value with occurrence of postoperative bleeding. *Int J Oral Maxillofac Surg*, 30, 518.
4. Bublitz R, Sommer S, Weingart D, Bauerle K, Both A. (2000) [Hemostatic wound management in marcumar patients. Collagen fleece vs. tranexamic acid]. *Mund Kiefer Gesichtschir*, 4, 240.
5. Blinder D, Martinowitz U, Ardekian L, Peleg M, Taicher S. (1996) [Oral surgical procedures during anticoagulant therapy]. *Harefuah*, 130, 681.
6. Eis PS, Lakowicz JR. (1993) Time-resolved energy transfer measurements of donor-acceptor distance distributions and intramolecular flexibility of a CCHH zinc finger peptide. *Biochemistry*, 32, 7981.
7. van den Dobbelen ME, van der Woude FJ, Schroeijers WE, van Es LA, Daha MR. (1993) Soluble aggregates of IgG and immune complexes enhance IL-6 production by renal mesangial cells. *Kidney Int*, 43, 544.
8. Kropshofer H, Max H, Kalbacher H. (1993) Evidence for cobinding of self- and allopeptides to human class II major histocompatibility antigen DR1 by energy transfer. *Proc Natl Acad Sci U S A*, 90, 403.
9. Newkirk RF, Mack J. (1992) Improved indirect fluorescence immunocytochemical method using counterstains. *Biotechniques*, 13, 536.
10. Schubert W. (1991) Triple immunofluorescence confocal laser scanning microscopy: spatial correlation of novel cellular differentiation markers in human muscle biopsies. *Eur J Cell Biol*, 55, 272.
11. Michel E, Parsons JA. (1990) Histochemical and immunocytochemical localization of prolactin receptors on Nb2 lymphoma cells: applications of confocal microscopy. *J Histochem Cytochem*, 38, 965.
12. Aubry JP, Durand I, De Paoli P, Banchereau J. (1990) 7-amino-4-methylcoumarin-3-acetic acid-conjugated streptavidin permits simultaneous flow cytometry analysis of either three cell surface antigens or one cell surface antigen as a function of RNA and DNA content. *J Immunol Methods*, 128, 39.
13. Nederlof PM, Robinson D, Abuknesha R, Wiegant J, Hopman AH, Tanke HJ, Raap AK. (1989) Three-color fluorescence in situ hybridization for the simultaneous detection of multiple nucleic acid sequences. *Cytometry*, 10, 20.
14. Khalfan H, Abuknesha R, Rand-Weaver M, Price RG, Robinson D. (1986) Aminomethyl coumarin acetic acid: a new fluorescent labelling agent for proteins. *Histochem J*, 18, 497.