

References for Product 5521

1. Gabriel L, Stevens Z, Melikian H. (2009) Measuring plasma membrane protein endocytic rates by reversible biotinylation. *J Vis Exp.*
2. Garanger E, Weissleder R, Josephson L. (2009) A multifunctional single-attachment-point reagent for controlled protein biotinylation. *Bioconjug Chem*, 20, 170.
3. Kim J, Cantor AB, Orkin SH, Wang J. (2009) Use of in vivo biotinylation to study protein-protein and protein-DNA interactions in mouse embryonic stem cells. *Nat Protoc*, 4, 506.
4. Volkmann G, Liu XQ. (2009) Protein C-terminal labeling and biotinylation using synthetic peptide and split-intein. *PLoS One*, 4, e8381.
5. Wang J, Cantor AB, Orkin SH. (2009) Tandem affinity purification of protein complexes in mouse embryonic stem cells using in vivo biotinylation. *Curr Protoc Stem Cell Biol*, Chapter 1, Unit1B 5.
6. Bagautdinov B, Matsuura Y, Bagautdinova S, Kunishima N. (2008) Protein biotinylation visualized by a complex structure of biotin protein ligase with a substrate. *J Biol Chem*, 283, 14739.
7. Conrotto P, Roesli C, Rybak J, Kischel P, Waltregny D, Neri D, Castronovo V. (2008) Identification of new accessible tumor antigens in human colon cancer by ex vivo protein biotinylation and comparative mass spectrometry analysis. *Int J Cancer*, 123, 2856.
8. Fernandez-Suarez M, Chen TS, Ting AY. (2008) Protein-protein interaction detection in vitro and in cells by proximity biotinylation. *J Am Chem Soc*, 130, 9251.
9. Kim WS, Elliott DA, Kockx M, Kritharides L, Rye KA, Jans DA, Garner B. (2008) Analysis of apolipoprotein E nuclear localization using green fluorescent protein and biotinylation approaches. *Biochem J*, 409, 701.
10. Link AJ, Labaer J. (2008) Construction of Nucleic Acid Programmable Protein Arrays (NAPPA) 4: DNA Biotinylation, Precipitation, and Arraying of Samples. *CSH Protoc*, 2008, pdb prot5059.
11. Shi XW, Liu Y, Lewandowski AT, Wu LQ, Wu HC, Ghodssi R, Rubloff GW, Bentley WE, Payne GF. (2008) Chitosan biotinylation and electrodeposition for selective protein assembly. *Macromol Biosci*, 8, 451.
12. Viens A, Harper F, Pichard E, Comisso M, Pierron G, Ogryzko V. (2008) Use of protein biotinylation in vivo for immunoelectron microscopic localization of a specific protein isoform. *J Histochem Cytochem*, 56, 911.
13. Vila A, Tallman KA, Jacobs AT, Liebler DC, Porter NA, Marnett LJ. (2008) Identification of protein targets of 4-hydroxynonenal using click chemistry for ex vivo biotinylation of azido and alkynyl derivatives. *Chem Res Toxicol*, 21, 432.
14. Winkler DF, McGeer PL. (2008) Protein labeling and biotinylation of peptides during spot synthesis using biotin p-nitrophenyl ester (biotin-ONp). *Proteomics*, 8, 961.
15. Basile G, Peticca M, Catello S. (2007) Site-specific biotinylation of human myeloid differentiation protein 88 in *Drosophila melanogaster* Schneider 2 cell cytoplasm. *Mol Biotechnol*, 35, 253.
16. Blazer LL, Boyle MD. (2007) Use of protein chip mass spectrometry to monitor biotinylation reactions. *Appl Microbiol Biotechnol*, 74, 717.
17. Myers-Morales T, Cowan C, Gray ME, Wulff CR, Parker CE, Borchers CH, Straley SC. (2007) A surface-focused biotinylation procedure identifies the *Yersinia pestis* catalase KatY as a membrane-associated but non-surface-located protein. *Appl Environ Microbiol*, 73, 5750.
18. Camporeale G, Giordano E, Rendina R, Zempleni J, Eissenberg JC. (2006) *Drosophila melanogaster* holocarboxylase synthetase is a chromosomal protein required for normal histone biotinylation, gene transcription patterns, lifespan, and heat tolerance. *J Nutr*, 136, 2735.
19. Chattopadhyaya S, Tan LP, Yao SQ. (2006) Strategies for site-specific protein biotinylation using in vitro, in vivo and cell-free systems: toward functional protein arrays. *Nat Protoc*, 1, 2386.

20. Grun CH, van Vliet SJ, Schiphorst WE, Bank CM, Meyer S, van Die I, van Kooyk Y. (2006) One-step biotinylation procedure for carbohydrates to study carbohydrate-protein interactions. *Anal Biochem*, 354, 54.
21. Huang B, Wu H, Kim S, Kobilka BK, Zare RN. (2006) Phospholipid biotinylation of polydimethylsiloxane (PDMS) for protein immobilization. *Lab Chip*, 6, 369.
22. Roesli C, Neri D, Rybak JN. (2006) In vivo protein biotinylation and sample preparation for the proteomic identification of organ- and disease-specific antigens accessible from the vasculature. *Nat Protoc*, 1, 192.
23. Streaker ED, Beckett D. (2006) Nonenzymatic biotinylation of a biotin carboxyl carrier protein: unusual reactivity of the physiological target lysine. *Protein Sci*, 15, 1928.
24. Cronan JE. (2005) Targeted and proximity-dependent promiscuous protein biotinylation by a mutant *Escherichia coli* biotin protein ligase. *J Nutr Biochem*, 16, 416.
25. Perez-Vazquez V, Uribe S, Velazquez-Arellano A. (2005) Effects of biotin on growth and protein biotinylation in *Saccharomyces cerevisiae*. *J Nutr Biochem*, 16, 438.
26. Rybak JN, Ettorre A, Kaissling B, Giavazzi R, Neri D, Elia G. (2005) In vivo protein biotinylation for identification of organ-specific antigens accessible from the vasculature. *Nat Methods*, 2, 291.
27. Tao Y, Nishikawa S, Nomura M, Kitabatake N, Tani F. (2005) Biotinylation of heat shock protein 70 induces RANTES production in HEK293 cells in a CD40-independent pathway. *Biochem Biophys Res Commun*, 338, 700.
28. Choi-Rhee E, Schulman H, Cronan JE. (2004) Promiscuous protein biotinylation by *Escherichia coli* biotin protein ligase. *Protein Sci*, 13, 3043.
29. Kim HS, Hoja U, Stoltz J, Sauer G, Schweizer E. (2004) Identification of the tRNA-binding protein Arc1p as a novel target of in vivo biotinylation in *Saccharomyces cerevisiae*. *J Biol Chem*, 279, 42445.
30. Lue RY, Chen GY, Hu Y, Zhu Q, Yao SQ. (2004) Versatile protein biotinylation strategies for potential high-throughput proteomics. *J Am Chem Soc*, 126, 1055.
31. Tan LP, Chen GY, Yao SQ. (2004) Expanding the scope of site-specific protein biotinylation strategies using small molecules. *Bioorg Med Chem Lett*, 14, 5735.
32. Tan LP, Lue RY, Chen GY, Yao SQ. (2004) Improving the intein-mediated, site-specific protein biotinylation strategies both in vitro and in vivo. *Bioorg Med Chem Lett*, 14, 6067.
33. Viens A, Mechold U, Lehrmann H, Harel-Bellan A, Ogryzko V. (2004) Use of protein biotinylation in vivo for chromatin immunoprecipitation. *Anal Biochem*, 325, 68.
34. Rathman SC, Blanchard RK, Badinga L, Gregory JF, 3rd, Eisenschenk S, McMahon RJ. (2003) Dietary carbamazepine administration decreases liver pyruvate carboxylase activity and biotinylation by decreasing protein and mRNA expression in rats. *J Nutr*, 133, 2119.
35. Lesaicherre ML, Lue RY, Chen GY, Zhu Q, Yao SQ. (2002) Intein-mediated biotinylation of proteins and its application in a protein microarray. *J Am Chem Soc*, 124, 8768.
36. Adamczyk M, Gebler JC, Wu J. (2001) Selective analysis of phosphopeptides within a protein mixture by chemical modification, reversible biotinylation and mass spectrometry. *Rapid Commun Mass Spectrom*, 15, 1481.
37. Campeau E, Gravel RA. (2001) Expression in *Escherichia coli* of N- and C-terminally deleted human holocarboxylase synthetase. Influence of the N-terminus on biotinylation and identification of a minimum functional protein. *J Biol Chem*, 276, 12310.
38. Schamel WW. (2001) Biotinylation of protein complexes may lead to aggregation as well as to loss of subunits as revealed by Blue Native PAGE. *J Immunol Methods*, 252, 171.
39. Taki M, Sawata SY, Taira K. (2001) Specific N-terminal biotinylation of a protein in vitro by a chemically modified tRNA(fmet) can support the native activity of the translated protein. *J Biosci Bioeng*, 92, 149.
40. Cronan JE, Jr., Reed KE. (2000) Biotinylation of proteins in vivo: a useful posttranslational modification for protein analysis. *Methods Enzymol*, 326, 440.
41. Chapman-Smith A, Cronan JE, Jr. (1999) In vivo enzymatic protein biotinylation. *Biomol Eng*, 16, 119.

42. Jank MM, Bokorny S, Rohm K, Berger S. (1999) Expression and biotinylation of a mutant of the transcarboxylase carrier protein from *Propioni shermanii*. *Protein Expr Purif*, 17, 123.
43. Lesley SA, Groskreutz DJ. (1997) Simple affinity purification of antibodies using in vivo biotinylation of a fusion protein. *J Immunol Methods*, 207, 147.
44. Rao SV, Anderson KW, Bachas LG. (1997) Determination of the extent of protein biotinylation by fluorescence binding assay. *Bioconjug Chem*, 8, 94.
45. Jander G, Cronan JE, Jr., Beckwith J. (1996) Biotinylation in vivo as a sensitive indicator of protein secretion and membrane protein insertion. *J Bacteriol*, 178, 3049.
46. Tissot G, Job D, Douce R, Alban C. (1996) Protein biotinylation in higher plants: characterization of biotin holocarboxylase synthetase activity from pea (*Pisum sativum*) leaves. *Biochem J*, 314 (Pt 2), 391.
47. Frankel LK, Bricker TM. (1995) Interaction of the 33-kDa extrinsic protein with photosystem II: identification of domains on the 33-kDa protein that are shielded from NHS-biotinylation by photosystem II. *Biochemistry*, 34, 7492.
48. Palenik B, Koke JA. (1995) Characterization of a nitrogen-regulated protein identified by cell surface biotinylation of a marine phytoplankton. *Appl Environ Microbiol*, 61, 3311.
49. Val DL, Chapman-Smith A, Walker ME, Cronan JE, Jr., Wallace JC. (1995) Polymorphism of the yeast pyruvate carboxylase 2 gene and protein: effects on protein biotinylation. *Biochem J*, 312 (Pt 3), 817.
50. Chapman-Smith A, Turner DL, Cronan JE, Jr., Morris TW, Wallace JC. (1994) Expression, biotinylation and purification of a biotin-domain peptide from the biotin carboxy carrier protein of *Escherichia coli* acetyl-CoA carboxylase. *Biochem J*, 302 (Pt 3), 881.
51. Kahne T, Ansorge S. (1994) Non-radioactive labelling and immunoprecipitation analysis of leukocyte surface proteins using different methods of protein biotinylation. *J Immunol Methods*, 168, 209.
52. Qiu XQ, Jakes KS, Finkelstein A, Slatin SL. (1994) Site-specific biotinylation of colicin Ia. A probe for protein conformation in the membrane. *J Biol Chem*, 269, 7483.
53. Frankel LK, Bricker TM. (1992) Interaction of CPa-1 with the manganese-stabilizing protein of photosystem II: identification of domains on CPa-1 which are shielded from N-hydroxysuccinimide biotinylation by the manganese-stabilizing protein. *Biochemistry*, 31, 11059.
54. Lin A. (1991) Localization of surface peptide from ribosomal protein L7 on 80 S ribosome by biotinylation. *FEBS Lett*, 287, 121.
55. Bayer EA, Wilchek M. (1990) Protein biotinylation. *Methods Enzymol*, 184, 138.
56. Baeza A, Izquierdo-Barba I, Vallet-Regi M. Biotinylation of silicon-doped hydroxyapatite: a new approach to protein fixation for bone tissue regeneration. *Acta Biomater*, 6, 743.
57. Bao B, Pestinger V, Hassan YI, Borgstahl GE, Kolar C, Zempleni J. Holocarboxylase synthetase is a chromatin protein and interacts directly with histone H3 to mediate biotinylation of K9 and K18. *J Nutr Biochem*, 22, 470.
58. Elia G. Protein biotinylation. *Curr Protoc Protein Sci*, Chapter 3, Unit 3 6.
59. Emerman AB, Zhang ZR, Chakrabarti O, Hegde RS. Compartment-restricted biotinylation reveals novel features of prion protein metabolism in vivo. *Mol Biol Cell*, 21, 4325.
60. Hempel K, Pane-Farre J, Otto A, Sievers S, Hecker M, Becher D. Quantitative cell surface proteome profiling for SigB-dependent protein expression in the human pathogen *Staphylococcus aureus* via biotinylation approach. *J Proteome Res*, 9, 1579.
61. Huang B, Chen C. Detection of protein S-nitrosation using irreversible biotinylation procedures (IBP). *Free Radic Biol Med*, 49, 447.
62. Huang C, Jacobson K. Detection of protein-protein interactions using nonimmune IgG and BirA-mediated biotinylation. *Biotechniques*, 49, 881.
63. Ingaramo M, Beckett D. Biotinylation, a Post-translational Modification Controlled by the Rate of Protein-Protein Association. *J Biol Chem*, 286, 13071.
64. Lee CK, Cheong C, Jeon YH. The N-terminal domain of human holocarboxylase synthetase facilitates biotinylation via direct interaction with the substrate protein. *FEBS Lett*, 584, 675.