

References for Product 5522

1. Hensley K. (2009) Detection of protein carbonyls by means of biotin hydrazide-streptavidin affinity methods. *Methods Mol Biol*, 536, 457.
2. Ho JA, Hung CH. (2008) Using liposomal fluorescent biolabels to develop an immunoaffinity chromatographic biosensing system for biotin. *Anal Chem*, 80, 6405.
3. Liebert K, Jeltsch A. (2008) Detection and quantitation of the activity of DNA methyltransferases using a biotin/avidin microplate assay. *Methods Mol Biol*, 418, 149.
4. Mock DM, Mock NI, Lankford GL, Burmeister LF, Strauss RG, Widness JA. (2008) Red cell volume can be accurately determined in sheep using a nonradioactive biotin label. *Pediatr Res*, 64, 528.
5. Muratsugu M, Yazawa A, Fujiwara S, Nishida S, Fukui T. (2008) Quantitation of biotin-binding immunoglobulins G, A, and M in Human Sera Using F(ab')₂ anti-human immunoglobulin-coated microplates. *Biol Pharm Bull*, 31, 507.
6. Batchelor RH, Sarkez A, Cox WG, Johnson I. (2007) Fluorometric assay for quantitation of biotin covalently attached to proteins and nucleic acids. *Biotechniques*, 43, 503.
7. Yazawa A, Fukuoka K, Honda H, Fukui T, Muratsugu M. (2006) Biotin-protein ratios and stability of biotinylated immunoglobulins as standards for the quantitation of biotin-binding immunoglobulins. *Biol Pharm Bull*, 29, 1480.
8. Guo LH, Yang XQ. (2005) A new chemically amplified electrochemical system for the detection of biological affinity reactions: direct and competitive biotin assay. *Analyst*, 130, 1027.
9. Wu Y, Simons PC, Lopez GP, Sklar LA, Buranda T. (2005) Dynamics of fluorescence dequenching of ostrich-quenched fluorescein biotin: a multifunctional quantitative assay for biotin. *Anal Biochem*, 342, 221.
10. Banks RE, Craven RA, Harnden PA, Selby PJ. (2003) Use of a sensitive EnVision +- based detection system for Western blotting: avoidance of streptavidin binding to endogenous biotin and biotin-containing proteins in kidney and other tissues. *Proteomics*, 3, 558.
11. Ollagnier-de Choudens S, Sanakis Y, Hewitson KS, Roach P, Munck E, Fontecave M. (2002) Reductive cleavage of S-adenosylmethionine by biotin synthase from *Escherichia coli*. *J Biol Chem*, 277, 13449.
12. Turvy DN, Blum JS. (2001) Biotin labeling and quantitation of cell-surface proteins. *Curr Protoc Immunol*, Chapter 18, Unit 18 7.
13. Indyk HE, Evans EA, Bostrom Caselunghe MC, Persson BS, Finglas PM, Woollard DC, Filonzi EL. (2000) Determination of biotin and folate in infant formula and milk by optical biosensor-based immunoassay. *J AOAC Int*, 83, 1141.
14. Temple CA, George GN, Hilton JC, George MJ, Prince RC, Barber MJ, Rajagopalan KV. (2000) Structure of the molybdenum site of *Rhodobacter sphaeroides* biotin sulfoxide reductase. *Biochemistry*, 39, 4046.
15. Gan Z, Marquardt RR. (1999) Colorimetric competitive inhibition method for the quantification of avidin, streptavidin and biotin. *J Biochem Biophys Methods*, 39, 1.
16. Choi MJ, Song EY, Chung TW. (1998) A biotin-avidin labeled enzyme immunoassay for the quantitation of serum TSH using protein-layered solid phase. *Arch Pharm Res*, 21, 231.
17. Gruber HJ, Kada G, Marek M, Kaiser K. (1998) Accurate titration of avidin and streptavidin with biotin-fluorophore conjugates in complex, colored biofluids. *Biochim Biophys Acta*, 1381, 203.
18. Watanabe S, Yoshida C, Kobayashi T, Okuyama H. (1997) An enzyme immunoassay for prostaglandin E2 using biotin-prostaglandin B2 conjugate as a tracer. *Biol Pharm Bull*, 20, 101.
19. Zempleni J, McCormick DB, Mock DM. (1997) Identification of biotin sulfone, bisnorbiotin methyl ketone, and tetranorbiotin-I-sulfoxide in human urine. *Am J Clin Nutr*, 65, 508.
20. Hashimoto N, Noriki S, Mori M, Sugimoto H, Maegawa H, Gejyo F. (1996) [A quantitative of serum biotin with microplate-assay using affinity streptavidin]. *Rinsho Byori*, 44, 970.

21. Okun VM, Bilitewski U. (1996) Analysis of the biotin-binding protein actinavidin using affinity capillary electrophoresis. *Electrophoresis*, 17, 1627.
22. Geselowitz DA, Neumann RD. (1995) Quantitation of triple-helix formation using a photo-cross-linkable aryl azide/biotin/oligonucleotide conjugate. *Bioconjug Chem*, 6, 502.
23. Rodgers KJ, Melrose J, Ghosh P. (1995) Biotin-labeled potato chymotrypsin inhibitor-1: a useful probe for the detection and quantitation of chymotrypsin-like serine proteinases on western blots and its application in the detection of a serine proteinase synthesised by articular chondrocytes. *Anal Biochem*, 227, 129.
24. Sanyal I, Cohen G, Flint DH. (1994) Biotin synthase: purification, characterization as a [2Fe-2S]cluster protein, and in vitro activity of the Escherichia coli bioB gene product. *Biochemistry*, 33, 3625.
25. Oh C, Kim J, Kearns B, Cheng A, Dobashi T. (1993) A rate turbidimetric immunoassay for theophylline using biotin-avidin system. *Clin Chim Acta*, 218, 59.
26. Golovnina TA, Kasheverov IE, Plaksin D, Iakunina NB, Kovalenko VA, Utkin Iu N, Tsetlin VI. (1992) [A new immunochemical method for detecting substance P receptors based on the biotin-streptavidin system]. *Bioorg Khim*, 18, 932.
27. Komuves LG, Heath JP. (1992) Uptake of maternal immunoglobulins in the enterocytes of suckling piglets: improved detection with a streptavidin-biotin bridge gold technique. *J Histochem Cytochem*, 40, 1637.
28. Melrose J, Ghosh P. (1992) Development of an avidin-biotin competitive inhibition assay and validation of its use for the quantitation of human intervertebral disc serine proteinase inhibitory proteins. *Anal Biochem*, 204, 372.
29. Oh C, Kim J, Cheng A, Michael J. (1992) A biotin-avidin based screening test for methamphetamine in urine. *J Pharm Biomed Anal*, 10, 813.
30. Figge J, Bakst G, Weisheit D, Solis O, Ross JS. (1991) Image analysis quantitation of immunoreactive retinoblastoma protein in human thyroid neoplasms with a streptavidin-biotin-peroxidase staining technique. *Am J Pathol*, 139, 1213.
31. Kempfer AC, Frontroth JP, Lazzari MA. (1991) Visualization of platelet glycoproteins Ib and IIIa by immunoenzymatic stain using avidin-biotin peroxidase complex. *Thromb Res*, 64, 395.
32. Unger ER, Hammer ML, Chenggis ML. (1991) Comparison of 35S and biotin as labels for in situ hybridization: use of an HPV model system. *J Histochem Cytochem*, 39, 145.
33. Wong JP, Fulton RE, Siddiqui YM. (1991) Sensitive avidin-biotin amplified fluorogenic enzyme immunoassay using biotinylated monoclonal antibodies for the identification and quantitation of virus. *J Virol Methods*, 34, 13.
34. Fenn BJ, Herman TM. (1990) Direct quantitation of biotin-labeled nucleotide analogs in RNA transcripts. *Anal Biochem*, 190, 78.
35. Jimeno Nogales L, Carreira J, Lombardero M. (1990) Obtention of monoclonal antibodies against human IgG4 using two different immunization strategies: development of a biotin-based ELISA for IgG4 quantitation. *Int Arch Allergy Appl Immunol*, 92, 175.
36. Kongtawelert P, Ghosh P. (1990) A method for the quantitation of hyaluronan (hyaluronic acid) in biological fluids using a labeled avidin-biotin technique. *Anal Biochem*, 185, 313.
37. Peterson JD, Miller SD, Waltenbaugh C. (1990) Rapid biotin-avidin method for quantitation of antiviral antibody isotypes. *J Virol Methods*, 27, 189.
38. Terouanne B, Bencheick M, Balaguer P, Boussioux AM, Nicolas JC. (1989) Bioluminescent assays using glucose-6-phosphate dehydrogenase: application to biotin and streptavidin detection. *Anal Biochem*, 180, 43.
39. Barbour EK, Newman JA, Sivanandan V, Sasipreeyajan J. (1988) New biotin-conjugated antisera for quantitation of Mycoplasma gallisepticum-specific immunoglobulin A in chicken. *Avian Dis*, 32, 416.
40. Laurent P, Magne L, De Palmas J, Bignon J, Jaurand MC. (1988) Quantitation of elastin in human urine and rat pleural mesothelial cell matrix by a sensitive avidin-biotin ELISA for desmosine. *J Immunol Methods*, 107, 1.
41. Mushahwar IK. (1987) A biotin/avidin solid-phase sandwich enzyme immunoassay for the antibody to hepatitis B surface antigen (anti-HBs). *J Virol Methods*, 16, 1.

42. Mushahwar IK, Spiezia KS. (1987) The utilization of biotin-antibiotin interaction for the detection of antibody to hepatitis B surface antigen (anti-HBs). *J Virol Methods*, 16, 45.
43. O'Shannessy DJ, Voorstad PJ, Quarles RH. (1987) Quantitation of glycoproteins on electroblots using the biotin-streptavidin complex. *Anal Biochem*, 163, 204.
44. Smith PJ, Warren RM, von Holt C. (1987) The quantitation of biotinylated compounds by a solid-phase assay using a 125I-labelled biotin derivative. *FEBS Lett*, 215, 305.
45. Sotta B, Pilate G, Pelese F, Sabbagh I, Bonnet M, Maldiney R. (1987) An avidin-biotin solid phase ELISA for femtomole isopentenyladenine and isopentenyladenosine measurements in HPLC purified plant extracts. *Plant Physiol*, 84, 571.
46. Pfahler WH, Reimann M, Munz E. (1986) A biotin-avidin amplified enzyme immunoassay for detection and quantitation of orthopox virus camel antibodies in dromedaries. *Zentralbl Veterinarmed B*, 33, 477.
47. Yokota H, Yokoo K, Nagata Y. (1986) A quantitative assay for the detection of hepatitis B virus DNA employing a biotin-labeled DNA probe and the avidin-beta-galactosidase complex. *Biochim Biophys Acta*, 868, 45.
48. Adler-Storthz K, Dreesman GR, Graham DY, Evans DG. (1985) Biotin-avidin amplified ELISA for quantitation of human IgA. *J Immunoassay*, 6, 67.
49. Foiles PG, Trushin N, Castonguay A. (1985) Measurement of O6-methyldeoxyguanosine in DNA methylated by the tobacco-specific carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone using a biotin-avidin enzyme-linked immunosorbent assay. *Carcinogenesis*, 6, 989.
50. Lee M, Chang J, Carlson D, Burgett M. (1985) A biotin-avidin enzyme immunoassay for the quantitation of serum ferritin. *Clin Chim Acta*, 147, 109.
51. Sutton A, Vann WF, Karpas AB, Stein KE, Schneerson R. (1985) An avidin-biotin based ELISA for quantitation of antibody to bacterial polysaccharides. *J Immunol Methods*, 82, 215.
52. Azoulay M, Desbene PL, Frappier F, Georges Y. (1984) Use of liquid chromatography-mass spectrometry for the quantitation of dethiobiotin and biotin in biological samples. *J Chromatogr*, 303, 272.
53. Plebani A, Avanzini MA, Massa M, Ugazio AG. (1984) An avidin-biotin ELISA for the measurement of serum and secretory IgD. *J Immunol Methods*, 71, 133.
54. Berger M. (1975) Production of antibodies that bind biotin and inhibit biotin containing enzymes. *Biochemistry*, 14, 2338.