

References for Products 610-618

1. Ghosh JG, Houck SA, Doneanu CE, Clark JI. (2006) The beta4-beta8 Groove Is an ATP-interactive Site in the alpha Crystallin Core Domain of the Small Heat Shock Protein, Human alphaB Crystallin. *J Mol Biol*, 364, 364.
2. Warfield R, Bardelang P, Saunders H, Chan WC, Penfold C, James R, Thomas NR. (2006) Internally quenched peptides for the study of lysostaphin: An antimicrobial protease that kills *Staphylococcus aureus*. *Org Biomol Chem*, 4, 3626.
3. Xiao H, Sinkovits AF, Bryksa BC, Ogawa M, Yada RY. (2006) Recombinant expression and partial characterization of an active soluble histo-aspartic protease from *Plasmodium falciparum*. *Protein Expr Purif*, 49, 88.
4. Liang PH. (2006) Characterization and inhibition of SARS-coronavirus main protease. *Curr Top Med Chem*, 6, 361.
5. Weimer S, Oertel K, Fuchsbauer HL. (2006) A quenched fluorescent dipeptide for assaying dispase- and thermolysin-like proteases. *Anal Biochem*, 352, 110.
6. Szabelski M, Rogiewicz M, Wiczk W. (2005) Fluorogenic peptide substrates containing benzoxazol-5-yl-alanine derivatives for kinetic assay of cysteine proteases. *Anal Biochem*, 342, 20.
7. Engfeldt T, Renberg B, Brumer H, Nygren PA, Karlstrom AE. (2005) Chemical synthesis of triple-labelled three-helix bundle binding proteins for specific fluorescent detection of unlabelled protein. *Chembiochem*, 6, 1043.
8. Zou J, Zhang R, Zhu F, Liu J, Madison V, Umland SP. (2005) ADAM33 enzyme properties and substrate specificity. *Biochemistry*, 44, 4247.
9. Chen S, Chen LL, Luo HB, Sun T, Chen J, Ye F, Cai JH, Shen JK, Shen X, Jiang HL. (2005) Enzymatic activity characterization of SARS coronavirus 3C-like protease by fluorescence resonance energy transfer technique. *Acta Pharmacol Sin*, 26, 99.
10. Gunaseelan S, Debrah O, Wan L, Leibowitz MJ, Rabson AB, Stein S, Sinko PJ. (2004) Synthesis of poly(ethylene glycol)-based saquinavir prodrug conjugates and assessment of release and anti-HIV-1 bioactivity using a novel protease inhibition assay. *Bioconjug Chem*, 15, 1322.
11. Paschalidou K, Neumann U, Gerhartz B, Tzougraki C. (2004) Highly sensitive intramolecularly quenched fluorogenic substrates for renin based on the combination of L-2-amino-3-(7-methoxy-4-coumaryl)propionic acid with 2,4-dinitrophenyl groups at various positions. *Biochem J*, 382, 1031.
12. Kuo CJ, Chi YH, Hsu JT, Liang PH. (2004) Characterization of SARS main protease and inhibitor assay using a fluorogenic substrate. *Biochem Biophys Res Commun*, 318, 862.
13. Neumann U, Kubota H, Frei K, Ganu V, Leppert D. (2004) Characterization of Mca-Lys-Pro-Leu-Gly-Leu-Dpa-Ala-Arg-NH₂, a fluorogenic substrate with increased specificity constants for collagenases and tumor necrosis factor converting enzyme. *Anal Biochem*, 328, 166.
14. Stachowiak K, Tokmina M, Karpinska A, Sosnowska R, Wiczk W. (2004) Fluorogenic peptide substrates for carboxydiptidase activity of cathepsin B. *Acta Biochim Pol*, 51, 81.
15. Peti-Peterdi J, Fintha A, Fuson AL, Tousson A, Chow RH. (2004) Real-time imaging of renin release in vitro. *Am J Physiol Renal Physiol*, 287, F329.
16. Tompa P, Buzder-Lantos P, Tantos A, Farkas A, Szilagyi A, Banoczi Z, Hudecz F, Friedrich P. (2004) On the sequential determinants of calpain cleavage. *J Biol Chem*, 279, 20775.
17. Pattanaik P, Jain B, Ravindra G, Gopi HN, Pal PP, Balaram H, Balaram P. (2003) Stage-specific profiling of *Plasmodium falciparum* proteases using an internally quenched multispecificity protease substrate. *Biochem Biophys Res Commun*, 309, 974.
18. Tessmar J, Mikos A, Gopferich A. (2003) The use of poly(ethylene glycol)-block-poly(lactic acid) derived copolymers for the rapid creation of biomimetic surfaces. *Biomaterials*, 24, 4475.

19. Becker BF, Gilles S, Sommerhoff CP, Zahler S. (2002) Application of peptides containing the cleavage sequence of pro-TNFalpha in assessing TACE activity of whole cells. *Biol Chem*, 383, 1821.
20. Gorman PM, Yip CM, Fraser PE, Chakrabarty A. (2003) Alternate aggregation pathways of the Alzheimer beta-amyloid peptide: Abeta association kinetics at endosomal pH. *J Mol Biol*, 325, 743.
21. Ha JJ, Gaul DA, Mariani VL, Ding YS, Ikeda RA, Shuker SB. (2002) HTLV-I protease cleavage of P19/24 substrates is not dependent on NaCl concentration. *Bioorg Chem*, 30, 138.
22. Szabelski M, Stachowiak K, Wiczk W. (2001) Influence of Me₂SO and incubation time on papain activity studied using fluorogenic substrates. *Acta Biochim Pol*, 48, 995.
23. Szabelski M, Stachowiak K, Wiczk W. (2001) Influence of organic solvents on papain kinetics. *Acta Biochim Pol*, 48, 1197.
24. Boyer V, Fort S, Frandsen TP, Schulein M, Cottaz S, Driguez H. (2002) Chemoenzymatic synthesis of a bifunctionalized cellobiohexaose as a specific substrate for the sensitive assay of cellulase by fluorescence quenching. *Chemistry*, 8, 1389.
25. Cui Y, Wang W, Fan Z. (2002) Cytoplasmic vestibule of the weak inward rectifier Kir6.2 potassium channel. *J Biol Chem*, 277, 10523.
26. Lam TL, Lam ML, Au TK, Ip DT, Ng TB, Fong WP, Wan DC. (2000) A comparison of human immunodeficiency virus type-1 protease inhibition activities by the aqueous and methanol extracts of Chinese medicinal herbs. *Life Sci*, 67, 2889.
27. Bertrand R, Derancourt J, Kassab R. (2000) Fluorescence characterization of structural transitions at the strong actin binding motif in skeletal myosin affinity labeled at cysteine 540 with novel spectroscopic cysteamyl mixed disulfides. *Biochemistry*, 39, 14626.
28. Ermolieff J, Loy JA, Koelsch G, Tang J. (2000) Proteolytic activation of recombinant pro-memapsin 2 (pro-beta-secretase) studied with new fluorogenic substrates. *Biochemistry*, 39, 12450.
29. Cottaz S, Brasme B, Driguez H. (2000) A fluorescence-quenched chitopentaose for the study of endo-chitinases and chitobiosidases. *Eur J Biochem*, 267, 5593.
30. Schmitt E, Steyaert A, Cimoli G, Bertrand R. (1998) Bax-alpha promotes apoptosis induced by cancer chemotherapy and accelerates the activation of caspase 3-like cysteine proteases in p53 double mutant B lymphoma Namalwa cells. *Cell Death Differ*, 5, 506.
31. Grahn S, Ullmann D, Jakubke H. (1998) Design and synthesis of fluorogenic trypsin peptide substrates based on resonance energy transfer. *Anal Biochem*, 265, 225.
32. Sokol DL, Zhang X, Lu P, Gewirtz AM. (1998) Real time detection of DNA.RNA hybridization in living cells. *Proc Natl Acad Sci U S A*, 95, 11538.
33. Beebe KD, Pei D. (1998) A continuous fluorimetric assay for tail-specific protease. *Anal Biochem*, 263, 51.
34. Matsuo T. (1998) In situ visualization of messenger RNA for basic fibroblast growth factor in living cells. *Biochim Biophys Acta*, 1379, 178.
35. Beekman B, van El B, Drijfhout JW, Ronday HK, TeKoppele JM. (1997) Highly increased levels of active stromelysin in rheumatoid synovial fluid determined by a selective fluorogenic assay. *FEBS Lett*, 418, 305.
36. Gulnik SV, Suvorov LI, Majer P, Collins J, Kane BP, Johnson DG, Erickson JW. (1997) Design of sensitive fluorogenic substrates for human cathepsin D. *FEBS Lett*, 413, 379.
37. Flynn DL, Becker DP, Dilworth VM, Highkin MK, Hippenmeyer PJ, Houseman KA, Levine LM, Li M, Moormann AE, Rankin A, Toth MV, Villamil CI, Wittwer AJ, Holwerda BC. (1997) The herpesvirus protease: mechanistic studies and discovery of inhibitors of the human cytomegalovirus protease. *Drug Des Discov*, 15, 3.
38. Lee J, Pilch PF, Shoelson SE, Scarlata SF. (1997) Conformational changes of the insulin receptor upon insulin binding and activation as monitored by fluorescence spectroscopy. *Biochemistry*, 36, 2701.
39. Taliani M, Bianchi E, Narjes F, Fossatelli M, Urbani A, Steinkuhler C, De Francesco R, Pessi A. (1996) A continuous assay of hepatitis C virus protease based on resonance energy transfer depsipeptide substrates. *Anal Biochem*, 240, 60.

40. Beekman B, Drijfhout JW, Bloemhoff W, Ronday HK, Tak PP, te Koppele JM. (1996) Convenient fluorometric assay for matrix metalloproteinase activity and its application in biological media. *FEBS Lett*, 390, 221.
41. Tyagi S, Kramer FR. (1996) Molecular beacons: probes that fluoresce upon hybridization. *Nat Biotechnol*, 14, 303.
42. Kanazawa T, Suzuki H, Daiho T, Yamasaki K. (1995) Fluorometric study on conformational changes in the catalytic cycle of sarcoplasmic reticulum Ca(2+)-ATPase. *Biosci Rep*, 15, 317.
43. Holskin BP, Bukhtiyarova M, Dunn BM, Baur P, de Chastonay J, Pennington MW. (1995) A continuous fluorescence-based assay of human cytomegalovirus protease using a peptide substrate. *Anal Biochem*, 227, 148.
44. Suzuki H, Nakamura S, Kanazawa T. (1994) Effects of divalent cations bound to the catalytic site on ATP-induced conformational changes in the sarcoplasmic reticulum Ca(2+)-ATPase: stopped-flow analysis of the fluorescence of N-acetyl-N'-(5-sulfo-1-naphthyl)ethylenediamine attached to cysteine-674. *Biochemistry*, 33, 8240.
45. Pennington MW, Thornberry NA. (1994) Synthesis of a fluorogenic interleukin-1 beta converting enzyme substrate based on resonance energy transfer. *Pept Res*, 7, 72.
46. Borovikov Iu S, Novak E, Khrosheva MI, Dabrovská R. (1993) [A comparative study of the structural state of skeletal muscle and smooth muscle fiber tropomyosin in ghost skeletal muscle fibers by a fluorescent probe method]. *Biokhimiia*, 58, 1403.
47. Wang GT, Chung CC, Holzman TF, Krafft GA. (1993) A continuous fluorescence assay of renin activity. *Anal Biochem*, 210, 351.
48. Maggiora LL, Smith CW, Zhang ZY. (1992) A general method for the preparation of internally quenched fluorogenic protease substrates using solid-phase peptide synthesis. *J Med Chem*, 35, 3727.
49. Garcia-Echeverria C, Rich DH. (1992) Effect of P2' substituents on kinetic constants for hydrolysis by cysteine proteinases. *Biochem Biophys Res Commun*, 187, 615.
50. Handa BK, Keech E. (1992) Fmoc solid phase synthesis of an endothelin converting enzyme substrate. Use of allyl ester as the third orthogonal protecting group. *Int J Pept Protein Res*, 40, 66.
51. Garcia-Echeverria C, Rich DH. (1992) New intramolecularly quenched fluorogenic peptide substrates for the study of the kinetic specificity of papain. *FEBS Lett*, 297, 100.
52. Suzuki H, Kubota T, Kubo K, Kanazawa T. (1990) Existence of a low-affinity ATP-binding site in the unphosphorylated Ca²⁺-ATPase of sarcoplasmic reticulum vesicles: evidence from binding of 2',3'-O-(2,4,6-trinitrocyclohexadienylidene)-[3H]AMP and -[3H]ATP. *Biochemistry*, 29, 7040.
53. Matayoshi ED, Wang GT, Krafft GA, Erickson J. (1990) Novel fluorogenic substrates for assaying retroviral proteases by resonance energy transfer. *Science*, 247, 954.
54. Bertrand R, Chaussepied P, Audemard E, Kissab R. (1989) Functional characterization of skeletal F-actin labeled on the NH₂-terminal segment of residues 1-28. *Eur J Biochem*, 181, 747.
55. Strasburg GM, Hogan M, Birmachu W, Thomas DD, Louis CF. (1988) Site-specific derivatives of wheat germ calmodulin. Interactions with troponin and sarcoplasmic reticulum. *J Biol Chem*, 263, 542.
56. Wu FY, Abdulwajid AW, Solaiman D. (1986) Synthesis and properties of adenosine-5'-triphosphoro-gamma-1-(5-sulfonic acid)naphthyl ethylamide: a fluorescent nucleotide substrate for DNA-dependent RNA polymerase from Escherichia coli. *Arch Biochem Biophys*, 246, 564.