

References for Products 820-829

1. Cui L, Aleksandrov L, Chang XB, Hou YX, He L, Hegedus T, Gentzsch M, Aleksandrov A, Balch WE, Riordan JR. (2006) Domain Interdependence in the Biosynthetic Assembly of CFTR. *J Mol Biol*.
2. Camerano JA, Casado MA, Ciriano MA, Oro LA. (2006) Tris(pyrazolyl)borate carbosilane dendrimers and metalodendrimers. *Dalton Trans*, 5287.
3. Mense M, Vergani P, White DM, Altberg G, Nairn AC, Gadsby DC. (2006) In vivo phosphorylation of CFTR promotes formation of a nucleotide-binding domain heterodimer. *Embo J*, 25, 4728.
4. Radpour R, Gourabi H, Gilani MA, Dizaj AV, Rezaee M, Mollamohamadi S. (2006) Two novel missense and one novel nonsense CFTR mutations in Iranian males with congenital bilateral absence of the vas deferens. *Mol Hum Reprod*, 12, 717.
5. Zhou Z, Wang X, Liu HY, Zou X, Li M, Hwang TC. (2006) The two ATP binding sites of cystic fibrosis transmembrane conductance regulator (CFTR) play distinct roles in gating kinetics and energetics. *J Gen Physiol*, 128, 413.
6. Suaud L, Yan W, Rubenstein RC. (2006) ABNORMAL REGULATORY INTERACTIONS OF I148T-CFTR AND THE EPITHELIAL Na⁺ CHANNEL IN XENOPUS OOCYTES. *Am J Physiol Cell Physiol*.
7. Russell PL, Sharom FJ. (2006) Conformational and functional characterization of trapped complexes of the P-glycoprotein multidrug transporter. *Biochem J*, 399, 315.
8. Melin P, Norez C, Callebaut I, Becq F. (2005) The glycine residues G551 and G1349 within the ATP-binding cassette signature motifs play critical roles in the activation and inhibition of cystic fibrosis transmembrane conductance regulator channels by phloxicine B. *J Membr Biol*, 208, 203.
9. Cheng Z, Aspinwall CA. (2006) Nanometre-sized molecular oxygen sensors prepared from polymer stabilized phospholipid vesicles. *Analyst*, 131, 236.
10. Jimenez-Rodriguez C, Roca FX, Bo C, Benet-Buchholz J, Escudero-Adan EC, Freixa Z, van Leeuwen PW. (2006) SPANphos: trans-spanning diphosphines as cis chelating ligands! *Dalton Trans*, 268.
11. Dowlut M, Hall DG, Hindsgaul O. (2005) Investigation of nonspecific effects of different dyes in the screening of labeled carbohydrates against immobilized proteins. *J Org Chem*, 70, 9809.
12. Higashi Y, Nakamura S, Matsumura H, Fujii Y. (2006) Simultaneous liquid chromatographic assay of amantadine and its four related compounds in phosphate-buffered saline using 4-fluoro-7-nitro-2,1,3-benzoxadiazole as a fluorescent derivatization reagent. *Biomed Chromatogr*, 20, 423.
13. Eudes R, Lehn P, Ferec C, Mornon JP, Callebaut I. (2005) Nucleotide binding domains of human CFTR: a structural classification of critical residues and disease-causing mutations. *Cell Mol Life Sci*, 62, 2112.
14. Moran O, Galletta LJ, Zegarra-Moran O. (2005) Binding site of activators of the cystic fibrosis transmembrane conductance regulator in the nucleotide binding domains. *Cell Mol Life Sci*, 62, 446.
15. Dorta R, Shimon LJ, Milstein D. (2004) New ligand systems incorporating two and three 4,4'-bipyridine units. Characterization of bi- and trimetallic rhodium and iridium complexes. *Inorg Chem*, 43, 7180.
16. Zhao Q, Chang XB. (2004) Mutation of the aromatic amino acid interacting with adenine moiety of ATP to a polar residue alters the properties of multidrug resistance protein 1. *J Biol Chem*, 279, 48505.
17. Tanaka T, Takeda H, Kokuryu Y, Matsunaga T. (2004) Spontaneous integration of transmembrane peptides into a bacterial magnetic particle membrane and its application to display of useful proteins. *Anal Chem*, 76, 3764.

18. Carrier I, Julien M, Gros P. (2003) Analysis of catalytic carboxylate mutants E552Q and E1197Q suggests asymmetric ATP hydrolysis by the two nucleotide-binding domains of P-glycoprotein. *Biochemistry*, 42, 12875.
19. Basso C, Vergani P, Nairn AC, Gadsby DC. (2003) Prolonged nonhydrolytic interaction of nucleotide with CFTR's NH₂-terminal nucleotide binding domain and its role in channel gating. *J Gen Physiol*, 122, 333.
20. Zhang Y, Garzon-Rodriguez W, Manning MC, Anchordoquy TJ. (2003) The use of fluorescence resonance energy transfer to monitor dynamic changes of lipid-DNA interactions during lipoplex formation. *Biochim Biophys Acta*, 1614, 182.
21. Okino N, He X, Gatt S, Sandhoff K, Ito M, Schuchman EH. (2003) The reverse activity of human acid ceramidase. *J Biol Chem*, 278, 29948.
22. Janas E, Hofacker M, Chen M, Gompf S, van der Does C, Tampe R. (2003) The ATP hydrolysis cycle of the nucleotide-binding domain of the mitochondrial ATP-binding cassette transporter Mdl1p. *J Biol Chem*, 278, 26862.
23. Shibuya H, Kondo K, Kimura N, Maruta S. (2002) Formation and characterization of kinesin-ADP-fluorometal complexes. *J Biochem (Tokyo)*, 132, 573.
24. Nunes-Correia I, Eulalio A, Nir S, Duzgunes N, Ramalho-Santos J, Pedroso de Lima MC. (2002) Fluorescent probes for monitoring virus fusion kinetics: comparative evaluation of reliability. *Biochim Biophys Acta*, 1561, 65.
25. Poole LB, Ellis HR. (2002) Identification of cysteine sulfenic acid in AhpC of alkyl hydroperoxide reductase. *Methods Enzymol*, 348, 122.
26. Powe AC, Jr., Al-Nakkash L, Li M, Hwang TC. (2002) Mutation of Walker-A lysine 464 in cystic fibrosis transmembrane conductance regulator reveals functional interaction between its nucleotide-binding domains. *J Physiol*, 539, 333.
27. Suzuki S, Shimotsu N, Honda S, Arai A, Nakanishi H. (2001) Rapid analysis of amino sugars by microchip electrophoresis with laser-induced fluorescence detection. *Electrophoresis*, 22, 4023.
28. Karlstrom A, Nygren PA. (2001) Dual labeling of a binding protein allows for specific fluorescence detection of native protein. *Anal Biochem*, 295, 22.
29. Aleksandrov L, Mengos A, Chang X, Aleksandrov A, Riordan JR. (2001) Differential interactions of nucleotides at the two nucleotide binding domains of the cystic fibrosis transmembrane conductance regulator. *J Biol Chem*, 276, 12918.
30. Koch A, Bargon J. (2001) In situ NMR observation of mono- and binuclear rhodium dihydride complexes using parahydrogen-induced polarization. *Inorg Chem*, 40, 533.
31. Grant AM, Hanson PK, Malone L, Nichols JW. (2001) NBD-labeled phosphatidylcholine and phosphatidylethanolamine are internalized by transbilayer transport across the yeast plasma membrane. *Traffic*, 2, 37.
32. Locke JM, Bryce JH, Morris PC. (2000) Contrasting effects of ethylene perception and biosynthesis inhibitors on germination and seedling growth of barley (*Hordeum vulgare* L.). *J Exp Bot*, 51, 1843.
33. Lee D, Hirashima N, Kirino Y. (2000) Rapid transbilayer phospholipid redistribution associated with exocytotic release of neurotransmitters from cholinergic nerve terminals isolated from electric ray *Narke japonica*. *Neurosci Lett*, 291, 21.
34. Julien M, Gros P. (2000) Nucleotide-induced conformational changes in P-glycoprotein and in nucleotide binding site mutants monitored by trypsin sensitivity. *Biochemistry*, 39, 4559.
35. Pollet JF, Van Geffel J, Van Stevens E, Van Geffel R, Beauwens R, Bollen A, Jacobs P. (2000) Expression and intracellular processing of chimeric and mutant CFTR molecules. *Biochim Biophys Acta*, 1500, 59.
36. Bragg PD, Hou C. (1999) Effect of NBD chloride (4-chloro-7-nitrobenzo-2-oxa-1,3-diazole) on the pyridine nucleotide transhydrogenase of *Escherichia coli*. *Biochim Biophys Acta*, 1413, 159.
37. Weinreich F, Riordan JR, Nagel G. (1999) Dual effects of ADP and adenylylimidodiphosphate on CFTR channel kinetics show binding to two different nucleotide binding sites. *J Gen Physiol*, 114, 55.

38. Szabo K, Szakacs G, Hegeds T, Sarkadi B. (1999) Nucleotide occlusion in the human cystic fibrosis transmembrane conductance regulator. Different patterns in the two nucleotide binding domains. *J Biol Chem*, 274, 12209.
39. Zeltwanger S, Wang F, Wang GT, Gillis KD, Hwang TC. (1999) Gating of cystic fibrosis transmembrane conductance regulator chloride channels by adenosine triphosphate hydrolysis. Quantitative analysis of a cyclic gating scheme. *J Gen Physiol*, 113, 541.
40. Meacham GC, Lu Z, King S, Sorscher E, Tousson A, Cyr DM. (1999) The Hdj-2/Hsc70 chaperone pair facilitates early steps in CFTR biogenesis. *Embo J*, 18, 1492.
41. Ghosh S, Cox KH, Cox JV. (1999) Chicken erythroid AE1 anion exchangers associate with the cytoskeleton during recycling to the Golgi. *Mol Biol Cell*, 10, 455.
42. Tani M, Kita K, Komori H, Nakagawa T, Ito M. (1998) Enzymatic synthesis of omega-amino-ceramide: preparation of a sensitive fluorescent substrate for ceramidase. *Anal Biochem*, 263, 183.
43. Schnitzer E, Pinchuk I, Fainaru M, Lichtenberg D, Yedgar S. (1998) LDL-associated phospholipase A does not protect LDL against lipid peroxidation in vitro. *Free Radic Biol Med*, 24, 1294.
44. Haest CW, Oslender A, Kamp D. (1997) Nonmediated flip-flop of anionic phospholipids and long-chain amphiphiles in the erythrocyte membrane depends on membrane potential. *Biochemistry*, 36, 10885.
45. Cupers P, Veithen A, Hoekstra D, Baudhuin P, Courtoy PJ. (1997) Three unrelated perturbations similarly uncouple fluid, bulk-membrane, and receptor endosomal flow in rat fetal fibroblasts. *Biochem Biophys Res Commun*, 236, 661.
46. Qu BH, Strickland EH, Thomas PJ. (1997) Localization and suppression of a kinetic defect in cystic fibrosis transmembrane conductance regulator folding. *J Biol Chem*, 272, 15739.
47. Susanto F, Reinauer H. (1996) Glibenclamide in serum: comparison of high-performance liquid chromatography using fluorescence detector and liquid chromatography/mass spectrometry with atmospheric-pressure chemical-ionization (APCI LC/MS). *Anal Bioanal Chem*, 356, 352.
48. Savigni DL, Morgan EH. (1996) Use of inhibitors of ion transport to differentiate iron transporters in erythroid cells. *Biochem Pharmacol*, 52, 371.
49. Serra MV, Kamp D, Haest CW. (1996) Pathways for flip-flop of mono- and di-anionic phospholipids in the erythrocyte membrane. *Biochim Biophys Acta*, 1282, 263.
50. Tsuji Y, Unno N, Menconi MJ, Smith M, Fink MP. (1996) Nitric oxide donors increase cytosolic ionized calcium in cultured human intestinal epithelial cells. *Shock*, 6, 19.
51. Brauhn SJ, Medeiros D, Lai L, Bump EA. (1996) Tempol prevents impairment of the endothelial cell wound healing response caused by ionising radiation. *Br J Cancer Suppl*, 27, S157.
52. Morales MM, Carroll TP, Morita T, Schwiebert EM, Devuyst O, Wilson PD, Lopes AG, Stanton BA, Dietz HC, Cutting GR, Guggino WB. (1996) Both the wild type and a functional isoform of CFTR are expressed in kidney. *Am J Physiol*, 270, F1038.
53. Heinzen RA, Scidmore MA, Rockey DD, Hackstadt T. (1996) Differential interaction with endocytic and exocytic pathways distinguish parasitophorous vacuoles of *Coxiella burnetii* and *Chlamydia trachomatis*. *Infect Immun*, 64, 796.
54. Seksek O, Biwersi J, Verkman AS. (1995) Direct measurement of trans-Golgi pH in living cells and regulation by second messengers. *J Biol Chem*, 270, 4967.
55. Logan J, Hiestand D, Daram P, Huang Z, Muccio DD, Hartman J, Haley B, Cook WJ, Sorscher EJ. (1994) Cystic fibrosis transmembrane conductance regulator mutations that disrupt nucleotide binding. *J Clin Invest*, 94, 228.
56. Rosenthal ER, Guidotti G. (1994) Reconstitution, identification, and purification of the *Torpedo californica* electroplax chloride channel complex. *Biochim Biophys Acta*, 1191, 256.
57. Sheppard DN, Ostedgaard LS, Rich DP, Welsh MJ. (1994) The amino-terminal portion of CFTR forms a regulated Cl⁻ channel. *Cell*, 76, 1091.

58. Schirmanns K, Zeiske W. (1994) An Investigation of the Midgut K⁺ Pump of the Tobacco Hornworm (*Manduca sexta*) Using Specific Inhibitors and Amphotericin B. *J Exp Biol*, 188, 191.
59. Chesney RW, Budreau AM. (1994) Inhibitors of anion exchanger activity reduce sodium chloride-dependent taurine transport by brush border vesicles. *Adv Exp Med Biol*, 359, 111.
60. Imai K, Fukushima T. (1993) Derivatization with fluorogenic benzofurazan reagents of amino acid enantiomers and their separation on a Pirkle type column. *Biomed Chromatogr*, 7, 275.
61. Kramer W, Nicol SB, Girbig F, Gutjahr U, Kowalewski S, Fasold H. (1992) Characterization and chemical modification of the Na⁽⁺⁾-dependent bile-acid transport system in brush-border membrane vesicles from rabbit ileum. *Biochim Biophys Acta*, 1111, 93.
62. Anderson MP, Welsh MJ. (1992) Regulation by ATP and ADP of CFTR chloride channels that contain mutant nucleotide-binding domains. *Science*, 257, 1701.
63. Shimizu S, Imanaka T, Takano T, Ohkuma S. (1992) Induction and characterization of two types of ATPase on rat liver peroxisomes. *J Biochem (Tokyo)*, 112, 376.
64. Hochstein LI, Stan-Lotter H. (1992) Purification and properties of an ATPase from *Sulfolobus solfataricus*. *Arch Biochem Biophys*, 295, 153.
65. Archer S, Medzihradsky F, Seyed-Mozaffari A, Emmerson PJ. (1992) Synthesis and characterization of 7-nitrobenzo-2-oxa-1,3-diazole (NBD)-labeled fluorescent opioids. *Biochem Pharmacol*, 43, 301.
66. Kulanthaivel P, Simon BJ, Burckhardt G, Mahesh VB, Leibach FH, Ganapathy V. (1990) The ATP-binding site of the human placental H⁺ pump contains essential tyrosyl residues. *Biochemistry*, 29, 10807.
67. Peterson RN, Bozzola JJ, Hunt WP, Darabi A. (1990) Characterization of membrane-associated actin in boar spermatozoa. *J Exp Zool*, 253, 202.
68. Downey GP, Chan CK, Grinstein S. (1989) Actin assembly in electropermeabilized neutrophils: role of G-proteins. *Biochem Biophys Res Commun*, 164, 700.
69. Kulanthaivel P, Leibach FH, Mahesh VB, Ganapathy V. (1989) Tyrosine residues are essential for the activity of the human placental taurine transporter. *Biochim Biophys Acta*, 985, 139.
70. Uhl R, Zellmann-Kraska R, Desel H. (1989) Optical probes of intradiskal processes in rod photoreceptors. I: Light-scattering study of ATP-dependent dark reactions. *J Photochem Photobiol B*, 3, 529.
71. Scaglione BA, Rintoul DA. (1989) A fluorescence-quenching assay for measuring permeability of reconstituted lens MIP26. *Invest Ophthalmol Vis Sci*, 30, 961.
72. Hayakawa K, Hasegawa K, Imaizumi N, Wong OS, Miyazaki M. (1989) Determination of amphetamine-related compounds by high-performance liquid chromatography with chemiluminescence and fluorescence detections. *J Chromatogr*, 464, 343.
73. Rao KM, Castranova V. (1988) Phenylmethylsulfonyl fluoride inhibits chemotactic peptide-induced actin polymerization and oxidative burst activity in human neutrophils by an effect unrelated to its anti-proteinase activity. *Biochim Biophys Acta*, 969, 131.
74. Nieboer P, Hartog AF, Berden JA. (1987) Dissociation-reconstitution experiments support the presence of two catalytic beta-subunits in mitochondrial F1. *Biochim Biophys Acta*, 894, 277.
75. Horne C, Spahn H, Mutschler E. (1987) Fluorimetric determination of levoprotiline in human plasma after thin-layer chromatographic or high performance liquid chromatographic separation. *Arzneimittelforschung*, 37, 1179.
76. Nishikawa S, Josephsen K. (1987) Cyclic localization of actin and its relationship to junctional complexes in maturation ameloblasts of the rat incisor. *Anat Rec*, 219, 21.
77. Chejanovsky N, Zakai N, Amselem S, Barenholz Y, Loyter A. (1986) Membrane vesicles containing the Sendai virus binding glycoprotein, but not the viral fusion protein, fuse with phosphatidylserine liposomes at low pH. *Biochemistry*, 25, 4810.

78. Craik JD, Gounden K, Reithmeier RA. (1986) Inhibition of phosphate transport in human erythrocytes by 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole (NBD-Cl). *Biochim Biophys Acta*, 856, 602.
79. Elskamp CJ, Schultz GR. (1986) A solid sorbent air sampling and analytical procedure for methyl-, dimethyl-, ethyl-, and diethylamine. *Am Ind Hyg Assoc J*, 47, 41.
80. Miyano H, Toyo'oka T, Imai K, Nakajima T. (1985) Influences of metal ions on the reaction of amino and imino acids with fluorogenic reagents. *Anal Biochem*, 150, 125.
81. Miki M. (1985) Chemical modification of tropomyosin with NBD-chloride. *J Biochem (Tokyo)*, 97, 1067.
82. Martin TW, Joist JH, Bauman JE, Lagunoff D. (1985) Activation of human platelets by N-substituted aminophospholipids. *J Biol Chem*, 260, 2852.
83. Longmuir KJ, Martin OC, Pagano RE. (1985) Synthesis of fluorescent and radiolabeled analogues of phosphatidic acid. *Chem Phys Lipids*, 36, 197.
84. Stoida LV. (1983) [Change in the molecular properties of sarcoplasmic reticulum Ca-ATPase during modification of the membranes with cholesterol]. *Biull Eksp Biol Med*, 96, 38.
85. Eidelman O, Cabantchik ZI. (1983) The mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: II. Kinetic properties of NBD-aurine transfer in asymmetric conditions. *J Membr Biol*, 71, 149.
86. Stafeeva OA, Gomazkova VS, Severin SE. (1982) [Sulfhydryl groups of alpha-ketoglutarate dehydrogenase from pigeon breast muscle]. *Biokhimiia*, 47, 1358.
87. Cardon JW, Hammes GG. (1982) Investigation of reduced nicotinamide adenine dinucleotide phosphate and acyl-binding sites on avian fatty acid synthase. *Biochemistry*, 21, 2863.
88. Rubtsov AM. (1982) [Effects of Ca²⁺-ATPase substrates on the kinetic properties of SH-groups from the sarcoplasmic reticulum]. *Biokhimiia*, 47, 1046.
89. Nelson JO, Warren PF. (1981) NBD-chloride is a potent mutagen in the Salmonella mutagenicity assay. *Mutat Res*, 88, 351.
90. Detmers P, Weber A, Elzinga M, Stephens RE. (1981) 7-Chloro-4-nitrobenzo-2-oxa-1,3-diazole actin as a probe for actin polymerization. *J Biol Chem*, 256, 99.
91. Macfarlane DE, Mills DC. (1981) Inhibition by ADP of prostaglandin induced accumulation of cyclic AMP in intact human platelets. *J Cyclic Nucleotide Res*, 7, 1.
92. Lopina OD, Rubtsov AM, Boldyrev AA. (1979) [Investigation of sarcoplasmic reticulum SH-groups]. *Biokhimiia*, 44, 306.
93. Szymanowicz A, Cheron C, Borel JP. (1979) The use of 7-chloro-4-nitrofurazan (NBD chloride) for the detection and evaluation of the hydroxyproline isomers. *Biochimie*, 61, 425.
94. Grosse R, Eckert K, Malur J, Repke KR. (1978) Analysis of function-related interactions of ATP, sodium and potassium ions with Na⁺- and K⁺-transporting ATPase studied with a thiol reagent as tool. *Acta Biol Med Ger*, 37, 83.
95. Tkachuk VA, Malinovskaia KI. (1977) [Fast and highly-sensitive method of quantitative determination of carnosine and anserine in animal tissues]. *Vopr Med Khim*, 127.
96. Eckert K, Grosse R, Levitsky DO, Kuzmin AV, Smirnov VN, Repke KR. (1977) Determination and functional significance of low affinity nucleotide sites of Ca²⁺ + Mg²⁺ - dependent ATPase of sarcoplasmic reticulum. *Acta Biol Med Ger*, 36, K1.
97. Becker R. (1977) [Fluorometric determination of glibornuride in plasma and serum using 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole]. *Arzneimittelforschung*, 27, 102.
98. Shipton M, Stuchbury T, Brocklehurst K. (1976) 4-Chloro-7-nitrobenzo-2-oxa-1,3-diazole as a reactivity probe for the investigation of the thiol proteinases. evidence that ficin and bromelain may lack carboxyl groups conformationally equivalent to that of aspartic acid-158 of papain. *Biochem J*, 159, 235.
99. Dobrovolskii AB, Gusev NB. (1976) [Study of reactivity of sulfhydryl groups of troponin]. *Biokhimiia*, 41, 994.
100. Bock PR. (1976) A contribution to the pharmacokinetics of bencyclane (Fludilat) in man. *Int J Clin Pharmacol Biopharm*, 13, 246.

101. Stuchbury T, Shipton M, Norris R, Malthouse JP, Brocklehurst K, Herbert JA, Suschitzky H. (1975) A reporter group delivery system with both absolute and selective specificity for thiol groups and an improved fluorescent probe containing the 7-nitrobenzo-2-oxa-1,3-diazole moiety. *Biochem J*, 151, 417.
102. Price NC, Cohn M, Schirmer RH. (1975) Fluorescent and spin label probes of the environments of the sulfhydryl groups of porcine muscle adenylate kinase. *J Biol Chem*, 250, 644.
103. Fager RS, Kutina CB, Abrahamson EW. (1973) The use of NBD chloride (7 chloro-4-nitrobenzo-2-oxa-1,3-diazole) in detecting amino acids and as an N-terminal reagent. *Anal Biochem*, 53, 290.
104. Rodier F, Hill M, Arrio B, Parquet C. (1970) *FEBS Lett*, 11, 246.